



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment
November 9, 2015

VIA CERTIFIED MAIL

Southern Pine Ranch, LLC
4774 Redbud Court
Decatur, IL 62526

RE: Notice of Violation
Emergency Order
Myra Smith Dam
Dam # D-0907

On October 16, 2015, the Department issued an Emergency Order (Attachment A) to you concerning the above referenced dam. The Emergency Order was served upon you by certified mail on October 19, 2015. Order Requirement No. 2 (on page 3 of the Emergency Order) required you to, "Have a detailed inspection conducted, as defined in the Dams and Reservoirs Safety Act and the Dams and Reservoirs Safety Regulations, of the dam, reservoir, and all appurtenant works by a qualified registered professional engineer licensed to practice in South Carolina. The results of the detailed inspection, including a plan of action to be taken, shall be submitted by the engineer to the Department no later than 5:00 P.M. on October 31, 2015."

As of the date of this letter, Department records indicate that Southern Pine Ranch, LLC has not complied with the Emergency Order.

Failure to comply with the Emergency Order is a violation of the SC Dams and Reservoir Safety Act, S.C. Code Ann. 49-11-110, et seq., (2008) and Regulation 72-1, et seq. (2012). Such violation subjects you to an enforcement action, which includes assessment of penalties as set forth in the SC Dams and Reservoir Safety Act, S.C. Code Ann. 49-11-260 (2008). In addition, failure to comply with the Emergency Order may result in the Department deploying response contractors to perform work necessary to safeguard life and property up to and including implementation of an engineered breach of the dam with no further notice. The Dams and Reservoirs Safety Act, Section 49-11-190(D) provides the Department the authority to recover from the owner in the name of the state, the expenses incurred when the owner fails to comply with the Emergency Order. These expenses may be substantial.

You must provide results of a detailed inspection as defined in the Dams and Reservoirs Safety Act and the Dams and Reservoirs Safety Regulations, including a plan of action, in accordance with Requirement No. 2 of the Emergency Order to the Department by **5:00 PM, Thursday, November 19, 2015**. Submitting this response will not relieve Southern Pine Ranch, LLC of the responsibility for fully complying with the remaining requirements of the Emergency Order, including Order Requirement No. 1 (on page 3 of the Emergency Order). Submit these documents to Mr. Paul Wise at WISEPF@dhec.sc.gov or 803-898-4215 (facsimile). Questions about this Notice may be directed to Mr. Wise at (803)-898-4181

Sincerely,

Adam Cannon
Water Pollution Control Division
Bureau of Water

C: Paul Wise, WPC Enforcement
David Graves, Manager, SCDHEC Dams & Reservoir Safety Program