

SUMMARY SHEET
BOARD OF HEALTH AND ENVIRONMENTAL CONTROL
October 7, 2021

_____ ACTION/DECISION

X INFORMATION

1. **TITLE:** Administrative and Consent Orders issued by the Office of Environmental Affairs.

2. **SUBJECT:** Administrative and Consent Orders issued by the Office of Environmental Affairs during the period August 1, 2021, through August 31, 2021.

3. **FACTS:** For the reporting period of August 1, 2021, through August 31, 2021, the Office of Environmental Affairs issued seventy-four (74) Consent Orders with total assessed civil penalties in the amount of one hundred fifty-nine thousand, nine hundred twenty-five dollars (\$159,925.00). Also, ten (10) Administrative Orders with total assessed civil penalties in the amount of four thousand, five hundred dollars (\$4,500.00) were reported during this period.

Bureau and Program Area	Administrative Orders	Assessed Penalties	Consent Orders	Assessed Penalties
Land and Waste Management				
UST Program	0	0	2	\$2,000.00
Aboveground Tanks	0	0	0	0
Solid Waste	0	0	0	0
Hazardous Waste	0	0	2	\$10,125.00
Infectious Waste	0	0	0	0
Mining	0	0	0	0
SUBTOTAL	0	0	4	\$12,125.00
Water				
Recreational Water	0	0	53	\$69,200.00
Drinking Water	0	0	4	\$7,600.00
Water Pollution	0	0	9	\$30,200.00
Dam Safety	0	0	0	0
SUBTOTAL	0	0	66	\$107,000.00
Air Quality				
SUBTOTAL	0	0	2	\$36,800.00
Environmental Health Services				
Food Safety	1	\$4,500.00	2	\$4,000.00
Onsite Wastewater	9	0	0	0
SUBTOTAL	10	\$4,500.00	2	\$4,000.00
OCRM				
SUBTOTAL	0	0	0	0
TOTAL	10	\$4,500.00	74	\$159,925.00

Submitted by:

Myra C. Reece
Myra C. Reece
Director of Environmental Affairs

**ENVIRONMENTAL AFFAIRS ENFORCEMENT REPORT
BOARD OF HEALTH AND ENVIRONMENTAL CONTROL
October 7, 2021**

BUREAU OF LAND AND WASTE MANAGEMENT

Underground Storage Tank Enforcement

- 1) Order Type and Number: Consent Order 21-0128-UST
 Order Date: August 17, 2021
 Individual/Entity: **Bush Oil Co., LLC**
 Facility: Bush Oil Co., LLC
 Location: 300 Pendleton Street
 Easley, SC 29640
 Mailing Address: P.O. Box 327
 Travelers Rest, SC 29690

 County: Pickens
 Previous Orders: None
 Permit/ID Number: 07198
 Violations Cited: The State Underground Petroleum
 Environmental Response Bank Act of 1988 (SUPERB Act), and South Carolina
 Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs. 61-92,
 280.21(c) and 280.70(c) (2012 and Supp. 2019).

Summary: Bush Oil Co., LLC (Individual/Entity) is the owner of underground storage tanks (USTs) located in Pickens County, South Carolina. On May 24, 2021, the Department conducted a routine UST compliance inspection and issued a Notice of Alleged Violation. The Individual/Entity has violated the SUPERB Act and the South Carolina Underground Storage Tank Regulation, as follows: failed to permanently close a temporarily closed UST system within a twelve (12) month period which did not meet the new performance standards.

Action: The Individual/Entity is required to permanently close the UST system by September 16, 2021. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**) by September 1, 2021.

Update: The deadline for the UST system to be closed has been extended to October 18, 2021.

2) Order Type and Number: Consent Order 21-0338-UST
Order Date: August 17, 2021
Individual/Entity: **Lake Properties, LLC**
Facility: Dutchman Creek Marina, LLC
Location: 5546 River Road
Winnsboro, SC 29180
Mailing Address: 70 Rainbow Cove Road
Ridgeway, SC 29130
County: Fairfield
Previous Orders: None
Permit/ID Number: 16573
Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-60(A) et seq. (2018); and South Carolina Underground Storage Tank Control Regulation, 7 S.C. Code Ann., Regs 61-92, 280.41(b)(1)(i)(A) (2012 & Supp 2019).

Summary: Lake Properties, LLC (Individual/Entity) owns and operates underground storage tanks in Fairfield County, South Carolina. The Department conducted an inspection on June 30, 2021 and issued a Notice of Alleged Violation. The Individual/Entity violated the SUPERB Act and the South Carolina Underground Storage Tank Regulation, as follows: failed to equip a pressurized line with an automatic line leak detector.

Action: The Individual/Entity corrected all violations prior to issuance of the Order. The Department has assessed a total penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**) by October 1, 2021.

Update: The civil penalty has been paid.

Hazardous Waste Enforcement

3) Order Type and Number: Consent Order 21-05-HW
Order Date: August 10, 2021
Individual/Entity: **Alloy Wheel Repair**
Facility: Same
Location: 658 Arlington Road
Greer, SC 29651
Mailing Address: 2 Peachtree Lanes
Greer, SC 29561
County: Spartanburg
Previous Orders: None
Permit/ID Number: SCR 000 787 564

Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018), and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2018).

Summary: Alloy Wheel Repair (Individual/Entity), specializes in minor repair to full restoration of automobile wheels at its facility located in Spartanburg County, South Carolina. The Department conducted an inspection on June 11, 2020. The Individual/Entity has violated the South Carolina Hazardous Waste Management Act and the Hazardous Waste Management Regulations, as follows: failed to accurately determine if the waste was hazardous waste; failed to maintain records supporting its hazardous waste determinations, including records that identify whether a solid waste is a hazardous waste, as defined by R.61-79.261.3; failed to maintain and operate to minimize the possibility of a fire, explosion, or any unplanned sudden or nonsudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment; and allowed the discharge of organic or inorganic matter into the environment of the State in a manner other than in compliance with a permit issued by the Department.

Action: The Individual/Entity corrected all violations prior to the issuance of the Order. The Department assessed a total civil penalty in the amount of seven thousand, one hundred twenty-five dollars (\$7,125.00). The Individual/Entity shall pay a civil penalty in the amount of seven thousand, one hundred twenty-five dollars (**\$7,125.00**) by September 9, 2021.

Update: The civil penalty has been paid.

4) Order Type and Number: Consent Order 21-06-HW
Order Date: August 10, 2021
Individual/Entity: **University of South Carolina Health & Safety Program**
Facility: Same
Location: 703 Pendleton Street
Columbia, SC 29208
Mailing Address: 226 Bull Street
Columbia, SC 29208
County: Richland
Previous Orders: None
Permit/ID Number: SCD 041 387 846
Violations Cited: The South Carolina Hazardous Waste Management Act, S.C. Code Ann. §§ 44-56-10 et seq. (2018), and the South Carolina Hazardous Waste Management Regulation, 6 and 7 S.C. Code Ann. Regs. 61-79 (2012 and Supp. 2018).

Summary: The University of South Carolina Health & Safety Program (Individual/Entity), is a part of a public institution with four hundred thirty-five (435) laboratories operating on a 444-acre campus located in Richland County, South Carolina. The Department conducted an inspection on June 7, 2021. The Individual/Entity has violated the South Carolina Hazardous Waste Management Act and the Hazardous Waste Management Regulations as follows: failed to mark or label its containers with the following: the words “Hazardous Waste” and an indication of the hazards of the contents; failed to accumulate universal waste for no longer than one (1) year from the date the universal waste is generated, or received from another handler; and failed to record a description, the EPA hazardous waste number [from R.61-79.261 Subpart C or D], DOT hazardous class, and quantity of each hazardous waste shipped offsite for shipments to a treatment, storage, or disposal facility within the United States and this information must be listed by the EPA identification number of each such facility to which waste was shipped and the types and quantities of such wastes shipped for offsite treatment and disposal.

Action: The Individual/Entity corrected all violations prior to the issuance of the Order. The Department assessed a total civil penalty in the amount of three thousand dollars (\$3,000.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand dollars (**\$3,000.00**) by September 9, 2021.

Update: The civil penalty has been paid.

BUREAU OF WATER

Recreational Waters Enforcement

5) <u>Order Type and Number:</u>	Consent Order 21-025-RW
<u>Order Date:</u>	August 2, 2021
<u>Individual/Entity:</u>	Lakeview at Surfside Beach Homeowners Association, Inc.
<u>Facility:</u>	Lakeview at Surfside Beach
<u>Location:</u>	517 Lakeshore Drive Surfside Beach, SC 29575
<u>Mailing Address:</u>	11740 Frontage Road Murrells Inlet, SC 29576
<u>County:</u>	Horry
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	26-1387B
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Lakeview at Surfside Beach Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on

June 16, 2021, and July 6, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; the life ring was deteriorated; and the facility address was not posted at the emergency notification device.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 18, 2021.

Update: The civil penalty has been paid.

6) <u>Order Type and Number:</u>	Consent Order 21-027-RW
<u>Order Date:</u>	August 2, 2021
<u>Individual/Entity:</u>	Shoreham Towers II Homeowners Association, Inc.
<u>Facility:</u>	Shoreham Towers II
<u>Location:</u>	2013 South Ocean Boulevard North Myrtle Beach, SC 29582
<u>Mailing Address:</u>	1125 48 th Avenue N Myrtle Beach, SC 29577
<u>County:</u>	Horry
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	26-864-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Shoreham Towers II Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 8, 2021, and July 14, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: skimmer covers were broken; skimmer baskets were floating; a gate did not self-close and latch; the pH and chlorine levels were not within the acceptable range of water quality standards; the bound and numbered log book was not maintained on a daily basis; and the pool walls were dirty.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 16, 2021.

Update: The civil penalty has been paid.

- 7) Order Type and Number: Consent Order 21-026-RW
Order Date: August 3, 2021
Individual/Entity: **Town Center Inn, LLC**
Facility: Quality Inn at Town Center
Location: 2001 Boundary Street
 Beaufort, SC 29902
Mailing Address: Same
County: Beaufort
Previous Orders: None
Permit/ID Number: 07-200-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Town Center Inn, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Beaufort County, South Carolina. The Department conducted inspections on May 28, 2021, and June 29, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was not tight and secure; skimmer covers were broken; the facility address was not posted at the emergency notification device; the pool rules sign was not legible; the pool rules sign was not completely filled out; the recirculation and filtration system was not operating properly; a ladder was missing rungs; the chlorine level was not within the acceptable range of water quality standards; and the shepherd’s crook handle was attached to a telescoping pole.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 19, 2021.

Update: The civil penalty has been paid.

- 8) Order Type and Number: Consent Order 21-029-RW
Order Date: August 4, 2021
Individual/Entity: **Council of Co-Owners, Sterling Village II
Horizontal Property Regime, Inc.**
Facility: Sterling Village II
Location: 1206 East Erin Way
 Myrtle Beach, SC 29577
Mailing Address: 1201 East Erin Way, Unit B
 Myrtle Beach, SC 29577
County: Horry
Previous Orders: None
Permit/ID Number: 26-B87-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Council of Co-Owners, Sterling Village II Horizontal Property Regime, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 17, 2021, and July 19, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine level was not within the acceptable range of water quality standards; the pool rules sign was not completely filled out; the current pool operator of record information was not posted to the public; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 19, 2021.

Update: The civil penalty has been paid.

9) <u>Order Type and Number:</u>	Consent Order 21-030-RW
<u>Order Date:</u>	August 5, 2021
<u>Individual/Entity:</u>	Savoy Owners Association, Inc.
<u>Facility:</u>	Savoy Condos
<u>Location:</u>	200 72nd Avenue North Myrtle Beach, SC 29572
<u>Mailing Address:</u>	Same
<u>County:</u>	Horry
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	26-949-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Savoy Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on May 27, 2021, and July 9, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the life ring was deteriorated; the pool rules sign was not legible; the current pool operator of record information was not posted to the public; the bound and numbered log book was not available for review; and the chlorine level was not within the acceptable range of water quality standards.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 17, 2021.

Update: The civil penalty has been paid.

10) Order Type and Number: Consent Order 21-039-RW
Order Date: August 5, 2021
Individual/Entity: **B.V.M. Group, LLC**
Facility: Park Inn
Location: 1729 Mandeville Road
Florence, SC 29501
Mailing Address: Same
County: Florence
Previous Orders: None
Permit/ID Number: 21-1037B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: B.V.M. Group, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Florence County, South Carolina. The Department conducted inspections on June 2, 2021, and June 24, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; there was standing water on the pool deck; skimmers were missing weirs; the chlorine level was not within the acceptable range of water quality standards; the bound and numbered log book was not maintained on a daily basis; and the bound and numbered log book was not maintained a minimum of three times per week by the pool operator of record.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 25, 2021.

Update: The civil penalty has been paid.

11) Order Type and Number: Consent Order 21-031-RW
Order Date: August 6, 2021
Individual/Entity: **Seaside Hotels, LLC**
Facility: Tropical Seas
Location: 2807 South Ocean Boulevard
Myrtle Beach, SC 29577
Mailing Address: Same
County: Horry
Previous Orders: None
Permit/ID Number: 26-826-1, 26-827-1, & 26-1136D
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Seaside Hotels, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of two pools and a spa located in Horry County, South Carolina. The Department conducted inspections on June 18, 2021, and July 13, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity

has violated the Public Swimming Pools Regulation as follows: the walls and floors were dirty; skimmer baskets were floating; the gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; the life ring had no rope; there was no lifeline on the first inspection; lifeline floats were damaged on the second inspection; plaster was deteriorated; the step edge tile stripe was missing tiles; main drain grates were broken; the equipment room was unlocked; water line tiles were dirty; and a light in the pool wall was out of its niche.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of two thousand, forty dollars (\$2,040.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand, forty dollars (**\$2,040.00**) by August 22, 2021.

Update: The civil penalty has been paid.

12) <u>Order Type and Number:</u>	Consent Order 21-032-RW
<u>Order Date:</u>	August 6, 2021
<u>Individual/Entity:</u>	A Place at the Beach - Crescent Association, Inc.
<u>Facility:</u>	A Place at the Beach – Crescent Beach
<u>Location:</u>	405 21 st Avenue South North Myrtle Beach, SC 29582
<u>Mailing Address:</u>	Same
<u>County:</u>	Horry
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	26-528-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: A Place at the Beach - Crescent Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 14, 2021, and July 13, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool deck was not clear of hazards; the water level was too low; the chlorine level was not within the acceptable range of water quality standards; the log book was not properly bound; and the shepherd's crook was missing a bolt.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 19, 2021.

Update: The civil penalty has been paid.

13) Order Type and Number: Consent Order 21-033-RW
Order Date: August 6, 2021
Individual/Entity: **Ocean Place II Homeowner's Association, Inc.**
Facility: Ocean Place II
Location: 807 Hillside Drive
North Myrtle Beach, SC 29582
Mailing Address: Same
County: Horry
Previous Orders: None
Permit/ID Number: 26-857-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Ocean Place II Homeowner's Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 1, 2021, and July 6, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a handrail and ladder were rusting; a handrail was not tight and secure; the pool floor was dirty; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the pool rules sign was not completely filled out; and the fill spout was not stainless steel or equivalent.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 22, 2021.

Update: The civil penalty has been paid.

14) Order Type and Number: Consent Order 21-034-RW
Order Date: August 6, 2021
Individual/Entity: **Cedar Reef Villas Owners' Association, Inc.**
Facility: Cedar Reef Villas
Location: 1 Cedar Reef Drive
Saint Helena Island, SC 29220
Mailing Address: 2123 Sea Island Parkway
Saint Helena Island, SC 29920
County: Beaufort
Previous Orders: None
Permit/ID Number: 07-155-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Cedar Reef Villas Owners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Beaufort County, South Carolina. The Department conducted inspections on June 4, 2021, and July 12, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; a gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the life ring did not have a permanently attached rope; and the emergency notification device was not operational.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 23, 2021.

Update: The civil penalty has been paid.

15) <u>Order Type and Number:</u>	Consent Order 21-035-RW
<u>Order Date:</u>	August 6, 2021
<u>Individual/Entity:</u>	GrayBul Ironwood, LLC
<u>Facility:</u>	Ironwood at Hammonds Ferry
<u>Location:</u>	Railroad Avenue North Augusta, SC 29808
<u>Mailing Address:</u>	200 East Broad Street, Suite 220 Greenville, SC 29601
<u>County:</u>	Aiken
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	02-1043B
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: GrayBul Ironwood, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Aiken County, South Carolina. The Department conducted inspections on June 3, 2021, and July 8, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a handrail was not tight and secure; the waterline tiles were dirty; skimmers were not secured into the pool deck; the drinking water fountain was not operating; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the life ring rope was too short and deteriorating; and the pool rules sign was not legible.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 11, 2021.

Update: The civil penalty has been paid.

16) Order Type and Number: Consent Order 21-036-RW
Order Date: August 6, 2021
Individual/Entity: **Palmetto Park Homeowner’s Association, Inc.**
Facility: Palmetto Park
Location: 869 17th Avenue South
Myrtle Beach, SC 29577
Mailing Address: 889 Palmetto Trail, unit 102
Myrtle Beach, SC 29577
County: Horry
Previous Orders: None
Permit/ID Number: 26-1107B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Palmetto Park Homeowner’s Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 17, 2021, and July 19, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pH level was not within the acceptable range of water quality standards; only one “No Lifeguard On Duty – Swim At Your Own Risk” sign was posted; the current pool operator of record information was not posted to the public; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 23, 2021.

Update: The civil penalty has been paid.

17) Order Type and Number: Consent Order 21-037-RW
Order Date: August 11, 2021
Individual/Entity: **Shores of Surfside I Homeowners Association**
Facility: Shores of Surfside II
Location: 1213 North Ocean Boulevard
Surfside Beach, SC 29577
Mailing Address: Same
County: Horry
Previous Orders: None
Permit/ID Number: 26-851-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Shores of Surfside I Homeowners Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 8, 2021, and June 29, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool furniture was not at least four feet from the edge of the pool; skimmers were missing weirs; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the pool rules sign was not completely filled out; and the lifeline floats were not properly spaced.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 23, 2021.

Update: The civil penalty has been paid.

18)	<u>Order Type and Number:</u>	Consent Order 21-038-RW
	<u>Order Date:</u>	August 11, 2021
	<u>Individual/Entity:</u>	CR Bluestone, LLC
	<u>Facility:</u>	Bluestone Apartments
	<u>Location:</u>	4921 Bluffton Parkway Bluffton, SC 29910
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Beaufort
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	07-1044B
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: CR Bluestone, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Beaufort County, South Carolina. The Department conducted inspections on June 16, 2021, and July 13, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the pool furniture was not at least four feet from the edge of the pool; the water level was too high; the foot rinse shower was not operating properly; the chlorine level was not within the acceptable range of water quality standards; the shepherd's crook handle was attached to a telescoping pole; the bound and numbered log book was not signed by the pool operator of record on the first inspection; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book on the second inspection.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 24, 2021.

Update: The civil penalty has been paid.

19) Order Type and Number: Consent Order 21-040-RW
Order Date: August 16, 2021
Individual/Entity: **Wayne Hucks, Irene Patrick, Sheila Usher, and Terry Hucks, Individually and d.b.a. Darlington Apartments**
Facility: Darlington Apartments
Location: 203 North Ocean Boulevard
Myrtle Beach, SC 29577
Mailing Address: Same
County: Horry
Previous Orders: None
Permit/ID Number: 26-1161B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Wayne Hucks, Irene Patrick, Sheila Usher, and Terry Hucks, Individually and d.b.a. Darlington Apartments (Individual/Entity) own and are responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 17, 2021, and July 29, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: depth marker tiles were broken; a handrail was not tight and secure; a gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (\$680.00) by September 5, 2021.

Update: The civil penalty has been paid.

20) Order Type and Number: Consent Order 21-042-RW
Order Date: August 16, 2021
Individual/Entity: **Laurel Woods Homeowners' Association, Inc.**
Facility: Laurel Woods Clubhouse
Location: 218 North Dogwood Drive
Surfside, SC 29575
Mailing Address: Same
County: Horry
Previous Orders: None

Permit/ID Number: 26-R23-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Laurel Woods Homeowners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 1, 2021, and July 8, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers and a rung; the chlorine level was not within the acceptable range of water quality standards; the life ring did not have a permanently attached rope during the first inspection and was missing during the second inspection; the current pool operator of record information was not posted to the public; the emergency notification device was not operational; and only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (\$680.00) by September 5, 2021.

Update: The civil penalty has been paid.

21) Order Type and Number: Consent Order 21-043-RW
Order Date: August 16, 2021
Individual/Entity: **Atlantic Paradise, LLC**
Facility: Atlantic Paradise Resort
Location: 1401 South Ocean Boulevard
Myrtle Beach, SC 29577
Mailing Address: Same
County: Horry
Previous Orders: 18-244-RW (\$2,040.00)
20-022-RW (\$2,000.00)
Permit/ID Number: 26-394-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Atlantic Paradise, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on May 25, 2021, and June 30, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; a skimmer lid was cracked; the drinking water fountain was not operating properly; a gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; there was no life ring; there was no shepherd's crook; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of three thousand, two hundred dollars (\$3,200.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand, two hundred dollars (**\$3,200.00**) by September 5, 2021.

Update: The civil penalty has been paid.

22) Order Type and Number: Consent Order 21-044-RW
Order Date: August 16, 2021
Individual/Entity: **Charleston Hotel, Inc.**
Facility: Towneplace Suites
Location: 805 Orleans Road
Charleston, SC 29407
Mailing Address: 711 Gallimore Dairy Road
Highpoint, NC 27265
County: Charleston
Previous Orders: 19-111-RW (\$680.00)
Permit/ID Number: 10-1306B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Charleston Hotel, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. The Department conducted inspections on June 3, 2021, and July 19, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: skimmers were missing weirs; the pool floor was not clean; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the pool rules sign was not legible; the life ring rope was broken; there were no "Shallow Water – No Diving Allowed" signs posted; the current pool operator of record information was not posted to the public; the cyanuric acid levels were not recorded weekly in the bound and numbered log book; and the bound and numbered log book was not available for review.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand, six hundred dollars (\$1,600.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand, six hundred dollars (**\$1,600.00**) by August 30, 2021.

Update: The civil penalty has been paid.

23) Order Type and Number: Consent Order 21-045-RW
Order Date: August 16, 2021
Individual/Entity: **Blue Coast Hotels, LLC**
Facility: Garden City Inn

Location: 1120 North Waccamaw Drive
Murrell's Inlet, SC 29576
Mailing Address: Same
County: Horry
Previous Orders: None
Permit/ID Number: 26-E45-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Blue Coast Hotels, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on May 27, 2021, and July 16, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; skimmers were missing weirs; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 31, 2021.

Update: The civil penalty has been paid.

24) Order Type and Number: Consent Order 21-046-RW
Order Date: August 16, 2021
Individual/Entity: **Holiday Sands at South Beach Front Homeowners' Association, Inc.**
Facility: Holiday Sands Oceanfront Resort
Location: 2501 South Ocean Boulevard
Myrtle Beach, SC 29577
Mailing Address: 2411 South Ocean Boulevard
Myrtle Beach, SC 29577
County: Horry
Previous Orders: None
Permit/ID Number: 26-1595D
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Holiday Sands at South Beach Front Homeowners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a spa located in Horry County, South Carolina. The Department conducted inspections on June 16, 2021, June 17, 2021, and July 12, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable

range of water quality standards; and the bound and numbered log book was not available for review.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of two thousand, forty dollars (\$2,040.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand, forty dollars (**\$2,040.00**) by August 25, 2021.

Update: The civil penalty has been paid.

25) Order Type and Number: Consent Order 21-047-RW
Order Date: August 16, 2021
Individual/Entity: **Smith Family Partners, LLC**
Facility: Bar Harbor Motor Inn
Location: 100 North Ocean Boulevard
Myrtle Beach, SC 29577
Mailing Address: Same
County: Horry
Previous Orders: 19-164-RW (\$680.00)
Permit/ID Number: 26-440-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Smith Family Partners, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 10, 2021, and July 27, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; skimmer lids were cracked; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the life ring was deteriorated and was not in the designated location; and the bound and numbered log book was not available for review.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand, six hundred dollars (\$1,600.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand, six hundred dollars (**\$1,600.00**) by August 30, 2021.

Update: The civil penalty has been paid.

26) Order Type and Number: Consent Order 21-048-RW
Order Date: August 16, 2021
Individual/Entity: **Westfield Properties, LLC**
Facility: Beachcomber
Location: 1405 South Ocean Boulevard

Mailing Address: Myrtle Beach, SC 29577
1403 South Ocean Boulevard
Myrtle Beach, SC 29577

County: Horry

Previous Orders: None

Permit/ID Number: 26-234-1

Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Westfield Properties, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on May 25, 2021, June 10, 2021, and June 30, 2021, and violations were issued for failure to properly operate and maintain; and on June 10, 2021, a violation was issued for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were damaged and not properly spaced; the chlorine and pH levels were not within the acceptable range of water quality standards; there was no life ring; there was no shepherd's crook; the emergency notification device was not operating; there were no "No Lifeguard On Duty – Swim At Your Own Risk" signs posted; the bound and numbered log book was not maintained on a daily basis; and the pool was operating prior to receiving Department approval.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of two thousand, three hundred eighty dollars (\$2,380.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand, three hundred eighty dollars (**\$2,380.00**) by August 26, 2021.

Update: The civil penalty has been paid.

27) Order Type and Number: Consent Order 21-049-RW

Order Date: August 16, 2021

Individual/Entity: **True Blue Golf & Racquet Resort II Homeowners' Association, Inc.**

Facility: True Blue II

Location: 358 Blue Stem Drive
Pawley's Island, SC 29585

Mailing Address: Same

County: Georgetown

Previous Orders: None

Permit/ID Number: 22-135-1

Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: True Blue Golf & Racquet Resort II Homeowners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Georgetown County, South Carolina. The Department conducted

inspections on June 11, 2021, and July 16, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 30, 2021.

Update: The civil penalty has been paid.

28) <u>Order Type and Number:</u>	Consent Order 21-050-RW
<u>Order Date:</u>	August 17, 2021
<u>Individual/Entity:</u>	Mid-America Apartments, L.P.
<u>Facility:</u>	Spring Creek Apartments
<u>Location:</u>	10 Capewood Road Simpsonville, SC 29680
<u>Mailing Address:</u>	50 Rocky Creek Road Greenville, SC 29615
<u>County:</u>	Greenville
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	23-262-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(K)(1)(c)

Summary: Mid-America Apartments, L.P. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Greenville County, South Carolina. The Department conducted inspections on July 30, 2021, and August 2, 2021, and a violation was issued on August 2, 2021 for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool was operating prior to receiving Department approval.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of two hundred fifty-five dollars (\$255.00). The Individual/Entity shall pay a civil penalty in the amount of two hundred fifty-five dollars (**\$255.00**) by August 31, 2021.

Update: The civil penalty has been paid.

29) Order Type and Number: Consent Order 21-051-RW
Order Date: August 17, 2021
Individual/Entity: **Beach Cove Ocean Resort Homeowners Association, Inc.**
Facility: Beach Cove Ocean Resort
Location: 4800 South Ocean Boulevard
North Myrtle Beach, SC 29582
Mailing Address: Same
County: Horry
Previous Orders: None
Permit/ID Number: 26-L34-1 & 26-Q37-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Beach Cove Ocean Resort Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool and a spa located in Horry County, South Carolina. The Department conducted inspections on July 7, 2021, and July 29, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool deck was not clear of hazards; there was debris in the skimmer baskets; skimmer lids were cracked; skimmers were missing weirs; a gate did not self-close and latch; the pH and chlorine levels were not within the acceptable range of water quality standards; and the water level in the spa was too low during the first inspection and too high during the second inspection.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand, three hundred sixty dollars (\$1,360.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand, three hundred sixty dollars (**\$1,360.00**) by September 6, 2021.

Update: The civil penalty has been paid.

30) Order Type and Number: Consent Order 21-052-RW
Order Date: August 17, 2021
Individual/Entity: **Lakemont Hotel, LLC**
Facility: Towneplace Suites
Location: 3519 Lakemont Boulevard
Fort Mill, SC 29708
Mailing Address: Same
County: York
Previous Orders: None
Permit/ID Number: 46-1216B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Lakemont Hotel, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in York County, South Carolina.

The Department conducted inspections on June 14, 2021, and July 16, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 29, 2021.

Update: The civil penalty has been paid.

31) <u>Order Type and Number:</u>	Consent Order 21-055-RW
<u>Order Date:</u>	August 17, 2021
<u>Individual/Entity:</u>	Lake City Country Club
<u>Facility:</u>	Lake City Country Club
<u>Location:</u>	140 South Country Club Road Florence, SC
<u>Mailing Address:</u>	Same
<u>County:</u>	Florence
<u>Previous Orders:</u>	18-023-RW (\$680.00) 19-019-RW (\$1,360.00) 19-073-RW (\$2,720.00)
<u>Permit/ID Number:</u>	21-042-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Lake City Country Club (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Florence County, South Carolina. The Department conducted inspections on June 14, 2021, and July 13, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the “No Diving Allowed” tiles on the pool deck were missing; a ladder was not tight & secure; skimmers were missing weirs; the chlorine level was not within the acceptable range of water quality standards; the bound and numbered log book was not maintained a minimum of three times per week by the pool operator of record; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of three thousand, two hundred dollars (\$3,200.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand, two hundred dollars (**\$3,200.00**) by September 6, 2021.

Update: The civil penalty has been paid.

32) Order Type and Number: Consent Order 21-056-RW
Order Date: August 17, 2021
Individual/Entity: **The Oaks Owners Association**
Facility: Oaks Townhouses
Location: 5009 S Woodland Drive
Florence, SC 29501
Mailing Address: Same
County: Florence
Previous Orders: None
Permit/ID Number: 21-063-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: The Oaks Owners Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Florence County, South Carolina. The Department conducted inspections on June 25, 2021, and July 14, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was not tight & secure; there was algae on the floor of the pool; a section of the perimeter fencing was broken; the gate did not self-close and latch; the shepherd's crook handle was not the approved length; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 6, 2021.

Update: The civil penalty has been paid.

33) Order Type and Number: Consent Order 21-053-RW
Order Date: August 18, 2021
Individual/Entity: **McKenna Pointe Homeowner's Association, Inc., An Eleemosynary Corporation**
Facility: McKenna Pointe
Location: 102 North Poplar Drive
Surfside Beach, SC 29575
Mailing Address: Same
County: Horry
Previous Orders: None
Permit/ID Number: 26-1735B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: McKenna Pointe Homeowner's Association, Inc., An Eleemosynary Corporation (Individual/Entity) owns and is responsible for the proper operation and

maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 9, 2021, and June 29, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the cyanuric acid level was above the water quality standards acceptable limit; the life ring rope was deteriorated; the pool rules sign was not completely filled out; there were no “Shallow Water – No Diving Allowed” signs posted on the first inspection; there was only one “Shallow Water – No Diving Allowed” sign posted on the second inspection; the current pool operator of record information was not posted to the public; the bound and numbered log book was not available for Department review; the drinking water fountain was not operating; the foot rinse shower was not operating; the pool equipment room was not locked; and the chlorine level was not within the acceptable range of water quality standards.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by August 30, 2021.

Update: The civil penalty has been paid.

34) <u>Order Type and Number:</u>	Consent Order 21-054-RW
<u>Order Date:</u>	August 18, 2021
<u>Individual/Entity:</u>	Paradise Resort Homeowner’s Association, Inc.
<u>Facility:</u>	Paradise Resort
<u>Location:</u>	2201 South Ocean Boulevard Myrtle Beach, SC 29577
<u>Mailing Address:</u>	415 79 th Avenue North Myrtle Beach, SC 29572
<u>County:</u>	Horry
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	26-1832B
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Paradise Resort Homeowner’s Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 8, 2021, and July 12, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the shepherd’s crook was not permanently attached to the handle; and one of the “No Lifeguard On Duty – Swim At Your Own Risk” signs was damaged.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 1, 2021.

Update: The civil penalty has been paid.

35) Order Type and Number: Consent Order 21-057-RW
Order Date: August 19, 2021
Individual/Entity: **Hyperion Towers Homeowners Association, Inc.**
Facility: Hyperion Towers
Location: 5508 North Ocean Boulevard
North Myrtle Beach, SC 29577
Mailing Address: Same
County: Horry
Previous Orders: 18-050-RW (\$680.00)
19-036-RW (\$1,360.00)
Permit/ID Number: 26-J69-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Hyperion Towers Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 22, 2021, and July 20, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; the life ring was tied to the fence with zip ties; the life ring did not have a permanently attached rope; the pool rules sign was not completely filled out; there were no “No Lifeguard On Duty – Swim At Your Own Risk” signs posted on the first inspection; only one “No Lifeguard On Duty – Swim At Your Own Risk” sign was posted on the second inspection; the bound and numbered log book was not maintained on a daily basis; the water level was too low; the main drain grates were not visible due to cloudy water; and only one “Shallow Water – No Diving Allowed” sign was posted.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of three thousand, two hundred dollars (\$3,200.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand, two hundred dollars (**\$3,200.00**) by September 1, 2021.

Update: The civil penalty has been paid.

36) Order Type and Number: Consent Order 21-058-RW
Order Date: August 19, 2021
Individual/Entity: **Land End II, LLC**
Facility: Quality Inn & Suites
Location: 210 Church Street
Georgetown, SC 29440
Mailing Address: Same
County: Georgetown
Previous Orders: None
Permit/ID Number: 22-003-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Land End II, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Georgetown County, South Carolina. The Department conducted inspections on June 18, 2021, and July 22, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline did not have the minimum number of floats; the lifeline floats were not properly spaced; the pool floor was dirty; the foot rinse shower was not operating properly; the facility did not have a current VAC Alert certification; the life ring did not have a permanently attached rope on the first inspection; the life ring rope was too short on the second inspection; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 6, 2021.

Update: The civil penalty has been paid.

37) Order Type and Number: Consent Order 21-079-RW
Order Date: August 20, 2021
Individual/Entity: **Moree's Beulah Plantation, LLC**
Facility: Buckhead Retreat
Location: 1127 Haymount Road
Latta, SC 29565
Mailing Address: Same
County: Dillon
Previous Orders: None
Permit/ID Number: 17-1002B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Moree's Beulah Plantation, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Dillon County, South Carolina. The Department conducted inspections on June 15, 2021, and July 20,

2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the depth deck marker tiles were broken; the pool equipment room was not locked; algae was present on the walls of the pool; the chlorine level was not within the acceptable range of water quality standards; The emergency notification device was not operating properly; the facility address was not posted at the emergency notification device; the pool rules sign was not legible on the first inspection and was not completely filled out on the second inspection; there was only one “Shallow Water – No Diving Allowed” sign posted; there was only one “No Lifeguard On Duty – Swim At Your Own Risk” sign posted; the bound and numbered log book was not available for review on the first inspection; and the bound and numbered log book was not maintained on a daily basis on the second inspection.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 9, 2021.

Update: The civil penalty has been paid.

38) <u>Order Type and Number:</u>	Consent Order 21-059-RW
<u>Order Date:</u>	August 23, 2021
<u>Individual/Entity:</u>	Shoreham Towers Homeowners Association, Inc.
<u>Facility:</u>	Shoreham Towers I
<u>Location:</u>	2307 North Ocean Boulevard Myrtle Beach, SC 29578
<u>Mailing Address:</u>	1039 44 th Avenue North, Suite 203 Myrtle Beach, SC 29577
<u>County:</u>	Horry
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	26-H31-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Shoreham Towers Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 11, 2021, and July 15, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the gate did not self-close and latch; and the emergency notification device was not operating.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 7, 2021.

Update: The civil penalty has been paid.

- 39) Order Type and Number: Consent Order 21-060-RW
Order Date: August 24, 2021
Individual/Entity: **Omkar of Clemson, LLC**
Facility: Comfort Inn Clemson
Location: 1305 Tiger Boulevard
Clemson, SC 29631
Mailing Address: Same
County: Pickens
Previous Orders: None
Permit/ID Number: 39-045-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Omkar of Clemson, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Pickens County, South Carolina. The Department conducted inspections on June 1, 2021, and July 9, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: depth marker tiles on the deck were broken; a ladder was not tight and secure; there was debris in the skimmer baskets; the gate did not self-close and latch; and the chlorine and pH levels were not within the acceptable range of water quality standards.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 3, 2021.

Update: The civil penalty has been paid.

- 40) Order Type and Number: Consent Order 21-078-RW
Order Date: August 24, 2021
Individual/Entity: **Ekdant Hospitality, LLC**
Facility: Landmark Inn
Location: 1301 South 4th Street
Hartsville, SC 29550
Mailing Address: Same
County: Darlington
Previous Orders: None
Permit/ID Number: 16-018-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Ekdant Hospitality, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Darlington County, South

Carolina. The Department conducted inspections on June 14, 2021, and July 9, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the plaster on the pool floor was deteriorated; the waterline tiles were not clean; skimmers were missing weirs; non-pool related items were stored in the equipment room; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the bound and numbered log book was not available for Department review on the first inspection, and the cyanuric acid level was not recorded on a weekly basis by the pool operator of record.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 13, 2021.

Update: The civil penalty has been paid.

41) <u>Order Type and Number:</u>	Consent Order 21-061-RW
<u>Order Date:</u>	August 25, 2021
<u>Individual/Entity:</u>	IC Myrtle Beach, LLC
<u>Facility:</u>	Doubletree by Hilton Myrtle Beach Oceanfront
<u>Location:</u>	3200 South Ocean Boulevard Myrtle Beach, SC 29577
<u>Mailing Address:</u>	Same
<u>County:</u>	Horry
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	26-K55-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: IC Myrtle Beach, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 1, 2021, and July 19, 2021, and violations were issued for failure to properly operate and maintain; and on July 19, 2021, a violation was issued for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing a rung; there was debris in the skimmer baskets and a skimmer lid was missing; there was a leak in the pool equipment room; a gate did not self-close and latch; the life ring was deteriorated; and the pool was operating prior to receiving Department approval.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of seven hundred sixty-five dollars (\$765.00). The Individual/Entity shall pay a civil penalty in the amount of seven hundred sixty-five dollars (**\$765.00**) by September 7, 2021.

Update: None

- 42) Order Type and Number: Consent Order 21-062-RW
Order Date: August 26, 2021
Individual/Entity: **Tani Hospitality, LLC**
Facility: Quality Inn Conway
Location: 3345 Church Street
Conway, SC 29526
Mailing Address: Same
County: Horry
Previous Orders: 19-035-RW (\$680.00)
20-036-RW (\$1,600.00)
Permit/ID Number: 26-R03-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Tani Hospitality, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 7, 2021, and July 2, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a handrail was not tight and secure; there was debris in the skimmer baskets; skimmer lids were cracked; a gate did not self-close and latch; the pool rules sign was not completely filled out; the current pool operator of record information was not posted to the public; the water level was too low; and the chlorine level was not within the acceptable range of water quality standards.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of three thousand, two hundred dollars (\$3,200.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand, two hundred dollars (**\$3,200.00**) by September 7, 2021.

Update: The civil penalty has been paid.

- 43) Order Type and Number: Consent Order 21-063-RW
Order Date: August 26, 2021
Individual/Entity: **Channel Pierhouse, LLC**
Facility: Channel Pierhouse
Location: 2103 Channel Marker Way
Hanahan, SC 29410
Mailing Address: Same
County: Berkeley
Previous Orders: None
Permit/ID Number: 08-1104D
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Channel Pierhouse, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a spa located in Berkeley County, South Carolina. The Department conducted inspections on June 2, 2021, and July 6, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pump, pool equipment, and chemical storage rooms were not accessible; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the bound and numbered log book was not available for review; the address listed at the emergency notification device was incorrect; there was no pool rules sign; only one “No Lifeguard On Duty – Swim At Your Own Risk” sign was posted; and the current pool operator of record information was not posted to the public.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 7, 2021.

Update: None

44) <u>Order Type and Number:</u>	Consent Order 21-064-RW
<u>Order Date:</u>	August 26, 2021
<u>Individual/Entity:</u>	Twin Lakes Country Club
<u>Facility:</u>	Twin Lakes Country Club
<u>Location:</u>	141 West Country Club Road Hamer, SC 29547
<u>Mailing Address:</u>	P.O. Box 975 Dillon, SC 29536
<u>County:</u>	Dillon
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	17-014-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Twin Lakes Country Club (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Dillon County, South Carolina. The Department conducted inspections on June 28, 2021, and August 2, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was not tight and secure; the plaster on the pool floor was deteriorated; the pool equipment room was not locked; the gate did not self-close and latch; a section of the perimeter fencing was broken and had openings greater than four inches; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The

Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 12, 2021.

Update: The civil penalty has been paid.

45) Order Type and Number: Consent Order 21-065-RW
Order Date: August 26, 2021
Individual/Entity: **Nilkanth, LLC**
Facility: Econolodge North
Location: 7415 Northside Drive
North Charleston, SC 29420
Mailing Address: Same
County: Charleston
Previous Orders: 17-041-RW (\$680.00)
18-042-RW (\$680.00)
Permit/ID Number: 10-287-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Nilkanth, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. The Department conducted inspections on June 14, 2021, and July 26, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the universal no diving tiles were missing from the pool deck; a ladder did not have rungs; the water level was too low; a light in the pool wall was out of its niche; the pump and chemical storage rooms were not accessible; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the main drain grates were not visible due to cloudy water; the shepherd's crook was not in the designated location; there was no emergency notification device; and the bound and numbered log book was not available for review.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of three thousand, two hundred dollars (\$3,200.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand, two hundred dollars (**\$3,200.00**) by September 11, 2021.

Update: The civil penalty has been paid.

46) Order Type and Number: Consent Order 21-066-RW
Order Date: August 26, 2021
Individual/Entity: **Nelliefield Property Owners Association, Inc.**
Facility: Nelliefield Plantation
Location: 151 Nelliefield Creek Drive

Mailing Address: Charleston, SC 29492
243 Nelliefield Creek Drive
Charleston, SC 29492

County: Berkeley

Previous Orders: None

Permit/ID Number: 08-1032B & 08-1033C

Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Nelliefield Property Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool and a kiddie pool located in Berkeley County, South Carolina. The Department conducted inspections on June 21, 2021, and July 6, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was debris in the skimmer baskets; the depth marker tiles did not have a non-slip finish; the chlorine level was not within the acceptable range of water quality standards; the shepherd's crook was obstructed; the "Shallow Water – No Diving Allowed" signs did not have the appropriate size letters; the "No Lifeguard On Duty – Swim At your Own Risk" signs did not have the appropriate size letters; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand, three hundred sixty dollars (\$1,360.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand, three hundred sixty dollars (**\$1,360.00**) by August 30, 2021.

Update: The civil penalty has been paid.

47) Order Type and Number: Consent Order 21-067-RW

Order Date: August 26, 2021

Individual/Entity: **University Ridge Association, Inc.**

Facility: University Ridge

Location: 108 Daniel Drive
Clemson, SC 29633

Mailing Address: Same

County: Pickens

Previous Orders: None

Permit/ID Number: 39-030-1

Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: University Ridge Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Pickens County, South Carolina. The Department conducted inspections on May 21, 2021, and July 8, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; a depth marker tile was broken; a ladder was not

tight and secure; a ladder was missing bumpers; the chlorine level was not within the acceptable range of water quality standards; the bound and numbered log book was not available for review on the first inspection; and the bound and numbered log book was not maintained on a daily basis on the second inspection.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by November 1, 2021.

Update: The civil penalty is to be paid in two installments of \$340.00 each. The first installment has been paid. The second installment is due November 1, 2021.

48) <u>Order Type and Number:</u>	Consent Order 21-068-RW
<u>Order Date:</u>	August 26, 2021
<u>Individual/Entity:</u>	Centre Pointe Hotel, LLC
<u>Facility:</u>	Towne Place Suites North Charleston
<u>Location:</u>	5001 Fashion Avenue North Charleston, SC 29418
<u>Mailing Address:</u>	Same
<u>County:</u>	Charleston
<u>Previous Orders:</u>	20-030-RW (\$680.00)
<u>Permit/ID Number:</u>	10-1307B
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Centre Pointe Hotel, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Charleston County, South Carolina. On June 7, 2021, and July 12, 2021, the pool was inspected, and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine level was not within the acceptable range of water quality standards; the bound and numbered log book was not maintained on a daily basis; and the cyanuric acid level was not recorded on a weekly basis in the bound and numbered log book.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand, six hundred dollars (\$1,600.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand, six hundred dollars (**\$1,600.00**) by September 12, 2021.

Update: None

49) Order Type and Number: Consent Order 21-069-RW
Order Date: August 26, 2021
Individual/Entity: **Ocean March Property Owners' Association, Inc.**
Facility: Ocean Marsh
Location: 502 48th Avenue South
North Myrtle Beach, SC 29582
Mailing Address: 4253 Sea Mountain Highway
Little River, SC 29566
County: Horry
Previous Orders: None
Permit/ID Number: 26-1607B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Ocean March Property Owners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 7, 2021, and July 28, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; the emergency notification device was not operational; a ladder was missing bumpers; and there was only one “No Lifeguard On Duty – Swim At Your Own Risk” sign posted.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 12, 2021.

Update: The civil penalty has been paid.

50) Order Type and Number: Consent Order 21-070-RW
Order Date: August 27, 2021
Individual/Entity: **PBH Paces, LLC**
Facility: Paces River Apartments
Location: 1817 Paces River Avenue
Rock Hill, SC 29732
Mailing Address: Same
County: York
Previous Orders: None
Permit/ID Number: 46-089-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: PBH Paces, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in York County, South Carolina. The Department conducted inspections on May 24, 2021, and June 24, 2021, and violations

were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the foot rinse shower was not operating properly; the flow meter was not operating; a gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; and the pool rules sign did not have all of the required rules.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 9, 2021.

Update: None

51) <u>Order Type and Number:</u>	Consent Order 21-071-RW
<u>Order Date:</u>	August 30, 2021
<u>Individual/Entity:</u>	Hilton Head Island Hotel Partners II, LLC
<u>Facility:</u>	Holiday Inn Express
<u>Location:</u>	2 Tanglewood Drive Hilton Head Island, SC 29928
<u>Mailing Address:</u>	Same
<u>County:</u>	Beaufort
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	07-350-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Hilton Head Island Hotel Partners II, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Beaufort County, South Carolina. The Department conducted inspections on June 15, 2021, and July 23, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the water level was too low on the first inspection and was too high on the second inspection; the pool rules sign was not completely filled out; the current pool operator of record information was not posted to the public; the bound and numbered log book was not available for review on the first inspection; the chlorine and pH levels were not within the acceptable range of water quality standards; the life ring rope was deteriorated; and the cyanuric acid level was not recorded weekly in the bound and numbered log book on the second inspection.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 9, 2021.

Update: The civil penalty has been paid.

52) Order Type and Number: Consent Order 21-072-RW
Order Date: August 30, 2021
Individual/Entity: **Higher Learning Housing, LLC**
Facility: Valley Falls Apartments
Location: 742 Upstate Campus Drive
Spartanburg, SC 29303
Mailing Address: Same
County: Spartanburg
Previous Orders: None
Permit/ID Number: 42-1137B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Higher Learning Housing, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Spartanburg County, South Carolina. The Department conducted inspections on May 25, 2021, and July 6, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; a skimmer was missing a weir; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 13, 2021.

Update: The civil penalty has been paid.

53) Order Type and Number: Consent Order 21-073-RW
Order Date: August 30, 2021
Individual/Entity: **Holmestown Development, Inc.**
Facility: Tiffany Park Phase II
Location: 206 Pendleton Place
Myrtle Beach, SC 29579
Mailing Address: Same
County: Horry
Previous Orders: 18-245-RW (\$2,040.00)
Permit/ID Number: 26-1928B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Holmestown Development, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on June 1, 2021, and July 30, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the

chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the bound and numbered log book was not maintained on a daily basis on the first inspection; a skimmer was missing a weir; there were chlorine pucks in the skimmer baskets; only one “Shallow Water – No Diving Allowed” sign was posted; only one “No Lifeguard On Duty – Swim At Your Own Risk” sign was posted; and the log book was not available for review on the second inspection.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of one thousand, six hundred dollars (\$1,600.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand, six hundred dollars (**\$1,600.00**) by September 13, 2021.

Update: None

54) <u>Order Type and Number:</u>	Consent Order 21-074-RW
<u>Order Date:</u>	August 30, 2021
<u>Individual/Entity:</u>	Woodsberry Property Owners Association
<u>Facility:</u>	Woodsberry
<u>Location:</u>	315 Woodsberry Shoals Drive Duncan, SC 29334
<u>Mailing Address:</u>	Same
<u>County:</u>	Spartanburg
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	42-1001C
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Woodsberry Property Owners Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of a kiddie pool located in Spartanburg County, South Carolina. The Department conducted inspections on June 18, 2021, and July 29, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; and the waterline tiles were broken.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**) by September 16, 2021.

Update: None

55) Order Type and Number: Consent Order 21-075-RW
Order Date: August 30, 2021
Individual/Entity: **Foxfire Motel Properties, LLC**
Facility: Days Inn Beach Front
Location: 1403 South Ocean Boulevard
Myrtle Beach, SC 29577
Mailing Address: Same
County: Horry
Previous Orders: 18-048-RW (\$2,040.00)
18-233-RW (\$1,700.00)
19-192-RW (\$2,720.00)
20-063-RW (\$5,600.00)
Permit/ID Number: 26-H81-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Foxfire Motel Properties, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Horry County, South Carolina. The Department conducted inspections on May 25, 2021, June 10, 2021, and June 30, 2021, and violations were issued for failure to properly operate and maintain; and on June 10, 2021, a violation was issued for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing rungs; there was glass on the pool deck; the chlorine and pH levels were not within the acceptable range of water quality standards; the emergency notification device was not operating; only one “No Lifeguard On Duty – Swim At Your Own Risk” sign was posted; the bound and numbered log book was not maintained on a daily basis; and the pool was operating prior to receiving Department approval.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of ten thousand, four hundred dollars (\$10,400.00). The Individual/Entity shall pay a civil penalty in the amount of ten thousand, four hundred dollars (**\$10,400.00**) by September 10, 2021.

Update: The civil penalty has been paid.

56) Order Type and Number: Consent Order 21-076-RW
Order Date: August 31, 2021
Individual/Entity: **Hanover Homeowners Association, Inc.**
Facility: Hanover Subdivision
Location: US Hwy 521 & Possum Hollow Road
Lancaster, SC 29720
Mailing Address: 4523 Park Road, Suite 201A
Charlotte, NC 28209
County: Lancaster
Previous Orders: None

Permit/ID Number: 29-1007B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Hanover Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool located in Lancaster County, South Carolina. The Department conducted inspections on May 27, 2021, and June 24, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; there was no approved life ring; the bolts on the shepherd's crook were on the inside of the pole; the pool operating hours were listed as dawn to dusk which are not measurable times; the emergency notification device was not operational; and the bound and numbered log book was not available for review on the first inspection and was not maintained on a daily basis on the second inspection.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of six hundred eighty dollars (\$680.00). The Individual/Entity shall pay a civil penalty in the amount of six hundred eighty dollars (\$680.00) by September 14, 2021.

Update: The civil penalty has been paid.

57) Order Type and Number: Consent Order 21-077-RW
Order Date: August 31, 2021
Individual/Entity: **The Gardens at Cypress Bay Property Owners' Association, Inc.**
Facility: The Gardens at Cypress Bay
Location: 4285 Hibiscus Way
Little River, SC 29566
Mailing Address: 4615 Oleander Drive, Suite 202
Myrtle Beach, SC 29577
County: Horry
Previous Orders: 20-003-RW (\$680.00)
Permit/ID Number: 26-L92-1 & 26-Q11-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: The Gardens at Cypress Bay Property Owners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of two pools located in Horry County, South Carolina. The Department conducted inspections on June 24, 2021, and July 27, 2021, and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: skimmers were missing weirs; the chlorine and pH levels were not within the acceptable range of water quality standards; the facility address posted at the emergency notification device did not match the address provided to 911; the fill spout was not made of stainless steel or equivalent; the drinking water fountain was not operating properly; a ladder did not have non-slip tread inserts; the emergency notification device

was not operational; and the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity has corrected all violations. The Department has assessed a total civil penalty in the amount of two thousand, four hundred dollars (\$2,400.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand, four hundred dollars (**\$2,400.00**) by September 12, 2021.

Update: The civil penalty has been paid.

Drinking Water Enforcement

58) <u>Order Type and Number:</u>	Consent Order 21-035-DW
<u>Order Date:</u>	August 17, 2021
<u>Individual/Entity:</u>	Marietta Water, Fire, Sanitation & Sewer District
<u>Facility:</u>	Marietta Water, Fire, Sanitation & Sewer District
<u>Location:</u>	Marietta, SC 29661
<u>Mailing Address:</u>	P.O. Box 249 Marietta, SC 29661
<u>County:</u>	Greenville
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	2320004
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-58.17.K(1)

Summary: Marietta Water, Fire, Sanitation, & Sewer District (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Greenville County, South Carolina. On July 19, 2021, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level for E. coli.

Action: The Individual/Entity is required to: submit an investigative report and a corrective action plan with a schedule to address the causes of the total coliform present results at the PWS by September 17, 2021. The Department has assessed a total civil penalty in the amount of four thousand dollars (\$4,000.00). The Individual/Entity shall pay a **stipulated penalty** in the amount of four thousand dollars (**\$4,000.00**) should any requirement of the Order not be met.

Update: None

59) Order Type and Number: Consent Order 21-036-DW
Order Date: August 17, 2021
Individual/Entity: **Clarendon Memorial Hospital**
Facility: Windsor Manor
Location: 5583 Summerton Highway
Manning, SC 29102
Mailing Address: P.O. Box 57
Manning, SC 29102
County: Clarendon
Previous Orders: None
Permit/ID Number: 1470001
Violations Cited: S.C. Code Ann. Regs. 61-58.11.D.7

Summary: Clarendon Memorial Hospital (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Clarendon County, South Carolina. On July 16, 2021, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: failed to maintain water quality parameters at or above minimum values or within ranges designated by the Department.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule to address the violation by September 16, 2021. The Department has assessed a total civil penalty in the amount of four thousand dollars (\$4,000.00). The Individual/Entity shall pay a civil penalty in the amount of four thousand dollars (**\$4,000.00**) by September 16, 2021.

Update: None

60) Order Type and Number: Consent Order 21-037-DW
Order Date: August 19, 2021
Individual/Entity: **Saluda County Water & Sewer Authority**
Facility: Saluda County Water & Sewer Authority
Location: 106 North Jennings Street
Saluda, SC 29138
Mailing Address: Same
County: Saluda
Previous Orders: 18-024-DW (\$4,000.00)
Permit/ID Number: 4120001
Violations Cited: S.C. Code Ann. Regs. 61-58.10.I(6)(b)(ii)

Summary: Saluda County Water & Sewer Authority (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Saluda County, South Carolina. On June 24, 2021, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary

Drinking Water Regulation as follows: the PWS exceeded the maximum contaminant level for turbidity.

Action: The Individual/Entity is required to: submit a corrective action plan with a schedule to address the turbidity violation by September 18, 2021. The Department has assessed a total civil penalty in the amount of three thousand, six hundred dollars (\$3,600.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand, six hundred dollars (**\$3,600.00**) by September 18, 2021.

Update: The Individual/Entity submitted a corrective action plan, and the civil penalty has been paid.

61)	<u>Order Type and Number:</u>	Consent Order 21-038-DW
	<u>Order Date:</u>	August 31, 2021
	<u>Individual/Entity:</u>	Sand Mountain, LLC
	<u>Facility:</u>	Sand Mountain Mobile Home Park
	<u>Location:</u>	3547 Fish Hatchery Road Gaston, SC 29053
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Lexington
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	3260183
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-58.17.K(1)

Summary: Sand Mountain, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS) located in Lexington County, South Carolina. On August 2, 2021, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulation as follows: the PWS tested present for total coliform and E. coli, which resulted in a violation of the maximum contaminant level for E. coli.

Action: The Individual/Entity is required to: submit an investigative report and a corrective action plan with a schedule to address the causes of the total coliform present results at the PWS by September 30, 2021. The Department has assessed a total civil penalty in the amount of four thousand dollars (\$4,000.00). The Individual/Entity shall pay a **stipulated penalty** in the amount of four thousand dollars (**\$4,000.00**) should any requirement of the Order not be met.

Update: None

Water Pollution Enforcement

62) Order Type and Number: Consent Order 21-040-W
 Order Date: August 3, 2021
 Individual/Entity: **Town of Bowman**
 Facility: Town of Bowman WWTF
 Location: Secondary Road #36
 Bowman, SC 29018
 Mailing Address: P.O. Box 37
 Bowman, SC 29018
 County: Orangeburg
 Previous Orders: 15-047-W (\$19,730.00)
 20-003-W 3(\$5,600.00)
 Permit/ID Number: SC0040037
 Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-
 1-110(d) (2008 & Supp. 2020), Water Pollution Control Permits, S.C. Code Ann
 Regs. 61-9.122.41(a) (2011), and NPDES Permit SC0040037.

Summary: Town of Bowman (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) in Orangeburg County, South Carolina. On June 3, 2021, a Notice of Alleged Violation (NOAV) was issued as a result of total residual chlorine (TRC) violations reported on discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulations as follows: failed to comply with the total residual chlorine effluent limitations of its National Pollutant Discharge Elimination System (NPDES) permit.

Action: The Individual/Entity is required to: submit written notification of the completion date for all corrective actions necessary to resolve the violations by September 2, 2021; conduct a six (6) monitoring event compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTF should additional violations be observed during the compliance confirmation period. The Department has assessed a total civil penalty in the amount of three thousand dollars (\$3,000.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand dollars (**\$3,000.00**) by September 2, 2021.

Update: The Individual/Entity has submitted written notification of the completion date for all corrective actions and has paid the civil penalty.

63) Order Type and Number: Consent Order 21-041-W
 Order Date: August 3, 2021
 Individual/Entity: **King Real Estate**
 Facility: Groves on the Ridge WWTF
 Location: 300 Arrowhead Drive

Mailing Address: Central, SC 29630
217 Pinedale Road
Liberty, SC 29657

County: Pickens

Previous Orders: 18-016-W (\$6,800.00)

Permit/ID Number: SC0023141

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) (2008 & Supp. 2020), Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.21(d) (2011), and NPDES Permit SC0023141

Summary: King Real Estate (Individual/Entity) owns and is responsible for the proper operation and maintenance of the Groves on the Ridge wastewater treatment facility (WWTF) in Pickens County, South Carolina. On May 11, 2021 a Notice of Violation (NOV) was issued for failure to reapply for permit coverage within one hundred eighty (180) days before the existing permit expires. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulations as follows: failed to submit an application for renewal of the National Pollutant Discharge Elimination System (NPDES) permit at least one hundred eighty (180) days before the existing permit expires.

Action: The Individual/Entity is required to: submit an administratively complete application for renewal of its NPDES permit by August 18, 2021; and continue operating the WWTF in accordance with the most recent NPDES permit until a new permit becomes effective. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**) by September 2, 2021.

Update: The Department received an administratively complete application for renewal of the NPDES permit and the civil penalty has been paid.

64) Order Type and Number: Consent Order 21-043-W

Order Date: August 10, 2021

Individual/Entity: **Town of Clio**

Facility: Town of Clio WWTF

Location: Branch Lane
Clio, SC

Mailing Address: P.O. Box 487
Clio, SC 29525

County: Marlboro

Previous Orders: 19-035-W (\$90.00)
AO 21-019-W (\$13,000.00 suspended)

Permit/ID Number: NPDES Permit SC0040606

Violations Cited: Pollution Control Act, S.C Code Ann §§ 48-1-90(A) and 110 (d) (2008 & Supp. 2020); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.41 (a) and (e)(1) and 6(i) (2011).

Summary: The Town of Clio (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Marlboro County, South Carolina. On February 16, 2021, a Notice of Alleged Violation was issued as a result of the Individual/Entity discharging wastewater into the environment other than in compliance with a Department issued permit, and for failing to properly operate and maintain the WWTF. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permit Regulations as follows: failed to at all times properly operate and maintain the WWTF; discharged wastewater into the environment in a manner not in compliance with a permit issued by the Department; and failed to properly report SSOs to the Department.

Action: The Individual/Entity is required to: submit to the Department a written procedure for properly documenting and reporting SSOs by August 15, 2021; submit to the Department by September 10, 2021, a notarized document certifying a detailed plan has been established to secure funding for improvement of the WWTF; provide for performance of daily inspections of the WWTF by a certified operator of appropriate grade; obtain required permits and approvals from the Department prior to making changes in the chemical feed system; submit written notification to the Department within five (5) days of any changes to personnel; submit verification of training of staff to ensure proper retention of laboratory and monitoring records, an updated Operations and Maintenance (O&M) Manual, an Odor Abatement Plan, and complete all required maintenance to the lagoon by September 10, 2021; complete repairs to the bar screen and the section of the wastewater collection system (WWCS) by September 25, 2021; complete all repairs to the spray field, ensure that all monitoring wells are secured and properly installed, and conduct a sludge study of the WWTF lagoon by October 10, 2021; and submit a preliminary engineering report (PER) for improvements to the WWCS, prepared by a South Carolina certified Professional Engineer by June 10, 2022. The Department has assessed a total civil penalty in the amount of nine thousand six hundred dollars (\$9,600.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand four hundred dollars (**\$2,400.00**) in four (4) equal installments to be paid in full by May 15, 2022 and pay a stipulated penalty in the amount of seven thousand two hundred dollars (\$7,200.00) should any requirement of the Order not be met.

Update: The Individual/Entity has paid the first installment of the civil penalty and submitted: confirmation that proper daily inspections are being performed; a procedure for proper processing of SSO's; a notarized document certifying that a detailed funding plan has been established; verification of staff training to ensure proper retention of records; an updated O&M Manual and OAP; and all required maintenance to the specified components of the system.

65)	<u>Order Type and Number:</u>	Consent Order 21-044-W
	<u>Order Date:</u>	August 10, 2021
	<u>Individual/Entity:</u>	The Peninsula at Inlet Point South Owners Association

Facility: Inlet Point South Phase III WWTF
Location: 90 Wall Street Unit B
Pawleys Island, SC 29585
Mailing Address: P.O. Box 2308
Pawleys Island, SC 29585
County: Georgetown
Previous Orders: None
Permit/ID Number: ND0074616
Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) (2008 & Supp. 2020), Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.505.41(a) (2011), and State Land Application Permit ND0074616.

Summary: The Peninsula at Inlet Point South Owners Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of the Inlet Point South Phase III wastewater treatment facility (WWTF) in Georgetown County, South Carolina. On May 14, 2021 a Notice of Alleged Violation (NOAV) was issued as a result of the failure to reapply for permit coverage within one hundred eighty (180) days before the existing permit expires. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulations as follows: failed to submit an application for renewal of the State Land Application permit at least one hundred eighty (180) days before the existing permit expires.

Action: The Individual/Entity is required to: submit an administratively complete application for renewal of its NPDES permit by August 25, 2021; and continue operating the WWTF in accordance with the most recent State Land Application permit until a new permit becomes effective. The Department has assessed a total civil penalty in the amount of one thousand dollars (\$1,000.00). The Individual/Entity shall pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**) by September 9, 2021.

Updates: The Individual/Entity has paid the civil penalty and submitted a permit renewal application.

66) Order Type and Number: Consent Order 21-045-W
Order Date: August 18, 2021
Individual/Entity: **Clairborne Development, LLC**
Facility: Clairborne Duplexes
Location: 1914 Calhoun Road and 2000 Calhoun Road
Greenwood, SC 29649
Mailing Address: 2569 Trade Center Drive
Evans, GA 30809
County: Greenwood
Previous Orders: None
Permit/ID Number: SCR10Z4YL

Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-90(a), and Water Pollution Control Permits Regulation S.C. Code Ann. Regs. 61-9.122.41(a) and (e)

Summary: Clairborne Development, LLC (Individual/Entity) owns and is responsible for land disturbing activity at Clairborne Duplexes located in Greenwood County, South Carolina. On May 21, 2021, a Notice of Alleged Violation was issued for unsatisfactory conditions observed during stormwater inspections conducted by the Department. The Individual/Entity has violated the Pollution Control Act and the Water Pollution Control Permits Regulation, as follows: discharged sediment into the environment, including into waters of the State in a manner other than in compliance with a permit and failed to install and properly operate and maintain all erosion and sediment controls as specified in the approved stormwater pollution prevention plan (SWPPP).

Action: The Individual/Entity is required to: submit a report stating that the Site is in compliance with the approved SWPPP by September 17, 2021; and submit to the Department an approvable and administratively complete Notice of Termination within thirty days of permanent stabilization of the Site. The Department has assessed a total civil penalty in the amount of seven thousand, two hundred dollars (\$7,200.00). The Individual/Entity shall pay a civil penalty in the amount of seven thousand, two hundred dollars (**\$7,200.00**) by September 17, 2021.

Update: The Individual/Entity has submitted a report that the Site is in compliance with the approved SWPPP and has paid the civil penalty.

67) Order Type and Number: Consent Order 21-046-W
Order Date: August 19, 2021
Individual/Entity: **Town of Pageland**
Facility: Southeast WWTF
Location: Off Gum Street in Pageland, SC
Mailing Address: 307 E. McGregor Street
Pageland, SC 29728
County: Chesterfield
Previous Orders: 16-041-W (\$3,200)
19-056-W (\$1,400)
20-022-W (\$1,400)
Permit/ID Number: NPDES Permit SC0021539
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-110 (d) (2008 & Supp. 2020); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.41 (a) and (d) (2011).

Summary: The Town of Pageland (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Chesterfield County, South Carolina. On April 19, 2021, a Notice of Violation was

issued as a result of total suspended solids (TSS) violations reported on discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permit Regulations as follows: failed to comply with the effluent discharge limits of the National Pollutant Discharge Elimination System Permit for TSS.

Action: The Individual/Entity is required to complete the upgrade and expansion of the WWTF by January 31, 2022 and submit quarterly progress reports to the Department. The Department has assessed a total civil penalty in the amount of two thousand eight hundred dollars (\$2,800.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand eight hundred dollars (**\$2,800.00**) by September 19, 2021.

Update: The Individual/Entity has paid the civil penalty.

68) Order Type and Number: Consent Order 21-047-W
Order Date: August 31, 2021
Individual/Entity: **Blue Granite Water Company**
Facility: Glenn Village II WWTF
Location: 2819 Bachman Road
Gaston, SC
Mailing Address: 130 South Main Street, Suite 800
Greenville, SC 29601
County: Lexington
Previous Orders: 20-008-W (\$4,634.00)
Permit/ID Number: SC0030651
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-110 (d) (2008 & Supp. 2020); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.41 (a) (1) (2011).

Summary: Blue Granite Water Company (Individual/Entity) owns and is responsible for the proper operation and maintenance of the Glenn Village II wastewater treatment facility (WWTF) located in Lexington County, South Carolina. On April 27, 2021, a Notice of Violation was issued as a result of a violation of the permitted discharge limits for ammonia-nitrogen (ammonia) reported to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permit Regulations as follows: failed to comply with the effluent discharge limits of the National Pollutant Discharge Elimination System Permit for ammonia.

Action: The Individual/Entity is required to: submit written notification of the completion date for all corrective actions necessary to resolve the violations by October 1, 2021; conduct a six (6) monitoring event compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTF should additional violations be observed during the compliance confirmation period. The Department has assessed a total civil penalty in the amount of three thousand two hundred dollars

(\$3,200.00). The Individual/Entity shall pay a civil penalty in the amount of three thousand two hundred dollars (**\$3,200.00**) by October 1, 2021.

Update: The Individual/Entity has paid the civil penalty.

69) Order Type and Number: Consent Order 21-048-W
Order Date: August 31, 2021
Individual/Entity: **Middleton Inn Company**
Facility: Inn at Middleton Place
Location: 4290 Ashley River Road
Charleston, SC 29414
Mailing Address: 4290 Ashley River Road
Charleston, SC 29414
County: Dorchester
Previous Orders: 19-032-W (\$3,000.00)
Permit/ID Number: SC0039063
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-110 (d) (2008 & Supp. 2020); Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.41 (a) (2011).

Summary: Middleton Inn Company (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment facility (WWTF) located in Dorchester County, South Carolina. On January 25, 2021, a Notice of Violation was issued as a result of violations of the permitted discharge limits for biochemical oxygen demand (BOD) as reported on discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulation as follows: failed to comply with the effluent discharge limits of its National Pollutant Discharge Elimination System permit for BOD.

Action: The Individual/Entity is required to: submit a written notification of the completion date for all corrective actions necessary to resolve the violations by September 30, 2021; conduct a six (6) event compliance confirmation period upon completion of corrective actions; and implement engineered upgrades to the WWTF should additional violations be observed during the compliance confirmation period. The Department has assessed a total civil penalty in the amount of two thousand one hundred dollars (\$2,100.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand one hundred dollars (**\$2,100.00**) by September 30, 2021.

Update: None.

70) Order Type and Number: Consent Order 21-049-W
Order Date: August 31, 2021
Individual/Entity: **Pioneer Rural Water District**
Facility: Lake Hartwell WTP

Location: 1142 Highway 59
Fair Play, SC 29643
Mailing Address: Same
County: Oconee
Previous Orders: 20-044-W (\$1,000.00)
Permit/ID Number: SCG646068
Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) (2008 & Supp. 2020), Water Pollution Control Permits, S.C. Code Ann Regs. 61-9.122.41(a) (2011), and NPDES Permit SCG646068

Summary: Pioneer Rural Water District (Individual/Entity) owns and is responsible for the proper operation and maintenance of the Lake Hartwell water treatment plant (WTP) in Oconee County, South Carolina. On June 18, 2021 a Notice of Alleged Violation was issued as a result of total suspended solids (TSS) and total residual chlorine (TRC) violations reported on discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permits Regulations as follows: failed to comply with the total residual chlorine effluent limitations and total suspended solids monitoring requirements of its National Pollutant Discharge Elimination System (NPDES) permit.

Action: The Individual/Entity is required to: submit written notification of the completion date for all corrective actions necessary to resolve the TRC violations by September 30, 2021; conduct a six (6) monitoring event confirmation period upon completion of corrective actions; implement engineered upgrades to the facility should additional TRC violations be observed during the compliance confirmation period; and, submit written notification of the completion date for all corrective actions necessary to resolve the TSS violations associated with failure to sample. The Department has assessed a total civil penalty in the amount of seven thousand five hundred dollars (\$7,500.00). The Individual/Entity shall pay a civil penalty in the amount of seven thousand five hundred dollars (**\$7,500.00**) by September 30, 2021.

Update: None.

BUREAU OF AIR QUALITY

71) Order Type and Number: Consent Order 21-017-A
Order Date: August 11, 2021
Individual/Entity: **Haig Point Club**
Facility: Haig Point Club
Location: 987 Haig Point Road
Daufuskie Island, SC 29915
Mailing Address: 10 Haig Point Court
Hilton Head Island, SC 29928
County: Beaufort

Previous Orders: None
Permit/ID Number: 0360-0079
Violations Cited: 40 CFR 60.1450(a), S.C. Code Ann. Regs. 61-62. 60.1450(a), and S.C. Code Ann. Regs. 61-62.1, Section II, Permit Requirements

Summary: Haig Point Club (Individual/Entity), is a golf course operating an air curtain incinerator to burn debris from landscaping activities located in Beaufort County, South Carolina. The Department conducted a file review and an inspection at the facility on July 21, 2020. The Individual/Entity violated U.S. EPA Regulations and South Carolina Air Pollution Control Regulations, as follows: failed to conduct an initial opacity test within 60 days after achieving maximum production or 180 days after initial startup; failed to record the amount of waste combusted daily in tonnage per day; failed to train all incinerator operators on proper operating practices and procedures of the incinerator; failed to record and maintain fuel consumption monthly and yearly consumption on a twelve-month rolling sum, failed to submit timely semiannual reports; and failed to submit a timely Title V Annual Compliance Certification.

Action: The Individual/Entity is required to: conduct an initial opacity test and train all incinerator operators on proper operating practices and procedures of the incinerator by September 11, 2021. The Department has assessed a total civil penalty in the amount of twelve thousand eight hundred dollars (\$12,800.00). The Individual/Entity shall pay a civil penalty in the amount of twelve thousand eight hundred dollars (**\$12,800.00**) payable in four monthly installments beginning September 1, 2021.

Update: The Individual/Entity has submitted its Title V Annual Compliance Certification for 2020. The Individual/Entity has made one payment of the civil penalty in the amount of \$3,200.00.

72) Order Type and Number: Consent Order 21-018-A
Order Date: August 19, 2021
Individual/Entity: **Collum's Lumber Products, LLC**
Facility: Collum's Lumber Products, LLC
Location: 1723 Barnwell Highway
Allendale, SC 29810
Mailing Address: P.O. Box 535
Allendale, SC 29810
County: Allendale
Previous Orders: 18-032-A (\$25,000)
Permit/ID Number: 0160-0004
Violations Cited: 40 CFR 63.7505(d), 63.7525(c), 63.7555(c), 63.7555(d)(9), 63.7555(d)(10), and S.C. Code Ann. Regs. 61-62.63.7505(d), 63.7525(c), 63.7555©, 63.7555(d)(9), 63.7555(d)(10), South Carolina Code Ann. Regs. 61-62.1, Section II, Permit Requirements

Summary: Collum's Lumber Products, LLC (Individual/Entity) processes and dries lumber at its facility located in Allendale County, South Carolina. The Department conducted an inspection on September 18, 2019. The Individual/Entity violated U.S EPA Regulations and South Carolina Air Pollution Control Regulations, as follows: failed to develop a monitoring plan for the steam flow meters associated with the boilers; failed to maintain steam flow monitoring systems for the boilers; failed to maintain records of monitoring data and calculated averages for operating limits for the boilers; failed to maintain records of startup and shut down for the boilers; failed to maintain records of fuels used during startup and shut down for the boilers; failed to install a monitoring device for the cyclone associated with the boilers; failed to maintain calibration checks for all monitoring devices; failed to maintain a tune-up plan for the boilers; failed to perform and maintain logs of visual inspections for multiple sources; failed to record operation and maintenance checks for baghouse cleaning systems, dust collection hopper, and conveying systems; failed to record operation and maintenance checks for the multi-clones, dust collection hoppers, and conveying; failed to submit operational ranges for multiple sources; failed to operate and maintain total secondary electric power input meters for each field of the electrostatic precipitators; failed to operate and maintain an anemometer to measure gas inlet velocity for the multiple sources; failed to develop and retain a tune-up plan on file for the natural gas kilns; failed to maintain records of startup, shutdown, or malfunction of the natural gas kilns; failed to develop and perform routines for preventative maintenance for the natural gas kilns; failed to maintain logs with visual inspections, maintenance, and calibrations performed of the natural gas kilns.

Action: The Individual/Entity is required to: comply with all applicable requirements of 40 CFR 63 Subpart DDDDD (Boiler MACT) and also with all terms, conditions, and limitations of the Title V Permit; install a monitoring device for the cyclones associated Boiler 1 and 3 or submit to the Department, for approval, a request with appropriate justification to remove this requirement from the Title V Permit; install an anemometer to measure gas inlet velocity as an indicator for particulate matter emissions for the sawmill operations and remanufacturing plant or submit to the Department, for approval, a request with proper justification to remove these requirements from the Title V Permit; install secondary electric power input meters on the electrostatic precipitators or submit to the Department, for approval, a request with proper justification to remove this requirement from the Title V Permit; and submit to the Department, for approval, a Site Specific Monitoring Plan for the steam flow meters used to maintain compliance with the operating limits of the boilers by September 19, 2021. The Department has assessed a total civil penalty in the amount of twenty-four thousand dollars (\$24,000.00). The Individual/Entity shall pay a civil penalty in the amount of twenty-four thousand dollars (**\$24,000.00**).

Update: The Individual/Entity has paid the civil penalty. An extension has been granted for remaining compliance requirements until October 24, 2021.

BUREAU OF ENVIRONMENTAL HEALTH SERVICES

Food Safety Enforcement

- 73) Order Type and Number: Administrative Order 2021-02-03-003
Order Date: August 10, 2021
Individual/Entity: **Fast Eddies Calzones**
Facility: Fast Eddies Calzones
Location: 817 Harden Street
Columbia, SC 29205
Mailing Address: Same
County: Richland
Previous Orders: 2019-206-03-005 (\$3,500.00)
Permit Number: 40-206-07266
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Fast Eddies Calzones (Individual/Entity) is a restaurant located in Richland County, South Carolina. The Department conducted inspections on April 14, 2021, April 22, 2021, May 4, 2021, May 14, 2021, May 24, 2021, June 2, 2021, and June 11, 2021. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; failed to ensure that refrigerated, ready-to-eat, time/temperature control for safety foods were discarded if the temperature and time combination exceeded seven (7) days or if the package was not properly date marked; and failed to maintain the premises free of insects, rodents, and other pests.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of four thousand five hundred dollars (\$4,500.00). The Individual/Entity shall pay a civil penalty in the amount of four thousand five hundred dollars (**\$4,500.00**) by September 9, 2021.

Update: The Individual/Entity has corrected all violations and paid the civil penalty as of September 22, 2021.

- 74) Order Type and Number: Consent Order 2021-206-07-002
Order Date: August 18, 2021
Individual/Entity: **Benito Santizo**
Facility: Benito Santizo
Location: 1111 Melvin Drive, Apartment 7
North Charleston, SC 29410
Mailing Address: Same

County: Charleston
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Benito Santizo (Individual/Entity) operates a mobile retail food establishment located in Charleston, South Carolina. The Department conducted inspections on May 5, 2021, and May 11, 2021. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: providing food to the public without a valid permit issued by the Department.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25, and pay a civil penalty in the amount of two thousand dollars (\$2,000.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand dollars (\$2,000.00) in installments. The first payment is due September 16, 2021.

Update: Based on the payment plan installments agreed upon, should the Individual/Entity become thirty (30) days past due, the entire sum of the remaining balance will become due in its entirety.

75) Order Type and Number: Consent Order 2021-206-07-001
Order Date: August 20, 2021
Individual/Entity: **El Paso #3**
Facility: El Paso #3
Location: 2215 Hayne Street
North Charleston, SC 29406
Mailing Address: Same
County: Charleston
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: El Paso #3 (Individual/Entity) operates a mobile retail food establishment located in Charleston, South Carolina. The Department conducted inspections on May 5, 2021, and May 11, 2021. The Individual/Entity has violated the South Carolina Retail Food Establishment Regulation as follows: providing food to the public without a valid permit issued by the Department.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25. The Department has assessed a total civil penalty in the amount of two thousand dollars (\$2,000.00). The Individual/Entity shall pay a civil penalty in the amount of two thousand dollars (\$2,000.00) in installments. The first payment is due September 19, 2021.

Update: Department staff received the initial payment of the payment plan on September 20, 2021. The next payment is due on October 19, 2021.

On-Site Wastewater Enforcement

76) Order Type and Number: Administrative Order 21-044-OSWW
Order Date: July 21, 2021
Individual/Entity: **Edna Belk, William Belk, and Debra Belk**
Facility: Edna Belk, William Belk, and Debra Belk
Location: 2108 Leatherwood Court
Rock Hill, SC 29730
Mailing Address: Same
County: York
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Edna Belk, William Belk, and Debra Belk (Individual/Entity) own property located in York County, South Carolina. The Department conducted an investigation on April 16, 2021, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

Update: The Individual/Entity has retained a contractor. Department personnel confirmed repairs should be made by the end of September. Department personnel will follow-up with the Individual/Entity on or before October 1, 2021.

77) Order Type and Number: Administrative Order 21-045-OSWW
Order Date: July 21, 2021
Individual/Entity: **Michael Gonsalves and Humberta Gonsalves**
Facility: Michael Gonsalves and Humberta Gonsalves

Location: 1930 West Homewood Road
Conway, SC 29526
Mailing Address: Same
County: Horry
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Michael Gonsalves and Humberta Gonsalves (Individual/Entity) own property located in Horry County, South Carolina. The Department conducted an investigation on June 2, 2021, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

Update: The Individual/Entity has submitted all requirements of the Order. This Order has been closed.

78) Order Type and Number: Administrative Order 21-046-OSWW
Order Date: July 21, 2021
Individual/Entity: **Estate of Joe Smith, Personal Representative Christopher Smith**
Facility: Estate of Joe Smith, Personal Representative Christopher Smith
Location: 1257 Charlotte's Road
Clinton, SC 29325
Mailing Address: 702 Sands Street
Clinton, SC 29325
County: Laurens
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: Estate of Joe Smith, Personal Representative Christopher Smith (Individual/Entity) owns property located in Laurens County, South Carolina. The Department conducted an investigation on May 18, 2021, and observed domestic

wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

Update: The Individual/Entity has submitted all requirements of the Order. This Order has been closed.

79) <u>Order Type and Number:</u>	Administrative Order 21-047-OSWW
<u>Order Date:</u>	July 21, 2021
<u>Individual/Entity:</u>	SGM-Moonglo, Inc; 44 Truck Stop; and R.S. Restaurant, LLC, D.B.A. Restaurant 44
<u>Facility:</u>	SGM-Moonglo, Inc; 44 Truck Stop; and R.S. Restaurant, LLC, doing business as Restaurant 44
<u>Location:</u>	2120 Pond Branch Road Gilbert, SC 29054
<u>Mailing Address:</u>	37 Moonglo Circle Columbia, SC 29223
<u>County:</u>	Lexington
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	None
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: SGM-Moonglo, Inc; 44 Truck Stop; and R.S. Restaurant, LLC, D.B.A. Restaurant 44 (Individual/Entity) owns property and/or businesses located in Lexington County, South Carolina. The Department conducted an investigation on May 14, 2021, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the

flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

Update: The Individual/Entity has retained a contractor. As of September 13, 2021, the contractor states the job has been scheduled, although the repair has not been completed.

80)	<u>Order Type and Number:</u>	Administrative Order 21-051-OSWW
	<u>Order Date:</u>	July 21, 2021
	<u>Individual/Entity:</u>	National Commerce Logistics, LLC
	<u>Facility:</u>	National Commerce Logistics, LLC
	<u>Location:</u>	47 Jenkins Park Clinton, SC 29325
	<u>Mailing Address:</u>	145 North Church St. #120 Spartanburg, SC 29306
	<u>County:</u>	Laurens
	<u>Previous Orders:</u>	None
	<u>Permit Number:</u>	None
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: National Commerce Logistics, LLC (Individual/Entity) owns property located in Laurens County, South Carolina. The Department conducted an investigation on June 24, 2021, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

Update: The Individual/Entity has submitted all requirements of the Order. This Order has been closed.

81)	<u>Order Type and Number:</u>	Administrative Order 21-049-OSWW
	<u>Order Date:</u>	August 5, 2021
	<u>Individual/Entity:</u>	David Wells and Beverly Wells

Facility: David Wells and Beverly Wells
Location: 121 Fir Street
Pacolet, SC 29372
Mailing Address: Same
County: Spartanburg
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: David Wells and Beverly Wells (Individual/Entity) own property located in Spartanburg County, South Carolina. The Department conducted an investigation mid-May 2021 and were informed of domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the plumbing and/or OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

Update: The Individual/Entity has submitted all requirements of the Order. This Order has been closed.

82) Order Type and Number: Administrative Order 21-050-OSWW
Order Date: August 10, 2021
Individual/Entity: **David Martin**
Facility: David Martin
Location: 14 Third Street
Pendleton, SC 29670
Mailing Address: 104 Martin Lane
Pendleton, SC 29670
County: Anderson
Previous Orders: None
Permit Number: None
Violations Cited: S.C. Code Ann. Regs. 61-56

Summary: David Martin (Individual/Entity) owns property located in Anderson County, South Carolina. The Department conducted an investigation on June 18, 2021, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems

Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

Update: The Individual/Entity has submitted all requirements of the Order. This Order has been closed.

83) <u>Order Type and Number:</u>	Administrative Order 21-052-OSWW
<u>Order Date:</u>	August 10, 2021
<u>Individual/Entity:</u>	Mary Hardy
<u>Facility:</u>	Mary Hardy
<u>Location:</u>	110 Harbert Park Circle Westminster, SC 29693
<u>Mailing Address:</u>	Same
<u>County:</u>	Oconee
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	None
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: Mary Hardy (Individual/Entity) owns property located in Oconee County, South Carolina. The Department conducted an investigation on June 2, 2021, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

Update: On August 27, 2021, Department personnel confirmed with the OSWW contractor that repairs would be completed by mid-September.

84) <u>Order Type and Number:</u>	Administrative Order 21-052-OSWW
<u>Order Date:</u>	August 13, 2021
<u>Individual/Entity:</u>	Richard Mazyck, Jr.
<u>Facility:</u>	Richard Mazyck, Jr.
<u>Location:</u>	1326 Queenie Road Moncks Corner, SC 29461
<u>Mailing Address:</u>	Same
<u>County:</u>	Berkeley
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	None
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-56

Summary: Richard Mazyck, Jr. (Individual/Entity) owns property located in Berkeley County, South Carolina. The Department conducted an investigation on July 1, 2021, and observed domestic wastewater discharging onto the surface of the ground. The Individual/Entity has violated the South Carolina Onsite Wastewater (OSWW) Systems Regulation as follows: failed to ensure that no septic tank effluent, domestic wastewater, or sewage was discharged to the surface of the ground without an appropriate permit from the Department.

Action: The Individual/Entity is required to repair the OSWW system within five (5) days to effectively stop the discharging of septic tank effluent, domestic wastewater, or sewage to the surface of the ground; or immediately vacate the residence to eliminate the flow of domestic wastewater to the OSWW system. The Department has assessed a total civil penalty in the amount of five thousand dollars (\$5,000.00). The Individual/Entity shall pay a **suspended penalty** in the amount of five thousand dollars (**\$5,000.00**) should any requirement of the Order not be met.

Update: None.

* Unless otherwise specified, "Previous Orders" as listed in this report include orders issued by Environmental Affairs Programs within the last five (5) years.