

January 10, 2020

Delivered via Email

Mr. Jeffery E. Mendenhall
South Carolina Department of Health and Environmental Control
Assessment Section, UST Management Division
Bureau of Land and Waste Management
2600 Bull Street
Columbia, South Carolina 29201

**Subject: Lewis Drive – Fourth Quarter 2019 Draft Data Transmittal
Plantation Pipe Line Company
Lewis Drive Remediation Site
Belton, South Carolina
Site ID #18693, “Kinder Morgan Belton Pipeline Release”**

Dear Mr. Mendenhall,

On behalf of Plantation Pipe Line Company (Plantation), and as agreed to in our November 1, 2018 meeting with South Carolina Department of Health and Environmental Control, Jacobs is sending this draft data transmittal for the fourth quarter 2019 groundwater and surface water sampling event, which was conducted between December 17 and 20, 2019. The following preliminary data summary tables are included with this submittal.

- Historical Analytical Results for Groundwater, December 2019 (Table 1)
- Historical Analytical Results for Surface Water, December 2019 (Table 2)

If you have specific questions about this data transmittal, please call Tom Wiley/Jacobs at (404) 751-5690, or Mr. Jerry Aycock/Plantation at (770) 751-4165.

Regards,



William M. Waldron, P.E.
Program Manager

Copies to: Jerry Aycock, Plantation (Digital, Jerry_Aycock@kindermorgan.com)
Mary Clair Lyons, Esq., Plantation (Digital, Mary_Lyons@kindermorgan.com)
Richard Morton, Esq., Womble Bond Dickinson, LLP (Digital, ric.morton@wbd-us.com)

Attachments:

Table 1 - Historical Analytical Results for Groundwater, December 2019
Table 2 - Historical Analytical Results for Surface Water, December 2019

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL^a:					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
MW-01	MW-01-072715			7/27/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.02	U
	MW-01-012716			1/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-01-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-090717			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-120517	12/4/2017	9.85	12/5/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-030818	3/5/2018	3.80	3/8/2018	µg/L	1.85		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-060518	6/4/2018	3.83	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-091118	9/10/2018	6.72	9/11/2018	µg/L	2.02		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-120518	12/3/2018	3.91	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-030519	3/4/2019	7.55	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-060519	6/3/2019	3.20	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-091919	9/16/2019	12.08	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01-121719	12/16/2019	3.99	12/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-01B	MW-01B-080415			8/4/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.02	U
	MW-01B-012716			1/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	MW-01B-120116			12/1/2016	µg/L	1	U	1	U	1.40		5.60		1	U	1	U	1.30		--	
	MW-01B-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-062817-FD			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-090717			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-120517	12/4/2017	10.24	12/5/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-030818	3/5/2018	7.40	3/8/2018	µg/L	3.51		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-060518	6/4/2018	6.47	6/5/2018	µg/L	8.96		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-091118	9/10/2018	9.28	9/11/2018	µg/L	11.1		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-120518	12/3/2018	7.62	12/5/2018	µg/L	8.30		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-030519	3/4/2019	4.02	3/5/2019	µg/L	3.32		1	U	1	U	3	U	1	U	1.02		5	U	--	
	MW-01B-060519	6/3/2019	6.55	6/5/2019	µg/L	1.82		1	U	1	U	3	U	1	U	1.00		5	U	--	
	MW-01B-091919	9/16/2019	11.78	9/19/2019	µg/L	1.53		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-01B-121719	12/16/2019	11.61	12/17/2019	µg/L	3.29		1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-02	MW-02-072715			7/27/2015	µg/L	4,320		625	U	9,670		2,460		5	U ^b	171		74.7		0.02	U
	MW-02-012616			1/26/2016	µg/L	9,500		1,160		25,000		6,310		50	U ^b	285		139		0.019	U
	--			11/28/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	MW-02-062917			6/29/2017	µg/L	8,040		833		27,100		9,890		250	U ^b	250	U ^b	1,250	U ^b	--	
	MW-02-090817			9/8/2017	µg/L	2,340		181		7,120		8,510		50	U ^b	50	U ^b	389		--	
	MW-02-100417	10/3/2017	16.03	10/4/2017	µg/L	3,510		306		11,900		11,200		50	U ^b	53.9		250	U ^b	--	
	MW-02-110817	11/7/2017	4.20	11/8/2017	µg/L	850		100	U	1,370		3,520		100	U ^b	100	U ^b	500	U ^b	--	
	MW-02-120717	12/4/2017	2.54	12/7/2017	µg/L	153		15.1		313		441		1	U	70.9		12.8		--	
	MW-02-010918	1/8/2018	14.26	1/9/2018	µg/L	307		10	U	878		1,300		10	U ^b	61.8		63.7		--	
	MW-02-020618	2/5/2018	0.00	2/6/2018	µg/L	30.5		1.09		29.6		88.3		1	U	32.0		5	U	--	
	MW-02-030718	3/5/2018	3.00	3/7/2018	µg/L	131		34.1		594		442		1	U	27.6		34.5		--	
	MW-02-040618	4/5/2018	4.79	4/6/2018	µg/L	72.5		8.96		94.7		501		1	U	18.4		5	U	--	
	MW-02-050318	5/2/2018	10.85	5/3/2018	µg/L	35.4		7.50		14.9		163		1	U	7.95		5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05								
MW-02	MW-02-060618	6/4/2018	0.00	6/6/2018	µg/L	1	U	1	U	3.19	3.70	1	U	1.25	5	U	--				
	MW-02-071218	7/11/2018	15.25	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02-091218	9/11/2018	12.1	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02-120618	12/3/2018	3.58	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02-030719	3/4/2019	0	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02-060419	6/3/2019	3.20	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02-091819	9/16/2019	14.63	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02-121819	12/16/2019	0.00	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-02B	MW-02B-080415			8/4/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.02	U
	MW-02B-D-080415			8/4/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.019	U
	--			1/19/2016	--	NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP		NS-FP	
	MW-02B-030116			3/1/2016	µg/L	1	U	1	U	4.80	4.60	1	U	1	U	1	U	5	U	0.019	U
	MW-02B-D-030116			3/1/2016	µg/L	1	U	1	U	4.80	5.30	1	U	1	U	1	U	5	U	0.02	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-02B-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-120717	12/4/2017	24.56	12/7/2017	µg/L	1	U	1	U	1.11	3	U	1	U	1	U	5	U	--		
	MW-02B-030718	3/5/2018	1.50	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-060618	6/4/2018	4.23	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-091218	9/11/2018	18.65	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-120618	12/3/2018	12.92	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-030719	3/4/2019	3.74	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-060419	6/3/2019	5.48	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-091819	9/16/2019	22.23	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-02B-121819	12/16/2019	10.72	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-03	MW-03-072715			7/27/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.02	U
	MW-03-012516			1/25/2016	µg/L	108		20.1		958	598	1	U	1	U	11.1		0.02	U		
	MW-03-120616			12/6/2016	µg/L	61.1		25.1		229	330	2	U	2	U	3.60		--			
	MW-03-062917			6/29/2017	µg/L	10.9		1	U	24.6	6.98	1	U	2.34	5	U	--				
	--			9/5/2017	--	NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS	
	--	10/3/2017	19.87	10/3/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-03-110817	11/7/2017	--*	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-120517	12/4/2017	18.00	12/5/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	--	1/8/2018	19.98	1/8/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-03-020618	2/5/2018	--*	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-030718	3/5/2018	4.12	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-040618	4/5/2018	15.40	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-050318	5/2/2018	0	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-060618	6/4/2018	16.5	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-071218	7/11/2018	0	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-091318	9/11/2018	17.3	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05								
MW-03	MW-03-120618	12/3/2018	14	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-030719	3/4/2019	6.7	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-03-060419	6/3/2019	7.00	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	--	9/16/2019	19.89	9/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	
	MW-03-121819	12/16/2019	7.80	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-04	MW-04-072815			7/28/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.019	U
	MW-04-012516			1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-04-120616			12/6/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-04-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-090817-DUP			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-120717	12/4/2017	10.07	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-030718	3/5/2018	10.70	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-060618	6/4/2018	6.23	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-091318	9/11/2018	13.31	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-120618	12/3/2018	7.55	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-030719	3/4/2019	6.23	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-060419	6/3/2019	7.17	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-091819	9/16/2019	14.48	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-04-121819	12/16/2019	13.57	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-05	MW-05-072815			7/28/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.019	U
	MW-05-012516			1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-05-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-100417	10/3/2017	17.03	10/4/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-110817	11/7/2017	17.18	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-120717	12/4/2017	16.55	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-010918	1/8/2018	16.57	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-020618	2/5/2018	15.87	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-030718	3/5/2018	13.06	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-040618	4/5/2018	11.80	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-050318	5/2/2018	11.13	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-060718	6/4/2018	10.47	6/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-071318	7/11/2018	11.7	7/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-091318	9/11/2018	14.18	9/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-120618	12/3/2018	12.39	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-030719	3/4/2019	2.91	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-060419	6/3/2019	9.89	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-05	MW-05-091819	9/16/2019	16.50	9/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-05-121819	12/16/2019	17.70	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-06	MW-06-072815			7/28/2015	µg/L	5	U ^b	5	U	10	U	5	U ^b	5	U	5	U	0.02	U
	MW-06-012116			1/21/2016	µg/L	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-06-120216			12/2/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-06-062917			6/29/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-090817			9/8/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-120717	12/4/2017	15.45	12/7/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-030718	3/5/2018	13.25	3/7/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-060718	6/4/2018	10.32	6/7/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-091318	9/11/2018	12.69	9/13/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-120618	12/3/2018	11.24	12/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-030719	3/4/2019	3.57	3/7/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-060419	6/3/2019	8.84	6/4/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-091819	9/16/2019	13.73	9/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06-121819	12/16/2019	14.89	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-06B	MW-06B-120717	12/4/2017	16.14	12/7/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06B-D-120717	12/4/2017	16.14	12/7/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-06B-030718	3/5/2018	4.12	3/7/2018	µg/L	1	U	1	U	3.63	U	1	U	1	U	5	U	--	
	MW-06B-060718	6/4/2018	10.15	6/7/2018	µg/L	1	U	1	U	4.69	U	1	U	1	U	5	U	--	
	MW-06B-091318	9/11/2018	12.5	9/13/2018	µg/L	1	U	1	U	1.17	U	1	U	1	U	5	U	--	
	MW-06B-120618	12/3/2018	11.39	12/6/2018	µg/L	1	U	1	U	1.89	U	1	U	1	U	5	U	--	
	MW-06B-030719	3/4/2019	3.99	3/7/2019	µg/L	1	U	1	U	1.42	U	1	U	1	U	5	U	--	
	MW-06B-060419	6/3/2019	8.54	6/4/2019	µg/L	1	U	1	U	4.53	U	1	U	1	U	5	U	--	
	MW-06B-091819	9/16/2019	13.52	9/18/2019	µg/L	1	U	1	U	3.52	U	1	U	1	U	5	U	--	
	MW-06B-121819	12/16/2019	14.90	12/18/2019	µg/L	1	U	1	U	4.47	U	1	U	1	U	5	U	--	
MW-07	--			7/27/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-07-012116			1/21/2016	µg/L	1,060	389	5,210	2,620	40	U ^b	40	U ^b	40	U ^b	0.02	U		
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-07-062917			6/29/2017	µg/L	4,290	629	17,700	4,990	250	U ^b	250	U ^b	1,250	U ^b	--			
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	10/3/2017	13.20	10/3/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	11/7/2017	13.20	11/7/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/4/2017	13.21	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	1/8/2018	13.21	1/8/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	2/5/2018	13.19	2/6/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-07-030818	3/5/2018	11.77	3/8/2018	µg/L	4,550	802	14,100	7,520	50	U ^b	50	U ^b	250	U ^b	--			
	--	4/5/2018	11.39	4/6/2018	µg/L	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	MW-07-050318	5/2/2018	10.35	5/3/2018	µg/L	6,330	662	16,500	9,060	250	U ^b	250	U ^b	1,250	U ^b	--			
	--	6/4/2018	9.44	6/4/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	MW-07-091218	9/11/2018	11.4	9/12/2018	µg/L	4,620	639	13,600	6,180	1	U	1	U	82.5		--			
	MW-07-120618	12/3/2018	10.99	12/6/2018	µg/L	4,850	574	13,400	9,890	100	U ^b	100	U ^b	500	U ^b	--			
	MW-07-021919	2/18/2019	6.15	2/19/2019	µg/L	5,360	516	12,400	7,280	1	U	1	U	6.32		--			

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte											
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB				
RBSSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05				
MW-07	MW-07-030719	3/4/2019	4.72	3/7/2019	µg/L	3,110	147	5,780	4,110	1	U	1	U	5	U	--	
	MW-07-D-030719	3/4/2019	4.72	3/7/2019	µg/L	2,990	150	5,390	3,750	1	U	1	U	5	U	--	
	MW-07-051519	5/13/2019	6.9	5/15/2019	µg/L	2,030	169	3,440	3,110	1	U	1	U	9.44		--	
	MW-07-060419	6/3/2019	7.99	6/4/2019	µg/L	1,940	168	3,390	2,740	1	U	1	U	6.90		--	
	MW-07-082019	8/19/2019	11.61	8/20/2019	µg/L	2,120	340	4,750	3,650	50	U ^b	50	U ^b	250	U ^b	--	
	MW-07-D-082019	8/19/2019	11.61	8/20/2019	µg/L	2,050	416	5,720	4,280	1	U	1	U	34.5		--	
	MW-07-091919	9/16/2019	12.81	9/19/2019	µg/L	1,580	148	2,550	2,160	50	U ^b	50	U ^b	250	U ^b	--	
	--	11/4/2019	13.23	11/4/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/16/2019	13.63	12/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW	
MW-08				7/28/2015	µg/L	5	U ^b	5	U	10	U	5	U ^b	5	U	0.02	U
	MW-08-012616			1/26/2016	µg/L	1	U	1	U	2	U	1	U	1	U	0.02	U
	MW-08-120616			12/6/2016	µg/L	1	U	1	U	14.4	U	1	U	1	U	--	
	MW-08-062917			6/29/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
	MW-08-090817			9/8/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
	MW-08-120717	12/4/2017	10.47	12/7/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
	MW-08-030718	3/5/2018	7.50	3/7/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
	MW-08-060618	6/4/2018	5.63	6/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
	MW-08-091318	9/11/2018	16.85	9/13/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
	--	12/3/2018	19.18	12/3/2018	--	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS		NS-PS		NS-PS		NS-PS	
	MW-08-030719	3/4/2019	7.45	3/7/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
	MW-08-060419	6/3/2019	9.15	6/4/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
	MW-08-091819	9/16/2019	17.16	9/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
	MW-08-121819	12/16/2019	5.49	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U
MW-09	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP	
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP	
	--			11/28/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP	
	MW-09-062917			6/29/2017	µg/L	3,860	517	13,000	8,680	200	U ^b	200	U ^b	1,000	U ^b	--	
	--			9/5/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP	
	MW-09-120717	12/4/2017	3.05	12/7/2017	µg/L	54.3	3.44	19.6	64.8	1	U	27.5		5	U	--	
	MW-09-030718	3/5/2018	0.50	3/7/2018	µg/L	3.30	1	U	11.0	3.92	1	U	8.74	5	U	--	
	MW-09D-030718	3/5/2018	0.50	3/7/2018	µg/L	1	U	1	U	3	U	1	U	8.74	5	U	--
	MW-09-060618	6/4/2018	Could not open	6/6/2018	µg/L	2.25	1	U	6.06	4.75	1	U	3.65	5	U	--	
	MW-09-091318	9/11/2018	10.56	9/13/2018	µg/L	1	U	1	U	3	U	1	U	2.14	5	U	--
	MW-09-D-091318	9/11/2018	10.56	9/13/2018	µg/L	1	U	1	U	3	U	1	U	2.00	5	U	--
	MW-09-120618	12/3/2018	0	12/6/2018	µg/L	6.39	2.61	48.3	39.8	1	U	5.68		6.79		--	
	MW-09-030719	3/4/2019	8.00	3/7/2019	µg/L	6.24	3.80	64.3	52.7	1	U	5.90		5	U	--	
	MW-09-060419	6/3/2019	8.08	6/4/2019	µg/L	1	U	1	U	1.66	3	U	1	U	3.95	5	U
	MW-09-091819	9/16/2019	13.30	9/18/2019	µg/L	1	U	1	U	3	U	1	U	1.48	5	U	--
	MW-09-121819	12/16/2019	0.00	12/18/2019	µg/L	1	U	1	U	5.00	3.10	1	U	1.34	5	U	--
MW-09B	MW-09B-120717	12/4/2017	9.15	12/7/2017	µg/L	21.8	24.7	82.1	179	1	U	4.72		11.9		--	
	MW-09B-030718	3/5/2018	0.00	3/7/2018	µg/L	4.36	4.50	18.1	33.3	1	U	1.37		5	U	--	
	MW-09B-060618	6/4/2018	5.7	6/6/2018	µg/L	17.1	16.5	66.5	139	1	U	3.61		8.09		--	
	MW-09B-091318	9/11/2018	18.5	9/13/2018	µg/L	1	U	1	U	5.90	4.44	1	U	1	U	5	U

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte																		
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB											
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05											
MW-09B	MW-09B-120618	12/3/2018	3.9	12/6/2018	µg/L	2.19	2.14	8.22	16.8	1	U	1	U	5	U	--								
	MW-09B-030719	3/4/2019	4.07	3/7/2019	µg/L	13.2	13.7	51.1	110	1	U	2.46		6.54		--								
	MW-09B-060419	6/3/2019	5.22	6/4/2019	µg/L	1	U	1	U	1	U	1	U	1	U	5	U	--						
	MW-09B-091819	9/16/2019	15.49	9/18/2019	µg/L	3.08	3.04	11.4	22.6	1	U	1	U	1	U	5	U	--						
	MW-09B-121819	12/16/2019	11.31	12/18/2019	µg/L	4.11	4.57	16.8	34.2	1	U	1	U	1	U	5	U	--						
MW-10	MW-10-072815			7/28/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.019	U			
	MW-10-012616			1/26/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	1	U	0.019	U	
	MW-10-120616			12/6/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--		
	MW-10-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-050317-FD			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-062917			6/29/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-100417	10/3/2017	17.33	10/4/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-110817	11/7/2017	12.64	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-120717	12/4/2017	10.85	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-010918	1/8/2018	15.08	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-020618	2/5/2018	6.81	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-D-020618	2/5/2018	6.81	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-030718	3/5/2018	5.11	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-040618	4/5/2018	8.21	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-050318	5/2/2018	6.97	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-060618	6/4/2018	6.43	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-071318	7/11/2018	10.75	7/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-D-071318	7/11/2018	10.75	7/13/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-091218	9/11/2018	16.41	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-120618	12/3/2018	7.35	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-030719	3/4/2019	2.02	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-060419	6/3/2019	11.56	6/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-091819	9/16/2019	19.95	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
	MW-10-121819	12/16/2019	16.77	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	5	U	--
MW-11	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	MW-11-012616			1/26/2016	µg/L	10,600	948	24,400	4,700	10	U ^b	432		123								0.019	U	
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	
	MW-11-062817			6/28/2017	µg/L	10,900	2,140	29,600	11,700	100	U ^b	147		500		U ^b	--					--		
	--			9/5/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--	12/4/2017	29.86	12/4/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--	3/5/2018	28.10	3/5/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--	6/4/2018	26.29	6/4/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--	9/10/2018	29.03	9/10/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--	12/3/2018	28.17	12/3/2018	--	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	
	MW-11-030619	3/4/2019	23.01	3/6/2019	µg/L	8,260	1,990	30,300	11,900	200	U ^b	200	U ^b	1,000	U ^b	--					--			

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte											
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB				
RBSSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05				
MW-11	MW-11-060519	6/3/2019	24.69	6/5/2019	µg/L	6,940	1,660	22,500	9,020	200	U ^b	200	U ^b	1,000	U ^b	--	
	MW-11-D-060519	6/3/2019	24.69	6/5/2019	µg/L	9,620	2,220	30,500	12,800	1	U	54.2		189		--	
	MW-11-091919	9/16/2019	29.82	9/19/2019	µg/L	7,950	2,570	33,700	14,300	500	U ^b	500	U ^b	2,500	U ^b	--	
	--	12/16/2019	31.73	12/16/2019	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
MW-12	MW-12-072815			7/28/2015	µg/L	51.3	5	U 22.9	39.2	5	U ^b	5	U	5	U	0.02	U
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--			11/28/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--			3/13/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--			3/20/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--			3/31/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	--			4/6/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	
	MW-12-062817			6/28/2017	µg/L	1,190	467	7,910	5,100	50	U ^b	50	U ^b	250	U ^b	--	
	MW-12-090817			9/8/2017	µg/L	648	436	3,470	4,440	100	U ^b	100	U ^b	500	U ^b	--	
	MW-12-120617	12/4/2017	15.55	12/6/2017	µg/L	367	137	1,540	4,660	10	U ^b	10	U	54.4		--	
	MW-12-030818	3/5/2018	12.83	3/8/2018	µg/L	486	25.2	1,880	1,980	10	U ^b	10	U	50	U ^b	--	
	MW-12-060518	6/4/2018	9.2	6/5/2018	µg/L	16.3	2.51	181	249	1	U	1	U	5	U	--	
	MW-12-091118	9/10/2018	13.19	9/11/2018	µg/L	1	U 1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12-120518	12/3/2018	12.02	12/5/2018	µg/L	5.81	2.75	9.08	72.0	1	U	1	U	5	U	--	
	MW-12-030619	3/4/2019	5.05	3/6/2019	µg/L	1	U 1	U 1	3.94	4.86	1	U	1	U	5	U	--
	MW-12-060519	6/3/2019	10.43	6/5/2019	µg/L	1	U 1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12-091919	9/16/2019	14.67	9/19/2019	µg/L	1	U 1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12-121719	12/16/2019	14.68	12/17/2019	µg/L	1	U 1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
MW-12B	MW-12B-012616			1/26/2016	µg/L	228	31.4	193	532	1	U	5.40		14.6		0.019	U
	MW-12B-113016			11/30/2016	µg/L	1	U 1	U 1	1	U 1	U 1	U 1	U 1	1	U	--	
	MW-12B-031417			3/14/2017	µg/L	1	U 1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12B-031417-FD			3/14/2017	µg/L	1	U 1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12B-032017			3/20/2017	µg/L	1	U 1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12B-033117			3/31/2017	µg/L	1	U 1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12B-040617			4/6/2017	µg/L	1	U 1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12B-062817			6/28/2017	µg/L	30.1	1	U 7.28	14.3	1	U	11.8		5	U	--	
	MW-12B-090817			9/8/2017	µg/L	126	3.81	16.8	256	1	U	1	U	12.0		--	
	MW-12B-120617	12/4/2017	16.12	12/6/2017	µg/L	1.01	1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12B-030818	3/5/2018	12.92	3/8/2018	µg/L	3.06	1	U 1	3	U 1	U 1	U 1	U 1	5	U	--	
	MW-12B-060518	6/4/2018	9.83	6/5/2018	µg/L	275	58.7	20.9	171	1	U	1	U	22.5		--	
	MW-12B-091118	9/10/2018	14.07	9/11/2018	µg/L	246	39.8	2.87	68.0	1	U	1	U	18.7		--	
	MW-12B-120518	12/3/2018	12.49	12/5/2018	µg/L	240	57.7	29.5	160	1	U	1	U	17.7		--	
	MW-12B-030619	3/4/2019	7.05	3/6/2019	µg/L	309	70.4	19.6	201	1	U	1	U	36.7		--	
	MW-12B-060519	6/3/2019	11.57	6/5/2019	µg/L	88.4	38.0	5	U 15.2	5	U	5	U	25	U	--	
	MW-12B-082219	8/19/2019	12.07	8/22/2019	µg/L	27.0	3.54	1	U 3	U 1	U 1	U 1	U 5.94		--		
	MW-12B-091919	9/16/2019	14.59	9/19/2019	µg/L	23.1	2.33	1	U 3	U 1	U 1	U 1	U 5	U	--		
	MW-12B-110619	11/4/2019	15.39	11/6/2019	µg/L	2.73	1	U 1	3	U 1	U 1	U 1	U 5	U	--		
	MW-12B-122019	12/16/2019	14.64	12/20/2019	µg/L	1.09	1	U 1	3	U 1	U 1	U 1	U 5	U	--		

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-13	--			7/27/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW					
	MW-13-012816			1/28/2016	µg/L	2.00	1	U	12.5	6.90	1	U	1	U	1	U	0.02	U	
	--			11/28/2016	--	NS-IW	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW		
	MW-13-062917			6/29/2017	µg/L	1.18	1	U	3.39	3	U	1	U	1	U	5	U	--	
	--			9/5/2017	--	NS-IW	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW		
	--	12/4/2017	21.87	12/4/2017	--	NS-IW	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW		
	MW-13-030618	3/5/2018	20.40	3/6/2018	µg/L	6.98	1.14		15.3	4.55	1	U	1	U	5	U	--		
	MW-13-060618	6/4/2018	18.8	6/6/2018	µg/L	44.2	4.25		86.2	19.9	1	U	1	U	5	U	--		
	--	9/10/2018	21.85	9/10/2018	--	NS-IW	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW		
	MW-13-120718	12/3/2018	20.87	12/7/2018	µg/L	83.4	9.62		158	23.6	1	U	1	U	5	U	--		
	MW-13-030619	3/4/2019	15.23	3/6/2019	µg/L	326	10.9		132	120	1	U	1	U	5	U	--		
	MW-13-060519	6/3/2019	13.52	6/5/2019	µg/L	35.2	5	U	5	19.6	5	U	5	U	25	U	--		
	--	9/16/2019	22.01	9/16/2019	--	NS-IW	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW		
	--	12/16/2019	22.10	12/16/2019	--	NS-IW	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW		
MW-13B	MW-13B-012816			1/28/2016	µg/L	367	1	U	5.60	59.5	1	U	119		1	U	0.02	U	
	MW-13B-D-012816			1/28/2016	µg/L	405	1	U	6.10	59.1	1	U	108		1	U	0.02	U	
	MW-13B-113016			11/30/2016	µg/L	550	5.10		21.2	140	5	U ^b	158		7.90		--		
	MW-13B-062817			6/28/2017	µg/L	308	3.09		10.3	103	1	U	121		5.13		--		
	MW-13B-090817			9/8/2017	--	NS-SL	NS-SL		NS-SL	NS-SL	NS-SL		NS-SL		NS-SL		NS-SL		
	MW-13B-110817	11/7/2017	23.08	11/8/2017	µg/L	325	3.42		19.0	91.6	1	U	173		5.55		--		
	MW-13B-D-110817	11/7/2017	23.08	11/8/2017	µg/L	356	3.85		20.8	100	1	U	168		6.61		--		
	MW-13B-120617	12/4/2017	22.66	12/6/2017	µg/L	269	3.97		24.4	100	1	U	140		8.83		--		
	MW-13B-030718	3/5/2018	21.00	3/7/2018	µg/L	252	3.13		12.1	60.2	1	U	175		6.44		--		
	MW-13B-060618	6/4/2018	19.56	6/6/2018	µg/L	498	47.7		469	282	1	U	148		8.47		--		
	MW-13B-091218	9/10/2018	21.81	9/12/2018	µg/L	402	42.5		503	271	1	U	141		5	U	--		
	MW-13B-120618	12/3/2018	21.69	12/6/2018	µg/L	614	93.5		823	516	1	U	139		10.8		--		
	MW-13B-030619	3/4/2019	16.37	3/6/2019	µg/L	445	53.1		679	383	1	U	143		8.60		--		
	MW-13B-060519	6/3/2019	14.28	6/5/2019	µg/L	195	25.3		302	194	5	U	140		25	U	--		
	MW-13B-091819	9/16/2019	23.23	9/18/2019	µg/L	408	71.2		325	446	1	U	142		14.0		--		
	MW-13B-121819	12/16/2019	24.25	12/18/2019	µg/L	257	18.0		166	155	1	U	132		5.60		--		
MW-14	MW-14-072815			7/28/2015	µg/L	5	U ^b	5	U	5	U	5	U ^b	5	U	5	U	0.02	U
	MW-14-012816			1/28/2016	µg/L	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	MW-14-113016			11/30/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-14-062817			6/28/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-090817			9/8/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-120617	12/4/2017	17.62	12/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-030718	3/5/2018	15.11	3/7/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-060618	6/4/2018	17.48	6/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-091218	9/10/2018	16.64	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-120618	12/3/2018	14.88	12/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-030619	3/4/2019	9.49	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-14-060519	6/3/2019	17.53	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL^a:					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
MW-14	MW-14-091819	9/16/2019	17.45	9/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	2.02		5	U	--	
	MW-14-121819	12/16/2019	17.79	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	6.65		5	U	--	
MW-14B	MW-14B-052516			5/25/2016	µg/L	5.00		1	U	1	U	4.40		1	U	17.2		1	U	0.02	U
	MW-14B-052516-FD			5/25/2016	µg/L	4.60		1	U	1	U	4.10		1	U	23.6		1	U	0.02	U
	MW-14B-113016			11/30/2016	µg/L	10.5		1	U	1.10		5.50		1	U	19.7		1	U	--	
	MW-14B-062817			6/28/2017	µg/L	38.1		1.34		2.56		19.1		1	U	36.2		5	U	--	
	MW-14B-090817			9/8/2017	µg/L	6.81		1	U	1	U	6.67		1	U	18.7		5	U	--	
	MW-14B-120617	12/4/2017	19.22	12/6/2017	µg/L	8.82		1	U	1	U	6.91		1	U	24.4		5	U	--	
	MW-14B-030718	3/5/2018	16.95	3/7/2018	µg/L	3.57		1	U	1	U	5.60		1	U	9.28		5	U	--	
	MW-14B-0604B18	6/4/2018	15.09	6/6/2018	µg/L	8.63		1	U	1	U	5.77		1	U	22.1		5	U	--	
	MW-14B-091218	9/10/2018	17.59	9/12/2018	µg/L	3.32		1	U	1	U	3.61		1	U	7.86		5	U	--	
	MW-14B-120618	12/3/2018	16.6	12/6/2018	µg/L	3.56		1	U	1.40		6.34		1	U	6.56		5	U	--	
	MW-14B-030619	3/4/2019	11.53	3/6/2019	µg/L	2.70		1	U	1	U	3	U	1	U	8.83		5	U	--	
	MW-14B-060519	6/3/2019	18.33	6/5/2019	µg/L	9.13		1	U	1.01		6.57		1	U	17.7		5	U	--	
	MW-14B-091819	9/16/2019	18.26	9/18/2019	µg/L	1.74		1	U	1	U	4.57		1	U	11.1		5	U	--	
	MW-14B-121819	12/16/2019	19.62	12/18/2019	µg/L	5.69		1	U	1	U	4.86		1	U	10.7		5	U	--	
MW-15	MW-15-080415			8/4/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.019	U
	MW-15-012816			1/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-15-120716			12/7/2016	µg/L	3,680		139		422		2,280		25	U ^b	188		43.8		--	
	MW-15-031417			3/14/2017	µg/L	1,960		72.1		324		1,320		25	U ^b	161		125	U ^b	--	
	MW-15-031417-FD			3/14/2017	µg/L	1,820		60.5		286		1,120		25	U ^b	153		125	U ^b	--	
	MW-15-032017			3/20/2017	µg/L	3,390		103		505		2,460		50	U ^b	194		250	U ^b	--	
	MW-15-033117			3/31/2017	µg/L	2,850		65.4		444		1,860		20	U ^b	221		100	U ^b	--	
	MW-15-040617			4/6/2017	µg/L	1,790		60.6		465		886		25	U ^b	181		125	U ^b	--	
	MW-15-062817			6/28/2017	µg/L	72.7		25	U	28.8		110		25	U ^b	91.8		125	U ^b	--	
	MW-15-090817			9/8/2017	µg/L	454		24.0		567		338		5	U ^b	193		25	U ^b	--	
	MW-15-120617	12/4/2017	13.66	12/6/2017	µg/L	1	U	1	U	1.60		4.64		1	U	140		5	U	--	
	MW-15-030818	3/5/2018	10.04	3/8/2018	µg/L	53.1		2.75		89.9		53.1		1	U	85.0		5	U	--	
	MW-15-060618	6/4/2018	Skimmer	6/6/2018	µg/L	52.2		4.11		81.4		46.5		1	U	63.8		5	U	--	
	MW-15-091218	9/10/2018	11.35	9/12/2018	µg/L	14.6		1	U	27.9		16.0		1	U	72.2		5	U	--	
	MW-15-120618	12/3/2018	10.37	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	15.9		5	U	--	
	MW-15-030619	3/4/2019	7.07	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	2.57		5	U	--	
	MW-15-060519	6/3/2019	4.84	6/5/2019	µg/L	1.03		1	U	1	U	3	U	1	U	4.33		5	U	--	
	MW-15-091919	9/16/2019	11.56	9/19/2019	µg/L	1.25		1	U	1	U	3	U	1	U	4.73		5	U	--	
	MW-15-121819	12/16/2019	12.27	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	3.33		5	U	--	
MW-15B	MW-15B-080415			8/4/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.019	U
	MW-15B-012816			1/28/2016	µg/L	4.80		1	U	2.00		3.90		1	U	1	U	1	U	0.02	U
	MW-15B-113016			11/30/2016	µg/L	337		34.0		565		194		5	U ^b	26.7		5		--	
	MW-15B-031417			3/14/2017	µg/L	2,160		248		4,580		1,500		100	U ^b	118		500	U ^b	--	
	MW-15B-032017			3/20/2017	µg/L	615		88.6		1,270		555		25	U ^b	67.5		125	U ^b	--	
	MW-15B-033117			3/31/2017	µg/L	1,630		205		3,240		1,180		50	U ^b	115		250	U ^b	--	
	MW-15B-040617			4/6/2017	µg/L	1,020		132		2,020		789		25	U ^b	84.7		125	U ^b	--	
	MW-15B-040617-FD			4/6/2017	µg/L	973		124		1,910		742		25	U ^b	82.9		125	U ^b	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte										
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB			
RBSL^A:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05			
MW-15B	MW-15B-062817			6/28/2017	µg/L	1,510	145	3,520	1,280	100	U ^b	100	U ^b	500	U ^b	--
	MW-15B-090817			9/8/2017	µg/L	1,820	164	3,560	1,210	50	U ^b	133		250	U ^b	--
	MW-15B-120617	12/4/2017	16.25	12/6/2017	µg/L	1,760	239	3,630	1,380	1	U	135		37.6		--
	MW-15B-D-120617	12/4/2017	16.25	12/6/2017	µg/L	491	56.0	1,050	408	1	U	117		35.4		--
	MW-15B-030818	3/5/2018	14.66	3/8/2018	µg/L	1,290	151	3,140	1,070	25	U ^b	93.2		125	U ^b	--
	MW-15B-060618	6/4/2018	13.84	6/6/2018	µg/L	968	82.8	1,990	791	1	U	109		12.8		--
	MW-15B-091218	9/10/2018	15.19	9/12/2018	µg/L	947	122	2,270	820	1	U	111		15.9		--
	MW-15B-120618	12/3/2018	14.44	12/6/2018	µg/L	725	96.4	1,890	777	1	U	71.8		11.7		--
	MW-15B-021919	2/18/2019	8.81	2/19/2019	µg/L	686	71.2	1,420	621	1	U	92.3		12.6		--
	MW-15B-030619	3/4/2019	13.14	3/6/2019	µg/L	729	78.3	1,580	649	1	U	91.2		15.4		--
	MW-15B-D-030619	3/4/2019	13.14	3/6/2019	µg/L	817	81.0	1,710	718	1	U	110		16.2		--
	MW-15B-051519	5/13/2019	13.42	5/15/2019	µg/L	721	118	1,180	526	1	U	96.6		19.5		--
	MW-15B-060519	6/3/2019	13.45	6/5/2019	µg/L	590	48.4	1,090	492	10	U ^b	98.0		50	U ^b	--
	MW-15B-082219	8/19/2019	15.52	8/22/2019	µg/L	2,340	200	3,060	1,440	1	U	139		33.5		--
	MW-15B-091919	9/16/2019	15.68	9/19/2019	µg/L	3,870	260	3,920	2,720	100	U ^b	188		500	U ^b	--
	MW-15B-110619	11/4/2019	15.90	11/6/2019	µg/L	135	9.77	105	101	1	U	8.82		5	U	--
	MW-15B-122019	12/16/2019	15.19	12/20/2019	µg/L	4,200	238	2,690	2,260	10	U ^b	212		50	U ^b	--
	MW-15B-D-122019	12/16/2019	15.19	12/20/2019	µg/L	4,300	230	2,750	2,080	10	U ^b	207		50	U ^b	--
MW-16	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP
	--			11/28/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP
	MW-16-062917			6/29/2017	µg/L	12,900	1,770	36,400	12,500	500	U ^b	1,740		2,500	U ^b	--
	--			9/5/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP
	--	12/4/2017	7.00	12/7/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP
	MW-16-030718	3/5/2018	3.00	3/7/2018	µg/L	130	295	1,370	2,470	10	U ^b	132		618		--
	--	6/4/2018	--	6/4/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP
	MW-16-091318	9/11/2018	12.35	9/13/2018	µg/L	150	200	2,100	2,730	1	U	21.5		635		--
	MW-16-120618	12/3/2018	4.98	12/6/2018	µg/L	10.3	38.7	132	398	5	U	5	U	460		--
	MW-16-030719	3/4/2019	2.00	3/7/2019	µg/L	9.06	15.7	74.1	186	1	U	1.02		398		--
	MW-16-060419	6/3/2019	5.50	6/4/2019	µg/L	9.56	15.4	78.9	162	1.06		1	U	192		--
	MW-16-091819	9/16/2019	14.97	9/18/2019	µg/L	8.36	5.80	73.9	118	1	U	1	U	132		--
	MW-16-121819	12/16/2019	10.20	12/18/2019	µg/L	1	1.88	14.3	58.6	1	U	1	U	15.9		--
MW-17	--			7/27/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		NS-FP		NS-FP		NS-FP
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW
	--			3/13/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW
	--			3/20/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW
	--			3/31/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW
	--			4/6/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW
	--			6/26/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW
	--	12/4/2017	10.85	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW
	--	3/5/2018	10.85	3/5/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		NS-IW		NS-IW		NS-IW

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte									
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB		
RBSSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05		
MW-17	--	6/4/2018	10.80	6/4/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	
	--	9/10/2018	10.86	9/10/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	
	--	12/3/2018	10.85	12/3/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	
	MW-17-030519	3/4/2019	6.81	3/5/2019	µg/L	173	19.9	118	474	1	U	27.9	5	U	--
	MW-17-060519	6/3/2019	9.73	6/5/2019	µg/L	44.9	5	U 10.7	87.1	5	U	16.1	25	U	--
	--	9/16/2019	10.83	9/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--	12/16/2019	10.85	12/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
MW-17B	MW-17B-030116			3/1/2016	µg/L	6,480	488	11,900	2,870	5		742	104		0.019 U
	MW-17B-120116			12/1/2016	µg/L	9,370	761	16,900	4,500	100	U ^b	954	112		--
	MW-17B-031317			3/13/2017	µg/L	7,350	770	14,100	4,510	200	U ^b	944	1,000	U ^b	--
	MW-17B-032017			3/20/2017	µg/L	10,700	1,360	21,400	7,910	323		1,210	1,000	U ^b	--
	MW-17B-033117			3/31/2017	µg/L	9,190	900	17,500	5,910	100	U ^b	1,200	500	U ^b	--
	MW-17B-033117FD			3/31/2017	µg/L	9,190	956	18,200	6,330	100	U ^b	1,210	500	U ^b	--
	MW-17B-040617			4/6/2017	µg/L	7,780	833	14,900	5,330	200	U ^b	991	1,000	U ^b	--
	MW-17B-062817			6/28/2017	µg/L	11,200	704	21,600	5,650	200	U ^b	1,150	1,000	U ^b	--
	MW-17B-090817			9/8/2017	µg/L	11,400	1,240	23,900	8,460	20	U ^b	1,330	201		--
	MW-17B-120717	12/4/2017	17.05	12/7/2017	µg/L	10,600	1,060	14,900	9,210	10	U ^b	1,140	178		--
	MW-17B-030718	3/5/2018	14.80	3/7/2018	µg/L	8,830	1,110	20,200	8,220	50	U ^b	960	250	U ^b	--
	MW-17BD-030718	3/5/2018	14.80	3/7/2018	µg/L	8,700	1,080	19,400	7,770	50	U ^b	983	250	U ^b	--
	MW-17B-060718	6/4/2018	12.05	6/7/2018	µg/L	8,910	1,250	20,200	9,130	20	U ^b	1,230	206		--
	MW-17B-D-060718	6/4/2018	12.05	6/7/2018	µg/L	9,630	1,200	21,000	8,850	20	U ^b	1,230	223		--
	MW-17B-080218	8/1/2018	12.56	8/2/2018	µg/L	9,470	1,190	23,200	8,530	200	U ^b	863	1,000	U ^b	--
	MW-17B-D-080218	8/1/2018	12.56	8/2/2018	µg/L	9,530	1,230	23,900	8,630	200	U ^b	864	1,000	U ^b	--
	MW-17B-091118	9/10/2018	13.74	9/11/2018	µg/L	8,180	1,370	20,200	9,660	50	U ^b	832	250	U ^b	--
	MW-17B-110218	11/2/2018	14.67	11/2/2018	µg/L	7,770	1,080	12,700	7,380	20	U ^b	841	113		--
	MW-17B-D-110218	11/2/2018	14.67	11/2/2018	µg/L	7,670	1,070	12,900	5,130	10	U ^b	888	126		--
	MW-17B-120518	12/3/2018	13.22	12/5/2018	µg/L	6,860	1,010	24,400	8,550	50	U ^b	690	250	U ^b	--
	MW-17B-021919	2/18/2019	8.8	2/19/2019	µg/L	7,810	1,140	20,200	8,330	1	U	410	181		--
	MW-17B-D-021919	2/18/2019	8.8	2/19/2019	µg/L	7,910	1,210	20,700	8,910	1	U	401	250	U ^b	--
	MW-17B-030519	3/4/2019	7.18	3/5/2019	µg/L	8,360	1,370	22,400	9,180	50	U ^b	308	261		--
	MW-17B-051419	5/13/2019	9.59	5/14/2019	µg/L	7,320	1,040	18,500	8,370	25	U ^b	256	201		--
	MW-17B-060519	6/3/2019	10.65	6/5/2019	µg/L	7,390	1,220	16,600	8,370	200	U ^b	312	1,000	U ^b	--
	MW-17B-082219	8/19/2019	13.97	8/22/2019	µg/L	7,700	1,570	17,600	9,110	5	U	335	201		--
	MW-17B-091919	9/16/2019	15.31	9/19/2019	µg/L	7,700	833	12,000	8,740	10	U ^b	665	195		--
	MW-17B-110719	11/4/2019	16.88	11/7/2019	µg/L	7,080	1,080	8,130	6,130	500	U ^b	500	U ^b 2,500	U ^b	--
	MW-17B-121919	12/16/2019	16.40	12/19/2019	µg/L	6,960	981	7,590	5,170	5	U	582	184		--
	MW-17B-D-121919	12/16/2019	16.40	12/19/2019	µg/L	7,230	1,030	8,430	6,000	10	U ^b	500	179		--
MW-18	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--			11/28/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--			6/26/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--			9/5/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP
	--	12/4/2017	11.64	12/4/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte												
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB					
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05					
MW-18	--	3/5/2018	18.25	3/5/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP					
	--	6/4/2018	12.12	6/4/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP					
	--	9/11/2018	19.56	9/11/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP					
	--	12/3/2018	17.85	12/3/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP					
	MW-18-030719	3/4/2019	15.9	3/7/2019	µg/L	2.47	8.16	60.4	141	1	U	13.5	72.7	--				
	MW-18-060419	6/3/2019	14.7	6/4/2019	µg/L	1.46	2.92	20.9	42.0	2.36		13.6	87.5	--				
	MW-18-091819	9/16/2019	15.78	9/18/2019	µg/L	1	U	1.30	10.7	37.4	1	U	15.4	48.7	--			
	MW-18-121819	12/16/2019	19.24	12/18/2019	µg/L	1	U	1.61	6.60	17.8	1.42		3.93	9.59	--			
MW-19	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP				
	MW-19-012116			1/21/2016	µg/L	22.8	18.5	256	437	1	U	1	U	10.7	0.02	U		
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--			3/13/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--			3/20/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--			3/31/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	MW-19-040617			4/6/2017	µg/L	9,810	1,030	25,000	10,300	250	U ^b	250	U ^b	1,250	U ^b	--		
	MW-19-062917			6/29/2017	µg/L	9,410	683	27,200	9,580	200	U ^b	320		1,000	U ^b	--		
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--	12/4/2017	11.77	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	--	3/5/2018	11.75	3/5/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW			
	MW-19-060618	6/4/2018	7.81	6/6/2018	µg/L	8.15	149	385	1,260	1.53		1	U	250	U ^b	--		
	MW-19-071318	7/11/2018	10.5	7/13/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-19-091318	9/10/2018	10.05	9/13/2018	µg/L	3.31	3.53	16.0	96.5	1	U	1	U	6.55		--		
	MW-19-120518	12/3/2018	9.94	12/5/2018	µg/L	5	U	8.23	13.7	217	5	U	5	U	25	U	--	
	MW-19-030519	3/4/2019	5.67	3/5/2019	µg/L	5	U	33.1	19.4	756	5	U	5	U	294		--	
	MW-19-060519	6/3/2019	8.3	6/5/2019	µg/L	5	U	5	U	30.4	5	U	5	U	25	U	--	
	--	9/16/2019	11.78	9/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
	MW-19-121719	12/16/2019	7.81	12/17/2019	µg/L	1	U	1.23	6.08	56.1	1	U	1	U	13.1		--	
MW-20	--			7/27/2015	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			1/19/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			11/28/2016	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			3/13/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			3/20/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			3/31/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			4/6/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			5/4/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			6/26/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			7/17/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			8/1/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--			9/5/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--	10/3/2017	13.79	10/4/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--	11/7/2017	13.61	11/8/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--	12/4/2017	14.64	12/4/2017	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		
	--	1/8/2018	14.04	1/8/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP		

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte																	
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB										
RBSSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05										
MW-20	--	2/5/2018	12.57	2/6/2018	µg/L	NS-OL	NS-OL	NS-OL	NS-OL	NS-OL	NS-OL	NS-OL	NS-OL	NS-OL									
	--	3/5/2018	10.90	3/6/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP									
	--	4/5/2018	9.37	4/6/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP									
	--	5/2/2018	9.7	5/3/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP									
	--	6/4/2018	8.5	6/4/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP									
	MW-20-071218	7/11/2018	8.83	7/12/2018	µg/L	5,740	1,350	18,100	14,500	100	U ^b	351	500	U ^b	--								
	--	9/10/2018	10.59	9/10/2018	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	12/3/2018	9.99	12/3/2018	--	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS	NS-PS								
	MW-20-021919	2/18/2019	6.39	2/19/2019	µg/L	6,650	1,080	13,900	11,700	5	U	128	341	--									
	MW-20-030519	3/4/2019	5.94	3/5/2019	µg/L	9,480	1,320	19,200	10,800	100	U ^b	187	500	U ^b	--								
	MW-20-051519	5/13/2019	7.08	5/15/2019	µg/L	4,180	758	8,970	7,620	100	U ^b	105	636	--									
	MW-20-060519	6/3/2019	8.14	6/5/2019	µg/L	11,200	1,460	22,800	10,200	50	U ^b	174	437	--									
	MW-20-082019	8/19/2019	11.66	8/20/2019	µg/L	7,920	1,160	15,900	10,300	100	U ^b	238	500	U ^b	--								
	--	9/16/2019	12.07	9/16/2019	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	--	11/4/2019	13.09	11/4/2019	--	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP	NS-FP								
	MW-20-121719	12/16/2019	12.40	12/17/2019	µg/L	9,710	1,600	28,500	10,000	100	U ^b	100	U ^b	500	U ^b	--							
MW-21	MW-21-072715			7/27/2015	µg/L	5	U ^b	5	U	5	U	10	U	5	U ^b	5	U	5	U	0.02	U		
	MW-21-012116			1/21/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	1	U	0.02	U
	MW-21-D-012116			1/21/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	1	U	0.019	U
	MW-21-112916			11/29/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-21-031417			3/14/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-032117			3/21/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-062817-FD			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-090817			9/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-120717	12/4/2017	17.42	12/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-030718	3/5/2018	8.05	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-060718	6/4/2018	12.43	6/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-091118	9/10/2018	14.51	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-120518	12/3/2018	13.41	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-030519	3/4/2019	8.84	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-060519	6/3/2019	12.21	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-091919	9/16/2019	16.11	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
	MW-21-121719	12/16/2019	16.54	12/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	1	U	5	U	--	
MW-22	--			7/27/2015	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-22-012116			1/21/2016	µg/L	19.8	3.40	47.2	37.4	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	--			11/28/2016	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			5/3/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-22-062917			6/29/2017	µg/L	234	10	U	125	30	U	10	U ^b	10	U	50	U ^b	--	--	--	--	--	--
	--			7/17/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	--			8/1/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte																
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB									
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05									
MW-22	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW									
	--	10/3/2017	9.94	10/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW									
	--	11/7/2017	9.96	11/8/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW									
	--	12/4/2017	9.99	12/4/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW									
	--	1/8/2018	10.01	1/8/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW									
	--	2/5/2018	9.81	2/6/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW									
	MW-22-030618	3/5/2018	8.05	3/6/2018	µg/L	1	U	1	U	1.03	3	U	1	U	1	U	5	U	--			
	MW-22-040618	4/5/2018	7.27	4/6/2018	µg/L	1	U	1	U	1.76	46.6	1	U	1	U	1	U	5	U	--		
	MW-22-050318	5/2/2018	7.19	5/3/2018	µg/L	1.43	1.79	33.1	426	1	U	1	U	1	U	1	U	5	U	--		
	MW-22-060518	6/4/2018	5.72	6/5/2018	µg/L	1	U	1	U	4.27	41.6	1	U	1	U	1	U	5	U	--		
	MW-22-071218	7/11/2018	7.9	7/12/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	1	U	5	U	--	
	MW-22-091318	9/10/2018	9.57	9/13/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	1	U	5	U	--	
	MW-22-120518	12/3/2018	7.37	12/5/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	1	U	5	U	--	
	MW-22-030519	3/4/2019	3.41	3/5/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	1	U	5	U	--	
	MW-22-060519	6/3/2019	7.72	6/5/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	1	U	5	U	--	
	--	9/16/2019	9.98	9/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
	MW-22-121819	12/16/2019	9.57	12/18/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	1	U	5	U	--	
MW-23	MW-23-072715			7/27/2015	µg/L	5	U ^b	5	U	7.50	10	U	5	U ^b	5	U	5	U	5	U	0.02	U
	MW-23D-072715			7/27/2015	µg/L	5	U ^b	5	U	5	10	U	5	U ^b	5	U	5	U	5	U	0.02	U
	MW-23-012016			1/20/2016	µg/L	1	U	1	U	1	2	U	1	U	1	U	1	U	1	U	0.019	U
	MW-23-120216			12/2/2016	µg/L	450	5	U	14.6	336	5	U ^b	46.4	5.90							--	
	MW-23-031317			3/13/2017	µg/L	709	5	U	23.1	548	5	U ^b	127	25	U ^b	--					--	
	MW-23-032017			3/20/2017	µg/L	642	10	U	12.7	579	10	U ^b	108	50	U ^b	--					--	
	MW-23-032017-FD			3/20/2017	µg/L	620	10	U	12.0	548	10	U ^b	110	50	U ^b	--					--	
	MW-23-033117			3/31/2017	µg/L	685	10	U	16.5	624	10	U ^b	130	50	U ^b	--					--	
	MW-23-040617			4/6/2017	µg/L	432	1	U	6.61	254	1	U	76.5	5	U	--					--	
	MW-23-062817			6/28/2017	µg/L	131	10	U	10	117	10	U ^b	19.1	5	U	--					--	
	MW-23-071717			7/17/2017	µg/L	1.20	1	U	1	3	U	1	U	1	U	5	U	--			--	
	MW-23-080117			8/1/2017	µg/L	132	1	U	6.18	252	1	U	48.1	5	U	--					--	
	MW-23-090717			9/7/2017	µg/L	1,110	9.25	43.1	999	5	U ^b	141	25	U ^b	--						--	
	MW-23-100417	10/3/2017	11.52	10/4/2017	µg/L	703	10	U	17.5	515	10	U ^b	90.1	50	U ^b	--					--	
	MW-23-100417-DUP	10/3/2017	11.52	10/4/2017	µg/L	543	2.65	11.5	424	1	U	69.2	5	U	--						--	
	MW-23-110817	11/7/2017	11.10	11/8/2017	µg/L	788	10	U	21.5	580	10	U ^b	118	50	U ^b	--					--	
	MW-23-120617	12/4/2017	11.13	12/6/2017	µg/L	693	10	U	17.0	408	10	U ^b	99.5	50	U ^b	--					--	
	MW-23-010918	1/8/2018	11.02	1/9/2018	µg/L	127	10	U	10	137	10	U ^b	69.6	50	U ^b	--					--	
	MW-23-020618	2/5/2018	9.76	2/6/2018	µg/L	1.10	1	U	1	3	U	1	U	33.8	5	U	--				--	
	MW-23-030618	3/5/2018	8.27	3/6/2018	µg/L	1	U	1	U	3	U	1	U	17.5	5	U	--				--	
	MW-23-040618	4/5/2018	7.52	4/6/2018	µg/L	1	U	1	U	3	U	1	U	32.0	5	U	--				--	
	MW-23-050318	5/2/2018	7.12	5/3/2018	µg/L	1	U	1	U	3	U	1	U	19.1	5	U	--				--	
	MW-23-D-050318	5/2/2018	7.12	5/3/2018	µg/L	1	U	1	U	3	U	1	U	16.9	5	U	--				--	
	MW-23-060518	6/4/2018	6.33	6/5/2018	µg/L	1	U	1	U	3	U	1	U	5.28	5	U	--				--	
	MW-23-071218	7/11/2018	7.15	7/12/2018	µg/L	1	U	1	U	3	U	1	U	7.05	5	U	--				--	
	MW-23-080218	8/1/2018	7.56	8/2/2018	µg/L	17.9	1	U	1	10.4	1	U	5.01	5	U	--					--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05							
MW-23	MW-23-091118	9/10/2018	5.94	9/11/2018	µg/L	2.30	1	U	1	U	3	U	1	U	11.0	5	U	--		
	MW-23-110218	11/2/2018	9.19	11/2/2018	µg/L	11.1	1	U	2.48		4.85		1	U	8.35	5	U	--		
	MW-23-120518	12/3/2018	6.97	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.08	5	U	--	
	MW-23-D-120518	12/3/2018	6.97	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	2.03	5	U	--	
	MW-23-022019	2/18/2019	4.42	2/20/2019	µg/L	5.34	1	U	2.16		3	U	1	U	7.24	5	U	--		
	MW-23-D-022019	2/18/2019	4.42	2/20/2019	µg/L	7.09	1	U	3.22		3.57		1	U	7.77	5	U	--		
	MW-23-030519	3/4/2019	2.83	3/5/2019	µg/L	87.7	1.16		1.35		46.2		1	U	16.5	5	U	--		
	MW-23-D-030519	3/4/2019	2.83	3/5/2019	µg/L	81.6	1.21		1.26		42.1		1	U	15.9	5	U	--		
	MW-23-051419	5/15/2019	5.37	5/14/2019	µg/L	412	5.37		20.7		190		1	U	28.0	10.9		--		
	MW-23-D-051419	5/15/2019	5.37	5/14/2019	µg/L	779	7.09		25.0		242		1	U	34.4	12.5		--		
	MW-23-060519	6/3/2019	6.63	6/5/2019	µg/L	520	5	U	5.77		211		5	U	27.7	25	U	--		
	MW-23-D-060519	6/3/2019	6.63	6/5/2019	µg/L	457	5	U	5.96		178		5	U	24.2	25	U	--		
	MW-23-082119	8/19/2019	9.51	8/21/2019	µg/L	1,860	82.8		507		1,190		10	U ^b	88.7	50	U ^b	--		
	MW-23-091919	9/16/2019	10.27	9/19/2019	µg/L	2,950	192		1,060		2,210		5	U	99.9	38.4		--		
	MW-23-D-091919	9/16/2019	10.27	9/19/2019	µg/L	2,640	154		999		1,990		10	U ^b	91.5	50	U ^b	--		
	MW-23-110719	11/4/2019	11.28	11/7/2019	µg/L	1,200	20	U	94.1		481		20	U ^b	41.7	100	U ^b	--		
	MW-23-D-110719	11/4/2019	11.28	11/7/2019	µg/L	1,140	20	U	89.3		482		20	U ^b	32.8	100	U ^b	--		
	MW-23-122019	12/16/2019	9.98	12/20/2019	µg/L	575	10.1		12.0		279		1	U	41.8	11.0		--		
MW-23B	MW-23B-080515			8/5/2015	µg/L	5	U ^b	5	U	7.00	10	U	5	U ^b	5	U	5	U	0.02	U
	MW-23B-012016			1/20/2016	µg/L	1	U	1	U	3.90	7.10		1	U	1	U	1	U	0.02	U
	MW-23B-120216			12/2/2016	µg/L	1	U	1.40		3.50	11.0		1	U	1	U	1.30		--	
	MW-23B-031317			3/13/2017	µg/L	1	U	1.11		2.63	8.86		1	U	1	U	5	U	--	
	MW-23B-032017			3/20/2017	µg/L	1	U	1.55		2.98	11.7		1	U	1	U	5	U	--	
	MW-23B-033117			3/31/2017	µg/L	1	U	1.24		2.41	8.86		1	U	1	U	5	U	--	
	MW-23B-040617			4/6/2017	µg/L	1	U	1.21		2.41	9.23		1	U	1	U	5	U	--	
	MW-23B-062817			6/28/2017	µg/L	1	U	1	U	1.73	6.20		1	U	1	U	5	U	--	
	MW-23B-090717			9/7/2017	µg/L	1	U	1	U	1.65	5.40		1	U	1	U	5	U	--	
	MW-23B-120617	12/4/2017	11.45	12/6/2017	µg/L	1	U	1.20		2.48	7.93		1	U	1	U	5	U	--	
	MW-23B-030618	3/5/2018	10.88	3/6/2018	µg/L	1	U	1.20		4.57	9.14		1	U	1	U	5	U	--	
	MW-23B-060518	6/4/2018	6.06	6/5/2018	µg/L	1	U	1	U	1.08	4.21		1	U	1	U	5	U	--	
	MW-23B-091118	9/10/2018	5.4	9/11/2018	µg/L	1	U	1	U	1.24	3	U	1	U	1	U	5	U	--	
	MW-23B-120518	12/3/2018	8.73	12/5/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--	
	MW-23B-030519	3/4/2019	6.69	3/5/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--	
	MW-23B-060519	6/3/2019	5.79	6/5/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--	
	MW-23B-091919	9/16/2019	7.65	9/19/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--	
	MW-23B-121719	12/16/2019	9.49	12/17/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--	
MW-24	MW-24-080515			8/5/2015	µg/L	5	U ^b	5	U	5	10	U	5	U ^b	5	U	5	U	0.02	U
	MW-24-012616			1/26/2016	µg/L	1	U	1	U	1	2	U	1	U	1	U	1	U	0.019	U
	MW-24-120716			12/7/2016	µg/L	1	U	1	U	1	1	U	1	U	1	U	1	U	--	
	MW-24-062817			6/28/2017	µg/L	28.8		3.96		1.70	22.2		1	U	1	U	5	U	--	
	MW-24-090817			9/8/2017	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--	
	MW-24-120617	12/4/2017	4.51	12/6/2017	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--	
	MW-24-030818	3/5/2018	4.15	3/8/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-24	MW-24-060618	6/4/2018	4.45	6/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-091218	9/10/2018	5.22	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-120618	12/3/2018	4.78	12/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-030619	3/4/2019	5.07	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-060519	6/3/2019	4.94	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-091719	9/16/2019	5.28	9/17/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24-121819	12/16/2019	3.77	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-24B	MW-24B-080515			8/5/2015	µg/L	5	U ^b	5	U	10	U	5	U ^b	5	U	5	U	0.02	U
	MW-24B-012616			1/26/2016	µg/L	1	U	1	U	3.30		6.80		1	U	1	U	0.019	U
	MW-24B-120716			12/7/2016	µg/L	1	U	1	U	2.90		1.60		1	U	1	U	1	U
	MW-24B-062817			6/28/2017	µg/L	28.9		3.89		1.77		20.7		1	U	1	U	5	U
	MW-24B-090817			9/8/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-120617	12/4/2017	5.69	12/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-030818	3/5/2018	5.03	3/8/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-060618	6/4/2018	5.12	6/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-091218	9/10/2018	5.85	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-120618	12/3/2018	5.59	12/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-030619	3/4/2019	5.7	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-060519	6/3/2019	5.44	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-091719	9/16/2019	5.84	9/17/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-24B-121819	12/16/2019	4.78	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-25	MW-25-012716			1/27/2016	µg/L	101		1	U	115		1	U	1	U	1.80		0.02	U
	MW-25-012716			12/1/2016	µg/L	675		30.2		619		5	U ^b	5.90		29.7		--	
	MW-25-031417			3/14/2017	µg/L	627		28.6		668		10	U ^b	10	U	50	U ^b	--	
	MW-25-032017			3/20/2017	µg/L	604		20.4	U	680		20	U ^b	20	U	100	U ^b	--	
	MW-25-033117			3/31/2017	µg/L	673		30.1		736		10	U ^b	10	U	50	U ^b	--	
	MW-25-033117FD			3/31/2017	µg/L	790		35.4		861		10	U ^b	10	U	50	U ^b	--	
	MW-25-040617			4/6/2017	µg/L	558		24.3	U	682		10	U ^b	10	U	50	U ^b	--	
	MW-25-050317			5/3/2017	µg/L	519		49.3		614		1	U	1	U	43.2		--	
	MW-25-062817			6/28/2017	µg/L	431		34.8	U	520		10	U ^b	10	U	50	U ^b	--	
	MW-25-071717			7/17/2017	µg/L	230		13.4	U	264		10	U ^b	10	U	50	U ^b	--	
	MW-25-080117			8/1/2017	µg/L	234		14.4	U	277		10	U ^b	10	U	50	U ^b	--	
	MW-25-090817			9/8/2017	µg/L	200		12.2		214		1	U	1	U	10.6		--	
	MW-25-100417	10/3/2017	8.52	10/4/2017	µg/L	173		16.2		276		1	U	1.10		6.77		--	
	MW-25-110817	11/7/2017	8.35	11/8/2017	µg/L	82.9		7.21	U	143		1	U	1	U	7.74		--	
	MW-25-120617	12/4/2017	7.10	12/6/2017	µg/L	23.8		1.84	U	60.5		1	U	1	U	5	U	--	
	MW-25-010918	1/8/2018	8.80	1/9/2018	µg/L	72.0		2.74	U	111		1	U	1	U	5	U	--	
	MW-25-020618	2/5/2018	8.15	2/6/2018	µg/L	10.8		1	U	19.3		1	U	1	U	5	U	--	
	MW-25-030818	3/5/2018	7.84	3/8/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-040618	4/5/2018	7.46	4/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-050318	5/2/2018	7.02	5/3/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-060518	6/4/2018	6.73	6/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-071218	7/11/2018	7.7	7/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-25	MW-25-091218	9/10/2018	7.88	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-120518	12/3/2018	7.13	12/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-030619	3/4/2019	5.03	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-060519	6/3/2019	6.49	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-091919	9/16/2019	8.47	9/19/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25-121819	12/16/2019	8.23	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-25B	MW-25B-012716			1/27/2016	µg/L	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-25B-120116			12/1/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-25B-031417			3/14/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-032017			3/20/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-033117			3/31/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-040617			4/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-062817			6/28/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-090817			9/8/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-090817-DUP			9/8/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-120617	12/4/2017	5.30	12/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-030818	3/5/2018	4.12	3/8/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-060518	6/4/2018	3.41	6/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-091218	9/10/2018	4.76	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-120518	12/3/2018	3.7	12/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-030619	3/4/2019	2.72	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-D-030619	3/4/2019	2.72	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-060519	6/3/2019	3.11	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-091919	9/16/2019	4.46	9/19/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-25B-121819	12/16/2019	4.53	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-26	MW-26-012016			1/20/2016	µg/L	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	MW-26-120116			12/1/2016	µg/L	1	U	1	U	2.30	U	1	U	1	U	1	U	--	
	MW-26-031417			3/14/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-032017			3/20/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-033117			3/31/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-040617			4/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-040617-FD			4/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-050317			5/3/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-062817			6/28/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-071717			7/17/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-080117			8/1/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-090717			9/7/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-100417	10/3/2017	7.71	10/4/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-110817	11/7/2017	6.56	11/8/2017	µg/L	1	U	1	U	1.17	U	3	U	1	U	5	U	--	
	MW-26-120617	12/4/2017	6.83	12/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-010918	1/8/2018	6.68	1/9/2018	µg/L	1	U	1.79	U	6.20	U	13.8	U	1	U	5	U	--	
	MW-26-020618	2/5/2018	4.37	2/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-030618	3/5/2018	2.94	3/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSSL^a:					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
MW-26	MW-26-040618	4/5/2018	2.88	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-050318	5/2/2018	2.71	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-060518	6/4/2018	2.01	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-071218	7/11/2018	3.67	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-091118	9/10/2018	2.65	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-120518	12/3/2018	2.36	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-021919	2/18/2019	1.21	2/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-030519	3/4/2019	0.61	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-051519	5/13/2019	2.07	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-060519	6/3/2019	4.13	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-081919	8/19/2019	6.46	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-091919	9/16/2019	7.23	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-110419	11/4/2019	7.98	11/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26-121719	12/16/2019	5.51	12/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-26B	MW-26B-012016			1/20/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-26B-120116			12/1/2016	µg/L	1	U	1	U	1	U	1.30		1	U	1	U	1	U	--	
	MW-26B-031417			3/14/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-090717			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-090717-DUP			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-120617	12/4/2017	9.17	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-030618	3/5/2018	6.30	3/6/2018	µg/L	1	U	1	U	1.03		3	U	1	U	1	U	5	U	--	
	MW-26B-060518	6/4/2018	3.66	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-091118	9/10/2018	4.55	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-D-091118	9/10/2018	4.55	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-120518	12/3/2018	5.55	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-030519	3/4/2019	0.00	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-060519	6/3/2019	3.74	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-091919	9/16/2019	8.67	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-26B-121719	12/16/2019	9.19	12/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-27	MW-27-012716			1/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.019	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-27-062817			6/28/2017	µg/L	2.69		4.06		3.88		35.9		1	U	1	U	5	U	--	
	MW-27-090817			9/8/2017	µg/L	4.96		5.75		2.13		14.8		1	U	1	U	5	U	--	
	MW-27-120517	12/4/2017	27.46	12/5/2017	µg/L	6.48		8.23		12.5		20.5		1	U	1	U	5	U	--	
	MW-27-030818	3/5/2018	25.29	3/8/2018	µg/L	14.5		29.7		62.3		227		1	U	1	U	5	U	--	
	MW-27-060518	6/4/2018	22.55	6/5/2018	µg/L	5.74		7.74		22.6		70.3		1	U	1	U	5	U	--	
	MW-27-091118	9/10/2018	25.17	9/11/2018	µg/L	2.06		2.94		7.44		25.6		1	U	1	U	5	U	--	
	MW-27-120518	12/3/2018	24.96	12/5/2018	µg/L	2.96		9.03		23.1		50.3		1	U	1	U	5	U	--	
	MW-27-030519	3/4/2019	18.01	3/5/2019	µg/L	1	U	1	U	4.05		9.95		1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-27	MW-27-D-030519	3/4/2019	18.01	3/5/2019	µg/L	1.01	1	U	4.73	12.0	1	U	1	U	5	U	--		
	MW-27-060519	6/3/2019	21.14	6/5/2019	µg/L	1.33	1	U	5.04	11.0	1	U	1	U	5	U	--		
	MW-27-091919	9/16/2019	26.95	9/19/2019	µg/L	1.04	1	U	1.09	5.00	1	U	1	U	5	U	--		
	MW-27-121819	12/16/2019	27.55	12/18/2019	µg/L	1.09	1	U	1	5.19	1	U	1	U	5	U	--		
	MW-27-D-121819	12/16/2019	27.55	12/18/2019	µg/L	1.04	1	U	1	5.19	1	U	1	U	5	U	--		
MW-27B	MW-27B-051216			5/12/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-27B-120216			12/2/2016	µg/L	1	U	5.30	9.1	45.7	1	U	1	U	8.90		--		
	MW-27B-062817			6/28/2017	µg/L	1	U	4.04	4.04	32.7	1	U	1	U	6.09		--		
	MW-27B-090717			9/7/2017	µg/L	1	U	3.73	6.35	30.3	1	U	1	U	7.54		--		
	MW-27B-120517	12/4/2017	30.70	12/5/2017	µg/L	1	U	3.10	5.91	24.8	1	U	1	U	5.81		--		
	MW-27B-D-120517	12/4/2017	30.70	12/5/2017	µg/L	1	U	3.96	7.24	31.6	1	U	1	U	7.09		--		
	MW-27B-030818	3/5/2018	3.20	3/8/2018	µg/L	1	U	3.44	6.82	28.8	1	U	1	U	5	U	--		
	MW-27BD-030818	3/5/2018	3.20	3/8/2018	µg/L	1	U	4.02	7.97	30.7	1	U	1	U	5	U	--		
	MW-27B-060518	6/4/2018	28.42	6/5/2018	µg/L	1	U	3.38	6.18	26.8	1	U	1	U	5.10		--		
	MW-27B-091118	9/10/2018	28.49	9/11/2018	µg/L	1	U	2.98	5.65	25.0	1	U	1	U	5	U	--		
	MW-27B-120518	12/3/2018	29.34	12/5/2018	µg/L	1	U	2.47	4.97	21.1	1	U	1	U	5	U	--		
	MW-27B-030519	3/4/2019	24.49	3/5/2019	µg/L	1	U	2.40	4.76	20.0	1	U	1	U	5	U	--		
	MW-27B-060519	6/3/2019	24.8	6/5/2019	µg/L	1	U	1.85	3.59	14.7	1	U	1	U	5	U	--		
	MW-27B-091919	9/16/2019	26.33	9/19/2019	µg/L	1	U	2.05	3.87	16.2	1	U	1	U	5	U	--		
	MW-27B-121719	12/16/2019	29.04	12/17/2019	µg/L	1	U	2.35	4.27	18.4	1	U	1	U	5	U	--		
MW-28	MW-28-012716			1/27/2016	µg/L	542		430	3,850	3,370	1	U	4.80	96.3			0.02	U	
	--			11/28/2016	--	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW		NS-IW		
	MW-28-031517			3/15/2017	µg/L	1,120		68.9	3,350	1,370	50	U ^b	50	U ^b	250	U	--		
	--			3/20/2017	--	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW		NS-IW		
	--			3/31/2017	--	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW		NS-IW		
	--			4/6/2017	--	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW		NS-IW		
	MW-28-050317			5/3/2017	µg/L	65.9		14.5	263	1,010	1	U	2.94	9.33			--		
	MW-28-062817			6/28/2017	µg/L	199		55.0	108	546	1	U	1	U	10.1		--		
	MW-28-071717			7/17/2017	µg/L	219		64.2	85.8	422	1	U	1	U	14.7		--		
	MW-28-080217			8/2/2017	µg/L	219		48.7	52.7	187	1	U	3.46	11.9			--		
	MW-28-090817			9/8/2017	µg/L	130		16.2	175	388	1	U	4.77	13.6			--		
	--	10/3/2017	23.80	10/4/2017	--	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW		NS-IW		
	--	11/7/2017	23.78	11/7/2017	--	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW		NS-IW		
	--	12/4/2017	23.94	12/7/2017	--	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW		NS-IW		
	--	1/8/2018	24.15	1/9/2018	--	NS-IW		NS-IW	NS-IW	NS-IW		NS-IW	NS-IW		NS-IW		NS-IW		
	MW-28-020618	2/5/2018	22.60	2/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-28-030818	3/5/2018	21.65	3/8/2018	µg/L	10.1		9.92	5.27	21.2	1	U	1	U	5	U	--		
	MW-28-040618	4/5/2018	20.68	4/6/2018	µg/L	16.1		11.6	4.00	23.4	1	U	1	U	5	U	--		
	MW-28-050318	5/2/2018	20.81	5/3/2018	µg/L	8.25		8.82	1.55	24.5	1	U	1	U	5	U	--		
	MW-28-060518	6/4/2018	19.82	6/5/2018	µg/L	3.81		3.77	1.01	16.0	1	U	1	U	5	U	--		
	MW-28-071218	7/11/2018	20.92	7/12/2018	µg/L	3.91		5.19	1.05	8.82	1	U	1	U	5	U	--		
	MW-28-091118	9/10/2018	22	9/11/2018	µg/L	28.0		25.2	3.66	4.89	1	U	1	U	5	U	--		
	MW-28-120518	12/3/2018	21.17	12/5/2018	µg/L	13.7		8.04	1.47	3	U	1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte															
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB								
RBSL^a:					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05	
MW-28	MW-28-030619	3/4/2019	16.42	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-28-060519	6/3/2019	19.14	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-28-091719	9/16/2019	22.95	9/17/2019	µg/L	1.68		1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-28-121919	12/16/2019	23.53	12/19/2019	µg/L	23.7		2.79		18.3		4.33		1	U	1	U	5	U	--	
MW-29	MW-29-012116			1/21/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	MW-29-112916			11/29/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-29-031317			3/13/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-050317			5/3/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-062817			6/28/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-071717			7/17/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-080117			8/1/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-090717			9/7/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-100417	10/3/2017	10.85	10/4/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-110817	11/7/2017	10.06	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-120617	12/4/2017	10.39	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-010918	1/8/2018	10.36	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-020618	2/5/2018	7.80	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-030718	3/5/2018	4.20	3/7/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-040618	4/5/2018	5.28	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-D-040618	4/5/2018	5.28	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-050318	5/2/2018	4.72	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-060518	6/4/2018	3.23	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-071218	7/11/2018	6.35	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-091118	9/10/2018	8.36	9/11/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-120518	12/3/2018	3.11	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-030519	3/4/2019	0.71	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-060519	6/3/2019	6.33	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-091919	9/16/2019	10.35	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-29-121719	12/16/2019	8.36	12/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-30	MW-30-012516			1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	1	U	0.02	U
	--			11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-30-050417			5/4/2017	µg/L	104		3.98		341		161		1	U	1	U	5	U	--	
	MW-30-062917			6/29/2017	µg/L	646		25	U	1,630		736		25	U ^b	25	U	125	U ^b	--	
	MW-30-071717			7/17/2017	µg/L	922		25	U	2,050		1,320		25	U ^b	25	U	125	U ^b	--	
	MW-30-080217			8/2/2017	µg/L	1,240		25.9		1,020		2,230		25	U ^b	25	U	125	U ^b	--	
	--			9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/3/2017	14.58	10/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/7/2017	14.60	11/8/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/4/2017	14.47	12/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/8/2018	14.59	1/8/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-30	MW-30-020518	2/5/2018	13.11	2/5/2018	µg/L	2.20	1	U	1.86	4.10	1	U	1	U	5	U	--		
	MW-30-030718	3/5/2018	11.43	3/7/2018	µg/L	22.1	1	U	8.94	19.1	1	U	2.25		5	U	--		
	MW-30-040618	4/5/2018	11.92	4/6/2018	µg/L	1.90	1	U	7.38	5.95	1	U	2.22		5	U	--		
	MW-30-050318	5/2/2018	11.49	5/3/2018	µg/L	1.19	1	U	3.70	3	U	1	U	2.29	5	U	--		
	MW-30-060618	6/4/2018	10.47	6/6/2018	µg/L	1	U	1	U	3	U	1	U	2.58	5	U	--		
	MW-30-071218	7/11/2018	12.26	7/12/2018	µg/L	1	U	1	U	3	U	1	U	2.79	5	U	--		
	--	9/11/2018	14.60	9/11/2018	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
	MW-30-120718	12/3/2018	12.77	12/7/2018	µg/L	1	U	1	U	3	U	1	U	1.94	9.22		--		
	MW-30-D-120718	12/3/2018	12.77	12/7/2018	µg/L	1	U	1	U	3	U	1	U	2.05	5	U	--		
	MW-30-030719	3/4/2019	6.16	3/7/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-30-060419	6/3/2019	10.64	6/4/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	--	9/16/2019	14.56	9/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
	--	12/16/2019	14.66	12/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW		
MW-31	MW-31-051016			5/10/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-31-112916			11/29/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-31-050317			5/3/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-062817			6/28/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-071717			7/17/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-080117			8/1/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-D-080117			8/1/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-090817			9/8/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-100417	10/3/2017	22.70	10/4/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-110817	11/7/2017	20.81	11/8/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-120617	12/4/2017	20.05	12/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-010918	1/8/2018	22.55	1/9/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-020618	2/5/2018	18.90	2/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-030718	3/5/2018	18.01	3/7/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-040618	4/5/2018	18.59	4/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-050318	5/2/2018	17.35	5/3/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-D-050318	5/2/2018	17.35	5/3/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-060618	6/4/2018	17.25	6/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-071318	7/11/2018	18.37	7/13/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-091218	9/10/2018	21.88	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-D-091218	9/10/2018	21.88	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-120618	12/3/2018	19.47	12/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-030619	3/4/2019	13.42	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-060519	6/3/2019	15.86	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-091819	9/16/2019	21.63	9/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-31-121819	12/16/2019	22.17	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-31B	MW-31B-051116			5/11/2016	µg/L	1	U	1	U	2.70	1	U	1	U	1	U	0.02	U	
MW-32	MW-32-051016			5/10/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-32-120616			12/6/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	--	
	MW-32-062917			6/29/2017	µg/L	1	U	1	U	1	U	1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05							
MW-32	MW-32-090817			9/8/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-32-120717	12/4/2017	10.02	12/7/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-32-030718	3/5/2018	6.82	3/7/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-32-060618	6/4/2018	7.16	6/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-32-091218	9/10/2018	21.07	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-32-120618	12/3/2018	11.85	12/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-32-030719	3/4/2019	5.22	3/7/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-32-060419	6/3/2019	13.55	6/4/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-32-091819	9/16/2019	21.05	9/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-32-121819	12/16/2019	15.56	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
MW-33	MW-33-051016			5/10/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U	
MW-33T	MW-33T-051016			5/10/2016	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	0.02	U	
	MW-33T-120617	12/4/2017	27.12	12/6/2017	µg/L	1	U	1	U	1	U	1	U	1	U	1	U	--		
	MW-33T-030718	3/5/2018	25.23	3/7/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-33T-060618	6/4/2018	23.56	6/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-33T-091218	9/10/2018	25.91	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-33T-120618	12/3/2018	26.29	12/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-33T-030619	3/4/2019	20.72	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-33T-060519	6/3/2019	21.81	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-33T-091819	9/16/2019	27.90	9/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
	MW-33T-121819	12/16/2019	28.15	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--		
MW-34	MW-34-031517			3/15/2017	--	978		33.0		143		218		10	U ^b	157		50	U ^b	--
	MW-34-032017			3/20/2017	µg/L	801		10.0	U	113		305		10	U ^b	149		50	U ^b	--
	MW-34-033117			3/31/2017	µg/L	728		10.0	U	81.4		224		10	U ^b	152		50	U ^b	--
	MW-34-040617			4/6/2017	µg/L	860		1.70		58.6		181		1	U	123		5	U	--
	MW-34-050317			5/3/2017	µg/L	287		2.62		27.2		130		1	U	124		5	U	--
	MW-34-062817			6/28/2017	µg/L	167		4.59		9.30		39.2		1	U	68.3		5	U	--
	MW-34-071717			7/17/2017	µg/L	137		5.83		19.8		69.5		1	U	73.8		5	U	--
	MW-34-080117			8/1/2017	µg/L	517		10	U	31.7		110		10	U ^b	98.3		50	U ^b	--
	MW-34-090817			9/8/2017	µg/L	1,430		6.01		98.0		264		1	U	191		7.33		--
	MW-34-100417	10/3/2017	2.76	10/4/2017	µg/L	919		10	U	36.8		157		10	U ^b	151		50	U ^b	--
	MW-34-100417-DUP	10/3/2017	2.76	10/4/2017	µg/L	846		1.49		40.8		186		1	U	148		5	U	--
	MW-34-110817	11/7/2017	2.48	11/8/2017	µg/L	338		10	U	15.3		140		10	U ^b	266		50	U ^b	--
	MW-34-120617	12/4/2017	2.52	12/6/2017	µg/L	169		10	U	29.7		69.9		10	U ^b	218		50	U ^b	--
	MW-34-010918	1/8/2018	2.48	1/9/2018	µg/L	147		10	U	13.1		79.8		10	U ^b	246		50	U ^b	--
	MW-34-020618	2/5/2018	2.27	2/6/2018	µg/L	249		10	U	19.2		88.3		10	U ^b	191		50	U ^b	--
	MW-34-030818	3/5/2018	2.23	3/8/2018	µg/L	696		7.35		51.6		180		1	U	229		5.84		--
	MW-34-040618	4/5/2018	2.25	4/6/2018	µg/L	619		2.22		31.9		150		1	U	281		7.77		--
	MW-34-050318	5/2/2018	2.31	5/3/2018	µg/L	342		10	U	18.1		99.7		10	U ^b	278		50	U ^b	--
	MW-34-060518	6/4/2018	2.34	6/5/2018	µg/L	63.1		1	U	3.28		19.2		1	U	247		5	U	--
	MW-34-071218	7/11/2018	2.6	7/12/2018	µg/L	186		2.41		9.34		33.7		1	U	153		5	U	--
	MW-34-D-071218	7/11/2018	2.6	7/12/2018	µg/L	303		3.82		14.9		51.3		1	U	199		5	U	--
	MW-34-080218	8/1/2018	2.48	8/2/2018	µg/L	414		5.27		32.6		53.6		1	U	147		5	U	--

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05							
MW-34	MW-34-091218	9/10/2018	3.18	9/12/2018	µg/L	21.8	1	U	1	U	3	U	1	U	209	5	U	--		
	MW-34-110218	11/2/2018	2.9	11/2/2018	µg/L	75.1	1	U	1.53		8.16		1	U	302	5	U	--		
	MW-34-120618	12/3/2018	2.87	12/6/2018	µg/L	1	U	1	1	U	6.63		1	U	271	5	U	--		
	MW-34-022019	2/18/2019	2.83	2/20/2019	µg/L	124		1.13	3.82		15	U	1	U	303	5	U	--		
	MW-34-030619	3/4/2019	2.66	3/6/2019	µg/L	42.4	1	U	1	U	5.32		1	U	242	5	U	--		
	MW-34-051519	5/13/2019	2.58	5/15/2019	µg/L	162		2.18	2.63		14.9		1	U	163	5	U	--		
	MW-34-060519	6/3/2019	3.07	6/5/2019	µg/L	36.6	5	U	5	U	15	U	5	U	148	25	U	--		
	MW-34-082219	8/19/2019	3.28	8/22/2019	µg/L	102	5	U	5	U	15	U	1	U	207	5.05		--		
	MW-34-091919	9/16/2019	3.36	9/19/2019	µg/L	12.9	1	U	1	U	3	U	1	U	109	5	U	--		
	MW-34-110619	11/4/2019	2.83	11/6/2019	µg/L	85.5		1.44	1	U	13.9		1	U	169	5	U	--		
	MW-34-122019	12/16/2019	2.19	12/20/2019	µg/L	157		1.73	1	U	21.0		1	U	173	5	U	--		
MW-35	MW-35-051016			5/10/2016	µg/L	1	U	1	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-35-120116			12/1/2016	µg/L	1	U	1	1	U	1	U	1	U	1	U	1	U	--	
	MW-35-031417			3/14/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-032017			3/20/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-033117			3/31/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-040617			4/6/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-050317			5/3/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-062817			6/28/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-071717			7/17/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-080117			8/1/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-090817			9/8/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-100417	10/3/2017	10.34	10/4/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-110817	11/7/2017	8.94	11/8/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-120617	12/4/2017	10.41	12/6/2017	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-010918	1/8/2018	10.57	1/9/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-D-010918	1/8/2018	10.57	1/9/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-020618	2/5/2018	9.00	2/6/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-030818	3/5/2018	8.33	3/8/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-040618	4/5/2018	8.39	4/6/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-050318	5/2/2018	8.37	5/3/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-060618	6/4/2018	8.15	6/6/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-071218	7/11/2018	7.22	7/12/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-091118	9/10/2018	9.14	9/11/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-120518	12/3/2018	7.45	12/5/2018	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-030619	3/4/2019	5.39	3/6/2019	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-060519	6/3/2019	7.86	6/5/2019	µg/L	1	U	1	4.52		3	U	1	U	1	U	5	U	--	
	MW-35-091719	9/16/2019	10.07	9/17/2019	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
	MW-35-121719	12/16/2019	9.27	12/17/2019	µg/L	1	U	1	1	U	3	U	1	U	1	U	5	U	--	
MW-36	MW-36-051116			5/11/2016	µg/L	1	U	1	1	U	1	U	1	U	1	U	1	U	0.02	U
	MW-36-112916			11/29/2016	µg/L	1.30		1	6.50		1.10		1	U	1	U	1	U	--	
	MW-36-D-112916			11/29/2016	µg/L	1	U	1	5.40		1	U	1	U	1	U	1	U	--	
	MW-36-062917			6/29/2017	µg/L	2.11		1	2.28		3	U	1	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-36	MW-36-090817			9/8/2017	µg/L	4.75	1	U	6.16	4.62	1	U	1	U	5	U	--		
	MW-36-120717	12/4/2017	20.14	12/7/2017	µg/L	17.5	1	U	30.2	14.4	1	U	1	U	5	U	--		
	MW-36-030718	3/5/2018	18.11	3/7/2018	µg/L	44.2	10	U	75.2	38.4	10	U ^b	10	U	50	U ^b	--		
	MW-36-060718	6/4/2018	15.21	6/7/2018	µg/L	184	1	U	208	134	1	U	2.06		5	U	--		
	MW-36-091318	9/11/2018	16.68	9/13/2018	µg/L	238	1	U	326	238	1	U	1	U	5	U	--		
	MW-36-120618	12/3/2018	16.65	12/6/2018	µg/L	146	1	U	181	142	1	U	1	U	5	U	--		
	MW-36-D-120618	12/3/2018	16.65	12/6/2018	µg/L	143	1	U	175	134	1	U	1	U	5	U	--		
	MW-36-021919	2/18/2019	11.97	2/19/2019	µg/L	708	1	U	186	152	1	U	1	U	5	U	--		
	MW-36-030719	3/4/2019	10.4	3/7/2019	µg/L	223	1	U	210	161	1	U	2.67		5	U	--		
	MW-36-051519	5/13/2019	13.86	5/15/2019	µg/L	1,160	5	U	78.4	482	5	U	292		228		--		
	MW-36-D-051519	5/13/2019	13.86	5/15/2019	µg/L	1,060	1	U	61.3	381	1	U	1	U	5	U	--		
	MW-36-060419	6/3/2019	14.87	6/4/2019	µg/L	1,100	1	U	48.1	428	1	U	1	U	5	U	--		
	MW-36-D-060419	6/3/2019	14.87	6/4/2019	µg/L	1,170	1	U	49.3	467	1	U	1	U	5	U	--		
	MW-36-081919	8/19/2019	17.2	8/19/2019	µg/L	484	20	U	27.5	197	20	U ^b	20	U	100	U ^b	--		
	MW-36-091919	9/16/2019	18.22	9/19/2019	µg/L	360	10	U	46.0	188	10	U ^b	10	U	50	U ^b	--		
	MW-36-D-091919	9/16/2019	18.22	9/19/2019	µg/L	344	5	U	46.0	190	5	U	5	U	25	U	--		
	MW-36-110419	11/4/2019	19.84	11/4/2019	µg/L	172	5	U	39.7	78.7	5	U	5	U	25	U	--		
	MW-36-121819	12/16/2019	19.83	12/18/2019	µg/L	185	1	U	66.2	78.2	1	U	1	U	5	U	--		
MW-36B	MW-36B-051116			5/11/2016	µg/L	1	U	1	U	7.20	1	U	1	U	1	U	0.02	U	
	MW-36B-112916			11/29/2016	µg/L	1	U	1	U	1.60	1	U	1	U	1	U	--		
	MW-36B-062917			6/29/2017	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-062917-FD			6/29/2017	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-090817			9/8/2017	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-120717	12/4/2017	20.90	12/7/2017	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-030718	3/5/2018	17.81	3/7/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	7W-36B-060618	6/4/2018	14.84	6/7/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-091318	9/11/2018	16.39	9/13/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-120618	12/3/2018	16.32	12/6/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-030719	3/4/2019	10.02	3/7/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-D-030719	3/4/2019	10.02	3/7/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-060419	6/3/2019	13.56	6/4/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-091919	9/16/2019	17.94	9/19/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
	MW-36B-121819	12/16/2019	19.27	12/18/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	--		
MW-37	MW-37-113016			11/30/2016	µg/L	1	U	1	U	1	1	U	1	U	1	U	--		
	MW-37-062817			6/28/2017	µg/L	1	U	1	U	1	3	U	1	U	1.44		5	U	--
	MW-37-090817			9/8/2017	µg/L	1	U	1	U	1	3	U	1	U	1.50		5	U	--
	MW-37-120617	12/4/2017	3.47	12/6/2017	µg/L	1	U	1	U	1	3	U	1	U	2.93		5	U	--
	MW-37-030818	3/5/2018	3.28	3/8/2018	µg/L	1	U	1	U	1	3	U	1	U	3.71		5	U	--
	MW-37-060518	6/4/2018	3.26	6/5/2018	µg/L	1	U	1	U	1	3	U	1	U	5.06		5	U	--
	MW-37-091218	9/10/2018	3.29	9/12/2018	µg/L	1	U	1	U	1	3	U	1	U	4.30		5	U	--
	MW-37-120618	12/3/2018	3.01	12/6/2018	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--
	MW-37-021919	2/18/2019	3.08	2/19/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--
	MW-37-030619	3/4/2019	2.9	3/6/2019	µg/L	1	U	1	U	1	3	U	1	U	1	U	5	U	--

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-37	MW-37-051519	5/13/2019	3.1	5/15/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-060519	6/3/2019	3.19	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-071819	7/17/2019	3.2	7/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-082019	8/19/2019	3.32	8/20/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-091719	9/16/2019	3.79	9/17/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-110519	11/4/2019	3.37	11/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-37-121919	12/16/2019	3.16	12/19/2019	µg/L	1	U	1	U	3.03	3	U	1	U	1.66	5	U	--	
MW-38	MW-38-113016			11/30/2016	µg/L	1	U	1	U	1	U	1	U	5.50	1	U	--		
	MW-38-031417			3/14/2017	µg/L	1	U	1	U	3	U	1	U	9.14	5	U	--		
	MW-38-032017			3/20/2017	µg/L	1	U	1	U	3	U	1	U	7.55	5	U	--		
	MW-38-033117			3/31/2017	µg/L	1	U	1	U	3	U	1	U	10.2	5	U	--		
	MW-38-040617			4/6/2017	µg/L	1	U	1	U	3	U	1	U	8.06	5	U	--		
	MW-38-050317			5/3/2017	µg/L	1	U	1	U	3	U	1	U	9.08	5	U	--		
	MW-38-062817			6/28/2017	µg/L	9.71	1.17	1	U	6.63	1	U	1	U	5	U	--		
	MW-38-071717			7/17/2017	µg/L	1	U	1	U	3	U	1	U	8.59	5	U	--		
	MW-38-071717-FD			7/17/2017	µg/L	1	U	1	U	3	U	1	U	9.78	5	U	--		
	MW-38-080117			8/1/2017	µg/L	1	U	1	U	3	U	1	U	7.25	5	U	--		
	MW-38-090817			9/8/2017	µg/L	1	U	1	U	3	U	1	U	12.9	5	U	--		
	MW-38-100417	10/3/2017	2.23	10/4/2017	µg/L	1.75	1	U	1	3	U	1	U	11.2	5	U	--		
	MW-38-110817	11/7/2017	1.88	11/8/2017	µg/L	4.48	1	U	1	12.4	1	U	29.2	5	U	--			
	MW-38-120617	12/4/2017	2.01	12/6/2017	µg/L	102	1	U	1	86.1	1	U	38.0	5	U	--			
	MW-38-010918	1/8/2018	1.95	1/9/2018	µg/L	311	1	U	2.31	158	1	U	49.4	5	U	--			
	MW-38-020618	2/5/2018	1.58	2/6/2018	µg/L	389	5	U	5	208	5	U	48.8	25	U	--			
	MW-38-030818	3/5/2018	1.25	3/8/2018	µg/L	364	5	U	5	202	5	U	54.8	25	U	--			
	MW-38-040618	4/5/2018	1.50	4/6/2018	µg/L	347	1	U	2.95	221	1	U	68.8	10.4	--				
	MW-38-D-040618	4/5/2018	1.50	4/6/2018	µg/L	371	1	U	2.61	190	1	U	67.6	9.46	--				
	MW-38-050318	5/2/2018	1.7	5/3/2018	µg/L	378	10	U	10	212	10	U ^b	62.1	50	U ^b	--			
	MW-38-060518	6/4/2018	1.2	6/5/2018	µg/L	373	1	U	2.49	222	1	U	75.5	9	--				
	MW-38-071218	7/11/2018	1.45	7/12/2018	µg/L	268	1	U	1.27	138	1	U	52.5	7.26	--				
	MW-38-091218	9/10/2018	2.17	9/12/2018	µg/L	157	1	U	1.19	66.5	1	U	38.8	5	U	--			
	MW-38-120618	12/3/2018	1.12	12/6/2018	µg/L	412	1	U	1.90	236	1	U	89.7	13.7	--				
	MW-38-021919	2/18/2019	1.27	2/19/2019	µg/L	887	1	U	10	331	1	U	87.1	14.3	--				
	MW-38-030619	3/4/2019	0.72	3/6/2019	µg/L	849	1	U	2.55	278	1	U	96.7	18.0	--				
	MW-38-051519	5/13/2019	1.12	5/15/2019	µg/L	614	1	U	1.42	178	1	U	95.6	10.1	--				
	MW-38-060519	6/3/2019	1.36	6/5/2019	µg/L	950	100	U	100	300	U	100	U ^b	118	500	U ^b	--		
	MW-38-071819	7/17/2019	1.44	7/18/2019	µg/L	1,260	1	U	3.27	308	1	U	104	16.2	--				
	MW-38-082019	8/19/2019	1.6	8/20/2019	µg/L	1,030	10	U	10	279	10	U ^b	116	50	U ^b	--			
	MW-38-091719	9/16/2019	1.89	9/17/2019	µg/L	40.2	10	U	10	30	U	10	U ^b	88.2	50	U ^b	--		
	MW-38-110519	11/4/2019	1.61	11/5/2019	µg/L	7.33	1	U	1	7.01	1	U	64.4	5	U	--			
	MW-38-121919	12/16/2019	1.20	12/19/2019	µg/L	2.19	1	U	1.52	5.85	1	U	80.0	5	U	--			
MW-39	MW-39-120716			12/7/2016	µg/L	6,320	682	1,290	3,650	50	U ^b	311	86	--					
	MW-39-031417			3/14/2017	µg/L	6,370	431	2,200	3,700	10	U ^b	199	117	--					
	MW-39-032017			3/20/2017	µg/L	7,340	704	2,990	4,050	100	U ^b	248	500	U ^b	--				

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte										
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB			
RBSSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05			
MW-39	MW-39-033117			3/31/2017	µg/L	7,540	899	3,140	4,400	50	U ^b	272	250	U ^b	--	
	MW-39-040617			4/6/2017	µg/L	6,180	754	3,280	3,860	50	U ^b	257	250	U ^b	--	
	MW-39-062817			6/28/2017	µg/L	5,470	58	3,360	3,900	20	U ^b	239	100	U ^b	--	
	MW-39-071717			7/17/2017	µg/L	4,690	100	3,760	4,580	100	U ^b	344	500	U ^b	--	
	MW-39-080117			8/1/2017	µg/L	4,630	100	2,880	4,740	100	U ^b	348	500	U ^b	--	
	MW-39-090817			9/8/2017	µg/L	3,380	10.7	1,040	2,740	1	U	376	15.6		--	
	MW-39-100417	10/3/2017	3.75	10/4/2017	µg/L	1,560	50	365	1,350	50	U ^b	305	250	U ^b	--	
	MW-39-110817	11/7/2017	4.89	11/8/2017	µg/L	878	50	123	368	50	U ^b	442	250	U ^b	--	
	MW-39-120617	12/4/2017	5.72	12/6/2017	µg/L	345	50	69	150	50	U ^b	355	250	U ^b	--	
	MW-39-D-120617	12/4/2017	5.72	12/6/2017	µg/L	286	1	U	31	1	U	353	5	U	--	
	MW-39-010918	1/8/2018	4.86	1/9/2018	µg/L	23.8	5	U	5	U	5	370	25	U	--	
	MW-39-020618	2/5/2018	4.85	2/6/2018	µg/L	46.9	5	U	5	U	5	263	25	U	--	
	MW-39-030818	3/5/2018	4.66	3/8/2018	µg/L	1	U	1	1	U	3	304	5	U	--	
	MW-39-040618	4/5/2018	4.54	4/6/2018	µg/L	1.00		1	1	U	3	297	5	U	--	
	MW-39-050318	5/2/2018	4.48	5/3/2018	µg/L	10	U	10	30	U	10	287	50	U ^b	--	
	MW-39-060518	6/4/2018	4.34	6/5/2018	µg/L	1	U	1	3	U	1	322	5	U	--	
	MW-39-071218	7/11/2018	4.75	7/12/2018	µg/L	1.00		1	3	U	1	244	5	U	--	
	MW-39-091218	9/10/2018	5.12	9/12/2018	µg/L	1	U	1	3	U	1	176	5	U	--	
	MW-39-D-091218	9/10/2018	5.12	9/12/2018	µg/L	1.84		1	3	U	1	187	5	U	--	
	MW-39-120618	12/3/2018	4.45	12/6/2018	µg/L	30.6		1	29.3		1	156	5	U	--	
	MW-39-021919	2/18/2019	4.42	2/19/2019	µg/L	1	U	1	3	U	1	53.8	5	U	--	
	MW-39-030619	3/4/2019	3.99	3/6/2019	µg/L	1.91		1	3	U	1	61.0	5	U	--	
	MW-39-051519	5/13/2019	4.07	5/15/2019	µg/L	1	U	1	3	U	1	89.4	5	U	--	
	MW-39-060519	6/3/2019	4.54	6/5/2019	µg/L	1	U	1	3	U	1	156	5	U	--	
	MW-39-081919	8/19/2019	4.13	8/19/2019	µg/L	10.9		1	5.35		1	162	5	U	--	
	MW-39-091919	9/16/2019	5.21	9/19/2019	µg/L	1.67		1	3	U	1	121	5	U	--	
	MW-39-110419	11/4/2019	5.06	11/4/2019	µg/L	14.3		1	7.75		1	114	5	U	--	
	MW-39-121819	12/16/2019	4.54	12/18/2019	µg/L	8.47		1	7.49		1	114	5	U	--	
MW-40	MW-40-120716			12/7/2016	µg/L	6,730	588	7,460	3,390	50	U ^b	373	64.8		--	
	MW-40-031417			3/14/2017	µg/L	11,600	1,280	16,100	7,260	50	U ^b	691	250	U ^b	--	
	MW-40-032017			3/20/2017	µg/L	12,300	1,330	19,600	7,500	200	U ^b	654	1,000	U ^b	--	
	MW-40-033117			3/31/2017	µg/L	13,300	1,500	19,500	8,070	100	U ^b	727	500	U ^b	--	
	MW-40-040617			4/6/2017	µg/L	10,400	1,180	16,200	6,570	200	U ^b	650	1,000	U ^b	--	
	MW-40-062817			6/28/2017	µg/L	9,250	1,030	19,200	6,540	500	U ^b	590	2,500	U ^b	--	
	MW-40-071717			7/17/2017	µg/L	11,400	1,210	25,300	7,430	500	U ^b	727	2,500	U ^b	--	
	MW-40-080117			8/1/2017	µg/L	12,000	1,120	23,200	8,070	500	U ^b	631	2,500	U ^b	--	
	MW-40-090817			9/8/2017	µg/L	14,300	1,250	28,700	9,250	20	U ^b	716	219		--	
	MW-40-100417	10/3/2017	1.95	10/4/2017	µg/L	13,800	1,000	28,800	9,530	1,000	U ^b	1,000	U ^b	5,000	U ^b	--
	MW-40-110817	11/7/2017	2.11	11/8/2017	µg/L	13,500	1,000	23,000	9,290	1,000	U ^b	1,000	U ^b	5,000	U ^b	--
	MW-40-120617	12/4/2017	3.43	12/6/2017	µg/L	14,300	1,000	22,300	10,100	1,000	U ^b	1,000	U ^b	5,000	U ^b	--
	MW-40-010918	1/8/2018	2.72	1/9/2018	µg/L	12,400	773	22,300	10,200	200	U ^b	497	1,000	U ^b	--	
	MW-40-020618	2/5/2018	2.75	2/6/2018	µg/L	11,100	777	20,300	9,350	200	U ^b	373	1,000	U ^b	--	
	MW-40-030818	3/5/2018	2.44	3/8/2018	µg/L	8,450	498	14,500	7,580	50	U ^b	337	250	U ^b	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-40	MW-40-040618	4/5/2018	2.32	4/6/2018	µg/L	6,710	212	8,350	5,460	100	U ^b	423	500	U ^b	--				
	MW-40-050318	5/2/2018	2.23	5/3/2018	µg/L	2,890	100	U	3,490	3,350	100	U ^b	288	500	U ^b	--			
	MW-40-060518	6/4/2018	1.98	6/5/2018	µg/L	472	16.8	514	1,490	1	U	255	20.4		--				
	MW-40-071218	7/11/2018	2.44	7/12/2018	µg/L	148	6.85	28.7	197	1	U	152	8.62		--				
	MW-40-080218	8/1/2018	2.38	8/2/2018	µg/L	123	4.46	9.67	93.2	1	U	183	5	U	--				
	MW-40-091218	9/10/2018	2.77	9/12/2018	µg/L	28.2	1.67	15.3	14.0	1	U	112	5	U	--				
	MW-40-110218	11/2/2018	2.64	11/2/2018	µg/L	6.40	1	U	2.05	3	U	1	U	76.7	5	U	--		
	MW-40-120618	12/3/2018	2.27	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	36.2	5	U	--
	MW-40-022019	2/18/2019	2.21	2/20/2019	µg/L	2.68	1	U	1	U	3	U	1	U	7.34	5	U	--	
	MW-40-030619	3/4/2019	1.82	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	3.73	5	U	--
	MW-40-051419	5/13/2019	1.72	5/14/2019	µg/L	1	U	1	U	1	U	3	U	1	U	2.12	5	U	--
	MW-40-060519	6/3/2019	2.33	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1.81	5	U	--
	MW-40-082119	8/19/2019	2.27	8/21/2019	µg/L	2.56	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-40-091919	9/16/2019	2.72	9/19/2019	µg/L	4.50	1	U	3.17	3	U	1	U	1	U	5	U	--	
	MW-40-110619	11/4/2019	2.84	11/6/2019	µg/L	10.1	1	U	13.1	21.4	1	U	2.67	5	U	--			
	MW-40-121919	12/16/2019	2.32	12/19/2019	µg/L	86.1	6.09	86.2	127	1	U	12.6	5	U	--				
MW-41	MW-41-120716			12/7/2016	µg/L	212	2	U	2	U	155	2	U	6.70	5.60		--		
	MW-41-031417			3/14/2017	µg/L	469	1.78	1	U	275	1	U	4.34	18.1		--			
	MW-41-032017			3/20/2017	µg/L	424	2.62	1	U	342	1	U	1	U	16.9		--		
	MW-41-033117			3/31/2017	µg/L	449	5	U	5	U	343	5	U ^b	5	U	25	U ^b	--	
	MW-41-040617			4/6/2017	µg/L	470	2.06	1	U	258	1	U	3.84	10.6		--			
	MW-41-062817			6/28/2017	µg/L	292	8.83	2.09	271	1	U	3.36	13.3		--				
	MW-41-071717			7/17/2017	µg/L	487	15.8	3.09	366	1	U	3.62	27.9		--				
	MW-41-080117			8/1/2017	µg/L	371	10	U	10	U	260	10	U ^b	10	U	50	U ^b	--	
	MW-41-090817			9/8/2017	µg/L	189	1.51	1	U	90.0	1	U	3.74	5	U	--			
	MW-41-100417		4.37	10/4/2017	µg/L	93.5	1	U	1	U	59.9	1	U	1.84	5	U	--		
	MW-41-110817		4.39	11/8/2017	µg/L	99.6	1	U	1	U	56.6	1	U	2.46	5.68		--		
	MW-41-120617		5.55	12/6/2017	µg/L	27.6	1	U	1	U	11.1	1	U	1.62	5	U	--		
	MW-41-010918		4.40	1/9/2018	µg/L	2.06	1	U	1	U	3	U	1	U	1.43	5	U	--	
	MW-41-020618		3.82	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-030818		3.94	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-040618		4.00	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-050318		3.8	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-060518		3.69	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-071218		4.07	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-091218		4.25	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-120618		3.66	12/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-D-120618		3.66	12/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-021919		3.58	2/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-030619		3.33	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-051519		3.28	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-D-051519		3.28	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-41-060519		3.07	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL^a:					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
MW-41	MW-41-D-060519	6/3/2019	3.07	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-081919	8/19/2019	4.2	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-091919	9/16/2019	4.45	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-D-091919	9/16/2019	4.45	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-110419	11/4/2019	4.35	11/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-41-121819	12/16/2019	3.81	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-42	MW-42-120716			12/7/2016	µg/L	3.80		1	U	1	U	2.70		1	U	1	U	1	U	--
	MW-42-031417			3/14/2017	µg/L	19.3		1	U	1	U	3		1	U	1.12		5	U	--
	MW-42-032017			3/20/2017	µg/L	59.6		1	U	1	U	16.9		1	U	1.24		5	U	--
	MW-42-033117			3/31/2017	µg/L	135		1	U	1	U	73.8		1	U	1	U	5.19		--
	MW-42-040617			4/6/2017	µg/L	93.5		1	U	1	U	53.3		1	U	1.18		5	U	--
	MW-42-062817			6/28/2017	µg/L	15.1		1	U	1	U	11.7		1	U	1.25		5	U	--
	MW-42-090817			9/8/2017	µg/L	143		1	U	1	U	100		1	U	1.51		5.52		--
	MW-42-120617	12/4/2017	5.26	12/6/2017	µg/L	9.82		1	U	1	U	45.0		1	U	1.24		5	U	--
	MW-42-030818	3/5/2018	4.86	3/8/2018	µg/L	1.02		1	U	1	U	3		1	U	1	U	5	U	--
	MW-42-060518	6/4/2018	5.37	6/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-091218	9/10/2018	4.96	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-120618	12/3/2018	4.37	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-030619	3/4/2019	4.06	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-060519	6/3/2019	4.52	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-091919	9/16/2019	4.44	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-42-121819	12/16/2019	4.45	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-43	MW-43-110817	11/7/2017	4.45	11/8/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-120617	12/4/2017	4.50	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-010918	1/8/2018	4.35	1/9/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-020618	2/5/2018	3.70	2/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-030818	3/5/2018	3.90	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-040618	4/5/2018	4.18	4/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-050318	5/2/2018	4.26	5/3/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-060618	6/4/2018	4.28	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-071218	7/11/2018	4.74	7/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	4.42		5	U	--
	MW-43-091218	9/10/2018	5.24	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-120618	12/3/2018	4.24	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-030619	3/4/2019	4.36	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-060519	6/3/2019	5.03	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-091719	9/16/2019	5.29	9/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43-121819	12/16/2019	3.47	12/18/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-43B	MW-43B-120617	12/4/2017	4.08	12/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-030818	3/5/2018	1.21	3/8/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-060618	6/4/2018	0.9	6/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-091218	9/10/2018	1.88	9/12/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-120618	12/3/2018	2.3	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-43B-030619	3/4/2019	0.97	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-43B	MW-43B-060519	6/3/2019	1.45	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-43B-091719	9/16/2019	2.64	9/17/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-43B-121819	12/16/2019	2.19	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-44	--			3/13/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-44-062917			6/29/2017	µg/L	1.06		1	U	7.12		3.11		1	U	5	U	--	
	--			9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/4/2017	9.40	12/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-44-030818	3/5/2018	4.00	3/8/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44D-030818	3/5/2018	4.00	3/8/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44-060518	6/4/2018	3.16	6/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44-091318	9/10/2018	8.65	9/13/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44-120518	12/3/2018	3.22	12/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44-030519	3/4/2019	1.41	3/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44-060419	6/3/2019	6.89	6/4/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	--	9/16/2019	9.43	9/16/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-44-121919	12/16/2019	7.83	12/19/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-44B	MW-44B-031317			3/13/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44B-062817			6/28/2017	µg/L	1	U	1	U	2.39		3	U	1	U	5	U	--	
	MW-44B-090717			9/7/2017	µg/L	1	U	1	U	3.07		3	U	1	U	5	U	--	
	MW-44B-120517	12/4/2017	14.32	12/5/2017	µg/L	1	U	1	U	2.27		3	U	1	U	5	U	--	
	MW-44B-030818	3/5/2018	12.10	3/8/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44B-060518	6/4/2018	9.5	6/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44B-D-060518	6/4/2018	9.5	6/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44B-091118	9/10/2018	12.35	9/11/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44B-120518	12/3/2018	11.36	12/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44B-030519	3/4/2019	5.97	3/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44B-060419	6/3/2019	8.57	6/4/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44B-091919	9/16/2019	13.6	9/19/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-44B-121719	12/16/2019	14.99	12/17/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-45	--			3/13/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--			3/20/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--			3/31/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--			4/6/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--			5/3/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	MW-45-062917			6/29/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-45-071717			7/17/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-45-080217			8/2/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	--			9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/3/2017	14.25	10/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/7/2017	14.24	11/8/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/4/2017	14.22	12/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/8/2018	14.25	1/8/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	2/5/2018	13.95	2/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte											
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB				
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05				
MW-45	MW-45-030618	3/5/2018	12.31	3/6/2018	µg/L	24.3	6.11	28.9	41.2	1	U	1	U	5	U	--	
	MW-45-040618	4/5/2018	11.30	4/6/2018	µg/L	21.9	3.08	19.6	36.6	1	U	1	U	5	U	--	
	MW-45-050318	5/2/2018	10.74	5/3/2018	µg/L	2.65	1	U	1	U	1	U	3.35	5	U	--	
	MW-45-060718	6/4/2018	24.15	6/7/2018	µg/L	1	U	1	U	1	U	1	U	5	U	--	
	MW-45-071318	7/11/2018	10.66	7/13/2018	µg/L	1	U	1	U	1	U	1	U	5	U	--	
	MW-45-091318	9/10/2018	12	9/13/2018	µg/L	1	U	1	U	1	U	3	U	46.3	5	U	--
	MW-45-120518	12/3/2018	10.94	12/5/2018	µg/L	1	U	1	U	1	U	3	U	3.67	5	U	--
	MW-45-030519	3/4/2019	5.64	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	5	U
	MW-45-060519	6/3/2019	9.88	6/5/2019	µg/L	1	U	1	U	1	U	3	U	47.7	5	U	--
	MW-45-091719	9/16/2019	13.5	9/17/2019	µg/L	5.24	1	U	1	U	1	U	103	5	U	--	
	--	12/16/2019	14.31	12/16/2019	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
MW-45B	MW-45B-031317			3/13/2017	µg/L	1	U	1	U	1	U	3	U	1	U	5	U
	MW-45B-032017			3/20/2017	µg/L	1	U	1	U	1	U	3	U	1	U	5	U
	MW-45B-033117			3/31/2017	µg/L	1	U	1	U	1	U	3	U	1	U	5	U
	MW-45B-040617			4/6/2017	µg/L	1	U	1	U	1	U	3	U	1	U	5	U
	MW-45B-062817			6/28/2017	µg/L	1	U	1	U	1.73	3	U	1	U	1	U	5
	--			9/5/2017	--	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW	NS-IW
	MW-45B-120717	12/4/2017	15.93	12/7/2017	µg/L	1	U	1	U	3.26	3	U	1	U	1	U	5
	MW-45B-030618	3/5/2018	14.65	3/6/2018	µg/L	1	U	1	U	2.75	3	U	1	U	1	U	5
	MW-45B-060718	6/4/2018	25.13	6/7/2018	µg/L	1	U	1	U	1.94	3	U	1	U	1	U	5
	MW-45B-091118	9/10/2018	12.84	9/11/2018	µg/L	1	U	1	U	1.16	3	U	1	U	1	U	5
	MW-45B-120518	12/3/2018	13.13	12/5/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U
	MW-45B-030519	3/4/2019	9.17	3/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U
	MW-45B-060519	6/3/2019	10.52	6/5/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U
	MW-45B-091919	9/16/2019	14.01	9/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U
	MW-45B-121719	12/16/2019	15.70	12/17/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U
MW-46	MW-46-120617	12/4/2017	9.48	12/6/2017	µg/L	4.97	1	U	1	U	7.74	1	U	85.5	5	U	--
	MW-46-030618	3/5/2018	6.33	3/6/2018	µg/L	173	1.76	16.5	29.5	1	U	129	7.21	--	--	--	
	MW-46-060518	6/4/2018	5.2	6/5/2018	µg/L	294	1	U	11.8	147	1	U	184	5	U	--	
	MW-46-080218	8/1/2018	6.67	8/2/2018	µg/L	1,520	4.24	92.1	763	1	U	200	20.7	--	--	--	
	MW-46-091118	9/10/2018	7.88	9/11/2018	µg/L	1,510	6.81	64.0	597	1	U	311	23.4	--	--	--	
	MW-46-110218	11/2/2018	7.95	11/2/2018	µg/L	1,790	7.10	120	740	1	U	299	16.6	--	--	--	
	MW-46-120518	12/3/2018	5.25	12/5/2018	µg/L	1,250	3.07	46.7	521	1.90	290	7.38	--	--	--	--	
	MW-46-022019	2/18/2019	3.83	2/20/2019	µg/L	2,380	2.97	82.4	799	1	U	346	22.4	--	--	--	
	MW-46-030519	3/4/2019	2.67	3/5/2019	µg/L	2,350	4.01	73.7	701	1	U	406	32.8	--	--	--	
	MW-46-051419	5/14/2019	4.98	5/14/2019	µg/L	1,300	2.27	54.8	412	1	U	174	28.9	--	--	--	
	MW-46-060519	6/3/2019	6.32	6/5/2019	µg/L	1,300	10	U	19.5	400	10	U ^b	278	50	U ^b	--	
	MW-46-071719	7/17/2019	7.5	7/17/2019	µg/L	976	1	U	29.1	237	1	U	198	15.5	--	--	
	MW-46-D-071719	7/17/2019	7.5	7/17/2019	µg/L	945	1.05	36.7	290	1	U	175	20.6	--	--	--	
	MW-46-082119	8/19/2019	8.56	8/21/2019	µg/L	874	25	U	25	226	25	U ^b	191	125	U ^b	--	
	MW-46-091719	9/16/2019	9.32	9/17/2019	µg/L	705	25	U	26.1	150	25	U ^b	175	125	U ^b	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte													
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB						
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05						
MW-46	MW-46-110719	11/4/2019	10.06	11/7/2019	µg/L	136	5	U	5	U	18.8	5	U	158	25	U	--		
	MW-46-122019	12/16/2019	8.34	12/20/2019	µg/L	7.14	1	U	1	U	3	1	U	121	5	U	--		
MW-47	MW-47-120617	12/4/2017	17.75	12/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-47-030718	3/5/2018	14.74	3/7/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-47-060618	6/4/2018	13.92	6/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-47-091218	9/10/2018	19.42	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-47-120618	12/3/2018	18.88	12/6/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-47-030619	3/4/2019	10.27	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-47-060519	6/3/2019	13.64	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-47-091819	9/16/2019	19.29	9/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-47-121819	12/16/2019	19.41	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-48B	MW-48B-120617	12/4/2017	18.22	12/6/2017	µg/L	1	U	1	U	3	U	1	U	2.92	5	U	--		
	MW-48B-030718	3/5/2018	16.70	3/7/2018	µg/L	1	U	1	U	3	U	1	U	2.97	5	U	--		
	MW-48B-060618	6/4/2018	15.91	6/6/2018	µg/L	1	U	1	U	3	U	1	U	2.12	5	U	--		
	MW-48B-D-060618	6/4/2018	15.91	6/6/2018	µg/L	1	U	1	U	3	U	1	U	2.11	5	U	--		
	MW-48B-091218	9/10/2018	17.45	9/12/2018	µg/L	1	U	1	U	3	U	1	U	1.80	5	U	--		
	MW-48B-120618	12/3/2018	16.4	12/6/2018	µg/L	1	U	1	U	3	U	1	U	1.56	5	U	--		
	MW-48B-030619	3/4/2019	13.75	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1.64	5	U	--		
	MW-48B-060519	6/3/2019	15.82	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1.45	5	U	--		
	MW-48B-091819	9/16/2019	18.02	9/18/2019	µg/L	1	U	1	U	3	U	1	U	1.14	5	U	--		
	MW-48B-121819	12/16/2019	17.91	12/18/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-49	MW-49-120617	12/4/2017	20.29	12/6/2017	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-49-030818	3/5/2018	17.68	3/8/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-49-060518	6/4/2018	14.95	6/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-49-091118	9/10/2018	18.28	9/11/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-49-120518	12/3/2018	17.49	12/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-49-D-120518	12/3/2018	17.49	12/5/2018	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-49-030619	3/4/2019	9.88	3/6/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-49-060519	6/3/2019	14.68	6/5/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-49-091719	9/16/2019	19.45	9/17/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
	MW-49-121719	12/16/2019	20.10	12/17/2019	µg/L	1	U	1	U	3	U	1	U	1	U	5	U	--	
MW-50B	MW-50B-120617	12/4/2017	21.37	12/6/2017	µg/L	1.37	1	U	1	U	3	1	U	35.5	5	U	--		
	MW-50B-030718	3/5/2018	19.10	3/7/2018	µg/L	1	U	1	U	3	U	1	U	26.7	5	U	--		
	MW-50B-060618	6/4/2018	18.36	6/6/2018	µg/L	1	U	1	U	3	U	1	U	21.8	5	U	--		
	MW-50B-091218	9/10/2018	23.28	9/12/2018	µg/L	150	1.20	U	57.9	47.8	1	U	87.9	5	U	--			
	MW-50B-120618	12/3/2018	26.06	12/6/2018	µg/L	27.4	1	U	3.21	3	U	1	U	40.6	5	U	--		
	MW-50B-030619	3/4/2019	15.33	3/6/2019	µg/L	1.18	1	U	1	U	3	U	1	U	43.9	5	U	--	
	MW-50B-060519	6/3/2019	17.75	6/5/2019	µg/L	1	U	1	U	3	U	1	U	44.1	5	U	--		
	MW-50B-091819	9/16/2019	23.59	9/18/2019	µg/L	25.6	1	U	1.20	3	U	1	U	43.1	5	U	--		
	MW-50B-121819	12/16/2019	23.67	12/18/2019	µg/L	2.30	1	U	1	U	3	U	1	U	32.4	5	U	--	
MW-51	MW-51-100518	10/5/2018	18.84	10/5/2018	µg/L	1	U	1	U	1.88	3	U	1	U	1	U	5	U	--
	MW-51-120618	12/3/2018	17.38	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	
	MW-51-030619	3/4/2019	15.86	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	5	U	--	

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte														
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB							
RBSL^a:					µg/L	5.0		700		1,000		10,000		5.0		40		25		0.05
MW-51	MW-51-051519	5/13/2019	17.29	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-51-081919	8/19/2019	18.76	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-51-110419	11/4/2019	18.6	11/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	3.57		5	U	--
MW-52	MW-52-100518	10/5/2018	16.9	10/5/2018	µg/L	1	U	1	U	1.25		3	U	1	U	3.12		5	U	--
	MW-52-120618	12/3/2018	15.8	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-52-030619	3/4/2019	14.43	3/6/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1.32		5	U	--
	MW-52-051519	5/13/2019	15.46	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-52-081919	8/19/2019	16.92	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	2.01		5	U	--
	MW-52-110419	11/4/2019	17.19	11/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-53	MW-53-100518	10/5/2018	11.54	10/5/2018	µg/L	1	U	1	U	5.43		3	U	1	U	1	U	5	U	--
	MW-53-D-100518	10/5/2018	11.54	10/5/2018	µg/L	1	U	1	U	2.11		3	U	1	U	1	U	5	U	--
	MW-53-120618	12/3/2018	6.81	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-53-030719	3/4/2019	2.02	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-53-051519	5/13/2019	5.84	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-53-081919	8/19/2019	11.8	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-53-110419	11/4/2019	13.19	11/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-54	MW-54-100518	10/5/2018	11.57	10/5/2018	µg/L	1	U	1	U	1.72		3	U	1	U	1.35		5	U	--
	MW-54-120618	12/3/2018	12.95	12/6/2018	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-54-030719	3/4/2019	5.50	3/7/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-54-051519	5/13/2019	8.12	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-54-081919	8/19/2019	15.87	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-54-110419	11/4/2019	15.44	11/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-55	MW-55-040919	4/8/2019	13.15	4/9/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-55-051519	5/13/2019	14.6	5/15/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-55-081919	8/19/2019	18.89	8/19/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
	MW-55-110419	11/4/2019	21.46	11/4/2019	µg/L	1	U	1	U	1	U	3	U	1	U	1	U	5	U	--
MW-56	MW-56-040919	4/8/2019	3.27	4/9/2019	µg/L	209		1	U	2.57		93.9		1	U	79.9		5	U	--
	MW-56-051519	5/13/2019	4.02	5/15/2019	µg/L	299		1	U	4.11		119		1	U	86.2		5.33		--
	MW-56-071719	7/17/2019	6.46	7/17/2019	µg/L	549		1	U	8.90		205		1	U	146		8.18		--
	MW-56-082119	8/19/2019	7.46	8/21/2019	µg/L	391		10	U	10	U	91.1		10	U ^b	134		50	U ^b	--
	MW-56-091719	9/16/2019	8.18	9/17/2019	µg/L	30.1		1	U	1	U	8.51		1	U	137		5	U	--
	MW-56-110519	11/4/2019	8.88	11/5/2019	µg/L	5.55		1	U	1	U	3	U	1	U	168		5	U	--
	MW-56-121719	12/16/2019	7.08	12/17/2019	µg/L	84.3		1	U	1.13		33.6		1	U	141		5	U	--
MW-57	MW-57-040919	4/8/2019	4.78	4/9/2019	µg/L	1,340		2.81		42.0		406		1	U	198		20.5		--
	MW-57-D-040919	4/8/2019	4.78	4/9/2019	µg/L	1,320		1.90		40.0		419		1	U	190		17.8		--
	MW-57-051519	5/13/2019	5.67	5/15/2019	µg/L	535		1.36		11.1		178		1	U	169		8.65		--
	MW-57-D-051519	5/13/2019	5.67	5/15/2019	µg/L	716		3.25		23.3		332		1	U	180		20.0		--
	MW-57-071719	7/17/2019	8.08	7/17/2019	µg/L	1,330		3.63		22.9		341		1	U	186		19.8		--
	MW-57-082119	8/19/2019	8.99	8/21/2019	µg/L	584		10	U	10	U	76.2		10	U ^b	183		50	U ^b	--
	MW-57-D-082119	8/19/2019	8.99	8/21/2019	µg/L	631		10	U	10	U	95.2		10	U ^b	168		50	U ^b	--
	MW-57-091719	9/16/2019	9.76	9/17/2019	µg/L	71.8		10	U	10	U	30	U	10	U ^b	74.6		50	U ^b	--
	MW-57-D-091719	9/16/2019	9.76	9/17/2019	µg/L	144		10	U	10	U	30	U	10	U ^b	94.1		50	U ^b	--
	MW-57-110519	11/4/2019	10.99	11/5/2019	µg/L	514		1	U	11.2		83.5		1	U	193		5	U	--

Table 1. Historical Analytical Results for Groundwater, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Gauging Date	Depth to Water	Sample Date	Units	Analyte										
						Benzene	Ethylbenzene	Toluene	Total Xylenes	1,2-DCA	MTBE	Naphthalene	EDB			
RBSL^a:					µg/L	5.0	700	1,000	10,000	5.0	40	25	0.05			
MW-57	MW-57-D-110519	11/4/2019	10.99	11/5/2019	µg/L	509	1	U	11.7	1	U	194	5	U	--	
	MW-57-121719	12/16/2019	8.87	12/17/2019	µg/L	154	1	U	1.85	1	U	108	5	U	--	
	MW-57-D-121719	12/16/2019	8.87	12/17/2019	µg/L	170	1	U	2.06	1	U	113	5	U	--	

Notes:

^a RBSL = Risk-based screening levels identified in South Carolina Underground Storage Tank Management Division Programmatic Quality Assurance Program Plan, Revision 3.1, Table D1 "RBSLs for Groundwater", February 2016

^b The analyte was analyzed for, but was not detected above the laboratory reporting/quantitation limit. However, the laboratory reporting/quantitation limit is above the screening criteria. The actual absence or presence of this analyte between the screening criteria and the laboratory reporting/quantitation limit can not be determined.

*Unable to collect depth to water due to fluctuation of the well from air bubbling.

Samples analyzed by EPA Methods SW 8260B and 8011

Bold indicates the analyte was detected above the method detection limit.

Gray shading indicates the analyte exceeded RBSLs.

U = analyte was not detected above the reported sample quantitation limit

MTBE = methyl tertiary butyl ether

1,2-DCA = 1,2-dichloroethane

EDB = 1,2-dibromoethane

ID = identification

NS-FP = sample not collected due to the presence of free product in the well

NS-HS = sample not collected due to health and safety concerns

NS-IW = sample not collected due to insufficient volume of water in well

µg/L = microgram(s) per liter

NS-OL = sample not collected because it was overlooked in the field

NS-SL = sample not analyzed due to sample being lost in transit to laboratory

NS-PS = sample not collected due to the observation of product sheet in well

DRAFT

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-RELEASE	SW-RELEASE	1/20/2015	µg/L	330		490		2,400		2,100		940		140		5.7	J
SW-01	SW01-121114	12/11/2014	µg/L	0.5	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW01-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-033115	3/31/2015	µg/L	5	U ^c	5	U	17.6		10	U	5	U	5	U	NA	
	SW01-042215	4/22/2015	µg/L	5	U ^c	5	U	14.9		10	U	5	U	5	U	NA	
	SW01-050715	5/7/2015	µg/L	5	U ^c	5	U	7.0		10	U	5	U	5	U	NA	
	SW01-051915	5/19/2015	µg/L	5	U ^c	5	U	8.8		10.6		6.4		5	U	NA	
	SW01-060315	6/3/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-061815	6/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-071515	7/15/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-081315	8/13/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-092415	9/24/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW01-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-112415	11/24/2015	µg/L	7.8		1.5		13.0		9.3		4.6		1	U	NA	
	SW01-122215	12/22/2015	µg/L	4.6		1	U	8.8		5.5		3.1		1	U	NA	
	SW01-012516	1/25/2016	µg/L	17.6		2.3		36.0		11.3		6.3		1	U	NA	
	SW01-021816	2/18/2016	µg/L	23.4		3.0		55.6		15.0		9.1		1	U	NA	
	SW01-031616	3/16/2016	µg/L	20.1		2.4		42.3		13.3		7.6		1	U	NA	
	SW01-042716	4/27/2016	µg/L	20.8		1	U	30.6		2.9		2.0		1	U	NA	
	SW01-050916	5/9/2016	µg/L	16.5		1.4		16.3		7.0		4.8		1	U	NA	
	SW01-062716	6/27/2016	µg/L	9		1	U	3.3		2	U	1	U	1	U	NA	
	SW01-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW01-112816	11/28/2016	µg/L	5.0		1	U	10.4		4.9		8.3		1	U	NA	
	SW01-122916	12/29/2016	µg/L	12.6		1	U	22.1		11.2		13.5		1	U	NA	
	SW01-012017	1/20/2017	µg/L	1.0		1	U	2.3		2	U	3.5		1	U	NA	
	SW01-022817	2/28/2017	µg/L	18.5		1.93		37.0		13.8		10.2		5	U	NA	
	SW01-031517	3/15/2017	µg/L	3.02		1	U	5.13		2.16		1.74		5	U	NA	
	SW01-032117	3/21/2017	µg/L	1	U	1	U	1.57		2	U	1	U	5	U	NA	
	SW01-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW01-040517	4/5/2017	µg/L	1	U	1	U	2.25		2	U	1	U	5	U	NA	
	SW01-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW01-061317	6/13/2017	µg/L	1	U	1	U	1.90		2	U	1	U	5	U	NA	
	SW01-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-01	SW01-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW01-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW01-120517	12/5/2017	µg/L	1.5		1	U	1.15		2	U	2.14		5	U	NA	
	SW01-121417	12/14/2017	µg/L	4.52		1	U	4.52		3.48		3.2		5	U	NA	
	SW01-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1.15		5	U	NA	
	SW01-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW01-030918	3/9/2018	µg/L	1.15		1	U	1	U	2	U	1	U	5	U	1	U
	SW01-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.1	
	SW01-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW01-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.43	
	SW01-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.09	
	SW01-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.51	
	SW01-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW01-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	3/7/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW01-051519	5/15/2019	µg/L	2.39		1	U	1	U	2	U	1	U	5	U	1.56	
	SW01-060619	6/6/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.93	
	SW01-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.30	
	SW01-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.31	
	SW01-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW01-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.71	
	SW01-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.09	
	SW01-122019	12/20/2019	µg/L	1.25		1	U	1	U	2	U	1	U	5	U	1	U
SW-02	SW02-121114	12/11/2014	µg/L	0.5	U	1	U	1	U	2	U	1	U	1	U	1	U
	SW02-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-033115	3/31/2015	µg/L	5	U ^c	5	U	6.0		10	U	5	U	5	U	NA	
	SW02-042215	4/22/2015	µg/L	5	U ^c	5	U	13.0		10	U	5	U	5	U	NA	
	SW02-050715	5/7/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-051915	5/19/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-060315	6/3/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-061815	6/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-071515	7/15/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-081315	8/13/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW02-092415	9/24/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-02	SW02-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-112415	11/24/2015	µg/L	6		1.3		10.0		7.8		4.0		1	U	NA	
	SW02-122215	12/22/2015	µg/L	4.1		1	U	7.6		5.1		3.1		1	U	NA	
	SW02-012516	1/25/2016	µg/L	12		1.5		25.0		8.4		4.6		1	U	NA	
	SW02-021816	2/18/2016	µg/L	15.5		1.8		35.3		10.1		5.9		1	U	NA	
	SW02-031616	3/16/2016	µg/L	8		1.0		17.5		5.8		3.9		1	U	NA	
	SW02-042716	4/27/2016	µg/L	5.6		1	U	7.1		2	U	1	U	1	U	NA	
	SW02-050916	5/9/2016	µg/L	7.1		1	U	4.5		2.2		1.6		1	U	NA	
	SW02-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-112816	11/28/2016	µg/L	5.4		1	U	1.6		2.6		4.8		1	U	NA	
	SW02-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1.4		1	U	NA	
	SW02-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW02-022817	2/28/2017	µg/L	10.7		1	U	11.0		4.14		4.23		5	U	NA	
	SW02-031517	3/15/2017	µg/L	11.4		1	U	8.6		4.45		3.6		5	U	NA	
	SW02-032117	3/21/2017	µg/L	8.42		1	U	2.45		2.48		2.68		5	U	NA	
	SW02-033017	3/30/2017	µg/L	2.18		1	U	1	U	2	U	1	U	5	U	NA	
	SW02-040517	4/5/2017	µg/L	2.87		1	U	1.12		2	U	1.14		5	U	NA	
	SW02-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW02-120517	12/5/2017	µg/L	26.6		1.8		8.39		10.2		7.17		5	U	NA	
	SW02-121417	12/14/2017	µg/L	21.1		1.53		9.4		9.74		7.32		5	U	NA	
	SW02-010918	1/9/2018	µg/L	25.0		1.56		12.4		11		8.24		5	U	NA	
	SW02-020618	2/6/2018	µg/L	6.69		1	U	2.65		2.75		1.87		5	U	1	U
	SW02-030918	3/9/2018	µg/L	3.19		1	U	1.39		2	U	1.11		5	U	1	U
	SW02-040618	4/6/2018	µg/L	2.23		1	U	1	U	2	U	1	U	5	U	2.13	
	SW02-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.25	
	SW02-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.92	
	SW02-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.15	
	SW02-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.94	
	SW02-120418	12/4/2018	µg/L	11.9		1	U	1.32		4.40		3.75		5	U	2.23	
	SW02-021919	2/19/2019	µg/L	19.7		1	U	2.67		4.60		4.44		5	U	2.12	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE							
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-02	SW02-030719	3/7/2019	µg/L	22.3		1	U	3.58		4.71		4.32		5	U	2.46	
	SW02-040919	4/9/2019	µg/L	2.8		1	U	1	U	2	U	1	U	5	U	1	U
	SW02-051519	5/15/2019	µg/L	3.47		1	U	1	U	2	U	1	U	5	U	2.36	
	SW02-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.02	
	SW02-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.11	
	SW02-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.35	
	SW02-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.96	
	SW02-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.51	
	SW02-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	4.70	
	SW02-122019	12/20/2019	µg/L	9.47		1	U	1	U	2	U	2.23		5	U	2.68	
SW-03	SW-UPGRADIENT	1/20/2015	µg/L	0.5	U	1	U	0.23 J		2	U	1	U	1	U	1	U
	SW03-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-033115	3/31/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-042215	4/22/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-050715	5/7/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-051915	5/19/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-060315	6/3/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-061815	6/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-071515	7/15/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW03-081315	8/13/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	--	9/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW03-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	--	8/19/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW03-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-03	SW03-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW03-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW03-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	--	1/9/2018	--	NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS	
	SW03-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	3/7/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW03-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	6/4/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW03-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	9/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW03-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW03-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-04	W-DOWNGRADIEN	1/20/2015	µg/L	95		27		310		110		63		94		2.7	
	SW04-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-033115	3/31/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-042215	4/22/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-04	SW04-050715	5/7/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-051915	5/19/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-060315	6/3/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-061815	6/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-071515	7/15/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-081315	8/13/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-092415	9/24/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW04-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-112415	11/24/2015	µg/L	1.7		1	U	2.7		2.9		1.6		1	U	NA	
	SW04-122215	12/22/2015	µg/L	3.3		1	U	7.3		5.2		2.7		1	U	NA	
	SW04-012516	1/25/2016	µg/L	6.9		1	U	14.0		4.9		2.8		1	U	NA	
	SW04-021816	2/18/2016	µg/L	10.9		1.1		25.4		7.0		4.3		1	U	NA	
	SW04-031616	3/16/2016	µg/L	1	U	1	U	2.0		2	U	1.8		1	U	NA	
	SW04-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-062716	6/27/2016	µg/L	1	U	1	U	1.1		2	U	1	U	1	U	NA	
	SW04-072816	7/28/2016	µg/L	1	U	1	U	23.5		2	U	1	U	1	U	NA	
	SW04-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW04-022817	2/28/2017	µg/L	1	U	1	U	1.13		2	U	1	U	5	U	NA	
	SW04-031517	3/15/2017	µg/L	1	U	1	U	2.90		2	U	1	U	5	U	NA	
	SW04-032117	3/21/2017	µg/L	1	U	1	U	3.28		2	U	1	U	5	U	NA	
	SW04-033017	3/30/2017	µg/L	1	U	1	U	6.15		2	U	1	U	5	U	NA	
	SW04-040517	4/5/2017	µg/L	1	U	1	U	9.47		2	U	1	U	5	U	NA	
	SW04-050417	5/4/2017	µg/L	1	U	1	U	13.8		2	U	1	U	5	U	NA	
	SW04-061317	6/13/2017	µg/L	1	U	1	U	1.37		2	U	1	U	5	U	NA	
	SW04-071817	7/18/2017	µg/L	1	U	1	U	1.92		2	U	1	U	5	U	NA	
	SW04-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW04-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW04-120517	12/5/2017	µg/L	1	U	1	U	5.53		2	U	1	U	5	U	NA	
	SW04-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW04-010918	1/9/2018	µg/L	1	U	1	U	4.09		2	U	1	U	5	U	NA	
	SW04-020618	2/6/2018	µg/L	3.04		1	U	1.73		2	U	1.12		5	U	1	U
	SW04-030918	3/9/2018	µg/L	1	U	1	U	1.37		2	U	1	U	5	U	1	U
	SW04-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U

Table 2. Historical Analytical Results for Surface Water, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-04	SW04-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.2	
	SW04-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.31	
	SW04-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW04-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.13	
	SW04-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW04-021919	2/19/2019	µg/L	1.47		1	U	1	U	2	U	1	U	5	U	1	U
	SW04-030719	3/7/2019	µg/L	3.11		1	U	1	U	2	U	1	U	5	U	1	U
	SW04-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.27	
	SW04-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.36	
	SW04-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.12	
	SW04-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW04-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW04-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.56	
	SW04-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.71	
	SW04-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.06	
SW-05	SW05-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-033115	3/31/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-042215	4/22/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW05-050715	5/7/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	--	5/19/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/3/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/18/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/15/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/13/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/22/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW05-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW05-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW05-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW05-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW05-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	--	4/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/9/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/19/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	

Table 2. Historical Analytical Results for Surface Water, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
Screening Value (µg/L):				2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-05	--	9/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/31/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/20/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	2/28/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/15/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/21/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/30/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	4/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/13/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/18/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/2/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/14/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/9/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW05-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW05-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	4/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW05-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	6/7/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/12/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/14/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW05-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW05-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW05-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW05-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	6/4/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/20/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/22/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/5/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/20/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
SW-06	SW06-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW06-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW06-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-06	SW06-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	--	3/31/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW06-042215	4/22/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	--	5/7/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/19/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/3/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/18/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/15/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/13/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/22/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW06-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW06-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW06-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	--	3/16/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	4/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/9/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/19/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/31/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/20/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	2/28/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/15/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/21/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/30/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	4/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/4/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/13/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/18/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/2/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/14/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/9/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-06	--	2/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	3/9/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	4/6/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	5/3/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	6/7/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/12/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/14/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
SW-07	SW07-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-033115	3/31/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-042215	4/22/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-050715	5/7/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-051915	5/19/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-060315	6/3/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-061815	6/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW07-071515	7/15/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	--	8/13/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/24/2015	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW07-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW07-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW07-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW07-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW07-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW07-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW07-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	--	6/27/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	7/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/19/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	10/31/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	11/28/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	12/29/2016	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	1/20/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	2/28/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-07	SW07-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	--	8/2/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/5/2017	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW07-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	9/14/2018	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW07-060619	6/6/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	7/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	8/20/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	--	9/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	11/5/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW07-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-08	SW08-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-033115	3/31/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-042215	4/22/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-050715	5/7/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-051915	5/19/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-060315	6/3/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-061815	6/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-071515	7/15/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-081315	8/13/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-08	SW08-092415	9/24/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW08-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-122215	12/22/2015	µg/L	1.6		1	U	3.8		2.5		1.6		1	U	NA	
	SW08-012516	1/25/2016	µg/L	2.4		1	U	5.6		2		1.3		1	U	NA	
	SW08-021816	2/18/2016	µg/L	2.9		1	U	7.6		2.3		1.5		1	U	NA	
	SW08-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW08-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW08-010918	1/9/2018	µg/L	1.16		1	U	1	U	2	U	1.87		5	U	NA	
	SW08-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-030719	3/7/2019	µg/L	2.45		1	U	1	U	2	U	1	U	5	U	1.17	

Table 2. Historical Analytical Results for Surface Water, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-08	SW08-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW08-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-09	SW09-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-033115	3/31/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-042215	4/22/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-050715	5/7/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-051915	5/19/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-060315	6/3/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-061815	6/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-071515	7/15/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-081315	8/13/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-092415	9/24/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW09-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-122215	12/22/2015	µg/L	2.1		1	U	4.8		3.3		2.1		1	U	NA	
	SW09-012516	1/25/2016	µg/L	3.3		1	U	7.1		2.4		1.5		1	U	NA	
	SW09-021816	2/18/2016	µg/L	2.2		1	U	5.9		2	U	1.2		1	U	NA	
	SW09-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW09-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-09	SW09-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW09-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-030719	3/7/2019	µg/L	1.88		1	U	1	U	2	U	1	U	5	U	1.07	
	SW09-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW09-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-10	SW10-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-033115	3/31/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-042215	4/22/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-050715	5/7/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-051915	5/19/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-060315	6/3/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-061815	6/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-071515	7/15/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-10	SW10-081315	8/13/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-092415	9/24/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW10-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW10-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-10-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-10-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-10-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW10-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-10	SW10-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW10-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-11	SW11-022515	2/25/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-030215	3/2/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-031115	3/11/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-031815	3/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-033115	3/31/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-042215	4/22/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-050715	5/7/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-051915	5/19/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-060315	6/3/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-061815	6/18/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-071515	7/15/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-081315	8/13/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-092415	9/24/2015	µg/L	5	U ^c	5	U	5	U	10	U	5	U	5	U	NA	
	SW11-102215	10/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-112415	11/24/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-122215	12/22/2015	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-012516	1/25/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-021816	2/18/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-11	SW11-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW11-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-11-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-11-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW-11-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW11-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW11-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-12	SW12-081916	8/19/2016	µg/L	6,430		764		15,400		3,360		1,730		128		NA	
	SW12-092916	9/29/2016	µg/L	7,850		1,030		19,000		3,910		1,940		143		NA	
	SW12-103116	10/31/2016	µg/L	165		17.7		302		103		58.2		4.7		NA	
	SW12-112816	11/28/2016	µg/L	486		59.6		976		351		181		14.2		NA	
	SW12-122916	12/29/2016	µg/L	707		97.3		1,790		408		213		16.8		NA	
	SW12-012017	1/20/2017	µg/L	212		19.8		396		104		58		3.8		NA	
	SW12-022817	2/28/2017	µg/L	26.1		4.04		62.3		18.0		9.73		5	U	NA	
	SW12-031517	3/15/2017	µg/L	125		15.3		185		67.9		35.5		5	U	NA	
	SW12-032117	3/21/2017	µg/L	134		12.1		45.0		60.8		33.6		5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene	Ethylbenzene	Toluene	m&p-Xylene	o-Xylene	Naphthalene	MTBE							
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-12	SW12-033017	3/30/2017	µg/L	48.5		5.69		86.3		27.7		15.8		5	U	NA	
	SW12-040517	4/5/2017	µg/L	67.1		9.24		127.0		43.6		23.7		5	U	NA	
	SW12-050417	5/4/2017	µg/L	52.8		7.96		91.7		42		23.2		5	U	NA	
	SW12-061317	6/13/2017	µg/L	102		16.6		166		85.1		46.2		5	U	NA	
	SW12-071817	7/18/2017	µg/L	65		5.8		116		43.3		24.8		5	U	NA	
	SW12-080217	8/2/2017	µg/L	125		14.7		204		102		67		5	U	NA	
	SW12-090517	9/5/2017	µg/L	46.7		4.72		72		39		26.2		5	U	NA	
	SW12-090517-DUP	9/5/2017	µg/L	57.4		5.5		86.5		46.2		32.1		5	U	NA	
	SW12-120517	12/5/2017	µg/L	16.6		2.91		12.6		20.1		13.3		5	U	NA	
	SW12-121417	12/14/2017	µg/L	9.19		2.66		8.26		18		12.1		5	U	NA	
	SW12-010918	1/9/2018	µg/L	12.3		2.16		5.65		14.6		11.1		5	U	NA	
	SW12-020618	2/6/2018	µg/L	2.53		1	U	1.20		4.04		2.44		5	U	1	U
	SW12-030918	3/9/2018	µg/L	3.24		1.79		12.2		9.75		4.28		5	U	1	U
	SW12-040618	4/6/2018	µg/L	1.88		1	U	1	U	5.05		2.82		5	U	1	U
	SW12-050318	5/3/2018	µg/L	1	U	1	U	1	U	4.18		2.72		5	U	1	U
	SW12-060718	6/7/2018	µg/L	1.85		1	U	1	U	3.24		1.64		5	U	1	U
	SW12-071218	7/12/2018	µg/L	1.79		1	U	1	U	3.81		2.15		5	U	1	U
	SW12-091418	9/14/2018	µg/L	1.34		1	U	1	U	3.20		2.00		5	U	1	U
	SW12-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW12-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	--	3/7/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW12-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW12-060419	6/4/2019	µg/L	1.19		1	U	1	U	2	U	1	U	5	U	1	U
	SW12-071819	7/18/2019	µg/L	1.09		1	U	1	U	2	U	1	U	5	U	1	U
	SW12-082219	8/22/2019	µg/L	3.33		1	U	1	U	2	U	1	U	5	U	1	U
	SW12-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW12-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW12-110519	11/5/2019	µg/L	1.67		1	U	1	U	2	U	1	U	5	U	1	U
	SW12-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
SW-13	SW13-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW13-103116	10/31/2016	µg/L	1	U	1	U	2.0		2	U	1	U	1	U	NA	
	SW13-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW13-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW13-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	SW13-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-040517	4/5/2017	µg/L	1	U	1	U	1.21		2	U	1	U	5	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-13	SW13-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW13-020618	2/6/2018	µg/L	1.78		1	U	1	U	2	U	1	U	5	U	4.26	
	SW13-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.07	
	SW13-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.4	
	SW13-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	3.67	
	SW13-060718	6/7/2018	µg/L	2.99		1	U	2.48		2	U	1	U	5	U	8.08	
	SW13-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-081318	8/13/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-120418	12/4/2018	µg/L	1	U	1	U	1.84		2	U	1	U	5	U	3.49	
	SW13-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	11.0	
	SW13-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.30	
	SW13-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.11	
	SW13-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW13-091819	9/18/2019	--	NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW		NS-IW	
	SW13-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	4.83	
	SW13-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	2.11	
	SW13-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.09	
SW-14	SW14-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW14-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW14-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW14-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	--	12/14/2017	--	NS-DW		NS-DW		NS-DW		NS-DW		NS-DW		NS-DW		NS-DW	
	SW14-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	SW14-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-040618	4/6/2018	µg/L	1	U	1	U	1.43		2	U	1	U	5	U	1	U
	SW14-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.18	

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
SW-14	SW14-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.33	
	SW14-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-120418	12/4/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.62	
	SW14-021919	2/19/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.19	
	SW14-030719	3/7/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.68	
	SW14-051519	5/15/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1.50	
	SW14-060419	6/4/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-071819	7/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-082019	8/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-091819	9/18/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-102219	10/22/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-110519	11/5/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	SW14-122019	12/20/2019	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
FP-01	FP01-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP01-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP01-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-01-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP01-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP01-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U

Table 2. Historical Analytical Results for Surface Water, December 2019
Plantation Pipe Line Company
Lewis Drive Remediation Site, Belton, South Carolina
Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
FP-01	FP01-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP01-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
FP-02	FP02-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-081916	8/19/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP02-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP02-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-040517	4/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-02-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP02-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP02-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP02-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
FP-03	FP03-031616	3/16/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-042716	4/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-050916	5/9/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	

Table 2. Historical Analytical Results for Surface Water, December 2019
 Plantation Pipe Line Company
 Lewis Drive Remediation Site, Belton, South Carolina
 Site ID #18693 "Kinder Morgan Belton Pipeline Release"

Location	Sample ID	Date Collected	Units	Analyte													
				Benzene		Ethylbenzene		Toluene		m&p-Xylene		o-Xylene		Naphthalene		MTBE	
			Screening Value (µg/L):	2.2	^a	530	^a	1,000	^a	NA	^b	NA	^b	NA	^b	NA	^b
FP-03	FP03-062716	6/27/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-072816	7/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	--	8/19/2016	--	NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS	
	FP03-092916	9/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-103116	10/31/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-112816	11/28/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-122916	12/29/2016	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-012017	1/20/2017	µg/L	1	U	1	U	1	U	2	U	1	U	1	U	NA	
	FP03-022817	2/28/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP03-031517	3/15/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-032117	3/21/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-033017	3/30/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	--	4/5/2017	--	NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS		NS-HS	
	FP-03-050417	5/4/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-061317	6/13/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-071817	7/18/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-080217	8/2/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-090517	9/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-120517	12/5/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP-03-121417	12/14/2017	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP03-010918	1/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	NA	
	FP03-020618	2/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-030918	3/9/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-040618	4/6/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-050318	5/3/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-060718	6/7/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-071218	7/12/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U
	FP03-091418	9/14/2018	µg/L	1	U	1	U	1	U	2	U	1	U	5	U	1	U

Notes:

^a South Carolina Department of Health and Environmental Control (SC DHEC) R.61-68, Water Classifications and Standards, Human Health for consumption of water and organism, June 27, 2014.

^b Screening levels for these analytes are not specified in SC DHEC R. 61-68.

^c The analyte was analyzed for, but was not detected above the laboratory reporting/quantitation limit. However, the laboratory reporting/quantitation limit is above the screening criteria. The actual absence or presence of this analyte between the screening criteria and the laboratory reporting/quantitation limit can not be determined.

Samples analyzed by EPA Methods SW 8260B

Bold indicates the analyte was detected above the method detection limit.

Gray shading indicates the analyte exceeded its screening value.

J = estimated

U = analyte was not detected above the reported sample quantitation limit

µg/L = microgram(s) per liter

NS-HS = sample not collected due to health and safety concerns

FP = free product

NA = not applicable

NS-IW = sample not collected due to insufficient volume of water in well

ID = identification sample not collected due to location being in a different watershed

SW = surface water